

AD _____
(Leave blank)

Award Number: W81XWH-11-1-0056

TITLE: Effects of Bright Light Therapy on Sleep, Cognition, Brain Function, and Neurochemistry in Mild Traumatic Brain Injury

PRINCIPAL INVESTIGATOR: William D. "Scott" Killgore, Ph.D

CONTRACTING ORGANIZATION: McLean Hospital, Belmont, MA, 02478

REPORT DATE: 30 JAN 2014

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT:

Approved for public release; distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) 1 Jan 2014		2. REPORT TYPE Annual Report		3. DATES COVERED (From - To) 31 Dec 2012 - 30 Dec 2013	
4. TITLE AND SUBTITLE Effects of Bright Light Therapy on Sleep, Cognition, Brain Function, and Neurochemistry in Mild Traumatic Brain Injury				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER W81XWH-11-1-0056	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) William D. "Scott" Killgore, Ph.D Olga Tkachenko A.B. go ckn hmi qtgB o ergcpj ctxctf gfw				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) McLean Hospital Corporation Belmont, Ma 02478-1064				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research Institutional Review Board And Material Command McLean Hospital Fort Detrick, Maryland, 115 Mill St. 21702-5012 Belmont, MA 02478-1064				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The study has made substantial progress over the past year. The emerging data on cognition, emotion, and subjective sleep suggest that six weeks of morning Blue Light Therapy versus comparable Amber Light Placebo supports our initial hypotheses that the treatment would improve sleep and cognition. Emerging data from functional magnetic resonance imaging tasks also suggest that the Blue Light condition was effective in altering brain responses during two demanding attention and working memory tasks, whereas such changes were not evident in the Amber Light Placebo condition. Overall, these findings suggest that the Blue Light treatment improved hippocampal functioning during working memory and was associated with prefrontal cortex activation during an attention-based conflict monitoring task. The initial findings point toward some beneficial effects of the active treatment in reducing daytime sleepiness and sleep-related functional impairments, improving subjective sleep, showing clinically significant improvements in attention, and affecting functional brain responses. The current data set is still small and we are exploring avenues to increase sample size to obtain sufficient power to detect reliable effects.					
15. SUBJECT TERMS Bright Light, Mild Traumatic Brain Injury, functional Magnetic Resonance Imaging (fMRI) Diffusion Tensor Imaging (DTI)					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 150	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (include area code)

Table of Contents

	<u>Page</u>
Introduction.....	4
Body.....	4
Key Research Accomplishments.....	10
Reportable Outcomes.....	10
Conclusion.....	10
References.....	11
Appendices.....	11

INTRODUCTION:

With the large number of military personnel who have reported or suspected head injuries as a part of their military service (Hoge et al., 2008), the outcome of the present study could have significant impact on the delivery of health care to returning military veterans. Other than cognitive-behavioral therapies and avoidance of re-injury, there are few alternatives to treat symptoms of mild traumatic brain injury (mTBI) or concussion. Alternative approaches to treatment, or adjunctive therapies that can be used to augment ongoing interventions are clearly needed. Growing evidence suggests that sleep problems are particularly common following mTBI and may even affect the course of recovery. Sleep is critical to neurogenesis, neural plasticity, and removal of neurotoxins. Consequently, sleep enhancement seems to be an ideal candidate for direct intervention among individuals recovering from concussion. If sleep can be improved, it is more likely that other aspects of recovery will be accelerated. In particular, we hypothesize that sleep improvement will lead to improved emotional and cognitive functioning and that this will also enhance the effectiveness of ongoing adjunctive treatments. Growing evidence suggests that the sleep-wake cycle is strongly regulated by exposure to light, particularly in the blue wavelengths. Regular light exposure in the morning suppresses melatonin production early in the day and can re-entrain the circadian rhythm of sleep and wake. Therefore, it is hypothesized that, compared to an placebo device, daily use of morning blue light therapy device to entrain the circadian sleep-wake cycle, will lead to improvement of sleep in a sample of individuals with a recent history of mild TBI/ concussion, thereby increasing the likelihood that they will recover more quickly, and build emotional and cognitive resilience. If effective, the proposed approach could be used in isolation or as an adjunct to ongoing therapy to reduce the impact of mild TBI/ concussion and injury-related subjective symptoms, thereby facilitating a more rapid recovery. Even if the proposed light therapy fails to prove effective at improving sleep or symptom profiles, the obtained cognitive and neuroimaging data, neurocognitive testing, and actigraphy data will prove invaluable in developing further insights into the relationship between mild TBI/ concussion, sleep, and brain function.

The study design involves three visits to McLean Hospital. On the first visit, participants undergo a thorough screening for mTBI and qualified participants are fitted with a wrist actigraph for 24-hour a day continuous monitoring of sleep/wake cycles. Following a week of baseline actigraphy, participants return to the lab for the second visit, which involves a comprehensive neuropsychological assessment, neuroimaging scans, and a modified multiple sleep latency test (MSLT). At the end of the visit, each participant is randomly assigned to either an active treatment condition (Blue Light) or a placebo condition (Amber Light). Participants are provided with a device fitted with either blue or amber light emitting diodes (LEDs), which will be used for 30 minutes each morning, within two hours of awakening, and no later than 11:00 am. Participants use the light devices for 6 weeks and then return for the third visit to the lab. During the third visit, participants undergo a follow-up assessment session that is essentially identical to the previous assessment, including neuropsychological tests, neuroimaging, and MSLT. This past year, participants have also been instructed to wear an actigraph for an additional 6-weeks after the follow-up assessment to determine the durability of treatment effects.

The project has now completed its third year and is currently in a no-cost extension to permit additional data collection and to permit comprehensive analysis of the data.

BODY:

Accomplishments According to Statement of Work (SOW)

The study is progressing as planned. Consistent with the Statement of Work for YEAR 3 the following tasks have been accomplished:

SOW 1. Data collection will be 100% completed by the third quarter of Year 3.

Accomplishments:

- As of 14 JAN 2014, 183 potential volunteers have been screened, with 54 fulfilling criteria for study participation. Thus, 129 potential subjects were disqualified at phone screen. Of the eligible volunteers, 45 were scheduled to come in for the first study visit, of whom 38 attended the first session and were consented for the study. As of 14 JAN 2014, 32 subjects completed all phases of the study protocol, with 1 active subject who will complete study procedures by 28 FEB 2014. We withdrew 2 subjects from the study due to insufficient compliance with the study procedures. Furthermore, we discontinued 2 additional subjects, one who showed claustrophobia in MRI scanner and another with evidence of pre-injury psychopathology. In addition, 1 subject withdrew from the study, as advised by her legal counsel because of pending legal proceedings associated with the concussion.
- In order to increase statistical power and to permit sufficient time to conduct data analysis, we requested a no cost extension to continue study recruitment and data collection, which was granted on 1 NOV 2013. We therefore are continuing to recruit participants and collect data. Comprehensive analyses are now underway.

SOW 2. The PI will analyze data and prepare manuscripts for publication during the second half of Year 3.

Accomplishments:

- Preliminary functional neuroimaging data for all completed subjects have been preprocessed in SPM8. Functional MRI data have been corrected for motion, realigned, normalized, and spatially smoothed. All functional imaging data have been inspected for artifacts using the Artifact Detection Program (ART), and covariate regressor files have been created for scans showing excess variability in global signal intensity and motion. Diffusion Tensor Imaging (DTI) data are currently being preprocessed in FSL (i.e., eddy current correction, reconstruction of diffusion tensors, estimation of diffusion parameters, registration to anatomical image and standard space). Structural image data (i.e., anatomical scans) were segmented into gray matter, white matter and cerebrospinal fluid in SPM8. To allow for analysis of intervention-related changes in cortical thickness and cortical volume, sophisticated segmentation using FreeSurfer has been finished, and quality of these segmentations is currently evaluated.
- Self-report data have been scored, checked, and entered into statistical databases. To allow for crosschecking of entered data, we used a double-entry approach by which two independent research assistants entered the data that was then checked by a postdoctoral fellow. Computerized neuropsychological assessment data have been downloaded and entered into statistical databases as well. All data have been visually and graphically inspected to ensure that they were entered correctly.
- Multiple Sleep Latency Test data have been quality-checked and submitted to two experienced polysomnography technicians for scoring.

- Several abstracts have been prepared and submitted for presentation at professional conferences. Most have been accepted as oral presentations over the past year and several more are scheduled for presentation in the coming months (see below).

SOW 3. The PI will prepare a final report describing the effectiveness of blue light therapy for improving sleep and cognitive functioning and reducing symptoms of mTBI, and the functional and tractographic correlates of these changes within the brain.

Accomplishments:

- Given that the study has moved into a no cost extension, a final report will not be due until the end of the extension period. Please see below for preliminary findings.
- Preliminary findings from the study have been presented at the Society of Biological Psychiatry conference, San Francisco, CA, 16 – 18 MAY 2013 (oral presentation) and the APSS SLEEP 2013 conference, Baltimore, MD, 1 – 5 JUN 2013 (oral presentation).
- Preliminary findings will be presented at the TBI Workgroup Meeting at The Spaulding Rehabilitation Hospital Boston, Charlestown, MA, 14 FEB 2014 (oral presentation).
- Preliminary findings will be presented at the 10th World Congress in Brain Injury, San Francisco, CA, 19 – 22 MAR 2014 (oral presentation).

Preliminary Research Findings

Shapiro-Wilk tests were conducted in R to evaluate the normal distribution of all behavioral variables of interest by group. Most of the variables were found to be non-normally distributed. Therefore, a robust data analysis approach was implemented in R (package: WRS) in order to investigate associations between light exposure and behavior.

The current sample contains complete data from 30 participants (age: 20% trimmed mean $M_t=20.6$, standard error of the trimmed mean $SE_t=0.37$; 16 female, 14 male; time since most recent document recent injury in days: 20% trimmed mean $M_t=198.7$, standard error of the trimmed mean $SE_t=19.87$), 15 who received the active bright Blue Light Treatment (age: 20% trimmed mean $M_t=20.4$, standard error of the trimmed mean $SE_t=0.39$, range: 18-35; 9 female, 6 male; time since most recent injury in days: 20% trimmed mean $M_t=211.9$, standard error of the trimmed mean $SE_t=34.87$, range 54-538) and 15 who received the Amber Placebo Treatment (age: 20% trimmed mean $M_t=20.9$, standard error of the trimmed mean $SE_t=0.89$, range: 18-29; 7 female, 8 male; time since most recent injury in days: 20% trimmed mean $M_t=192.1$, standard error of the trimmed mean $SE_t=25.84$, range 83-459). Age and time since injury do not differ between group ($p=.62$ and $p=.92$ respectively).

Below, we present interim study results on subjects with study protocol adherence of greater than 75% ($n=25$). Protocol adherence was defined as the percentage of days participants completed the “on line” sleep diary on the day they were supposed to (i.e., not retrospectively). Overall, the six-week blue light intervention yielded clinically significant improvements in sleep, cognition, and emotion relative to the six-week amber light placebo intervention (see Tables 1 to 3 and Figures 1 to 2).

Sleep and daytime sleepiness

Interim analyses of two self-report measures (Pittsburgh Sleep Quality Index PSQI; Epworth Sleepiness Scale ESS) tentatively suggest six weeks of morning Blue Light to improve subject sleep and daytime sleepiness compared to Amber Light. While there was no main effect of group ($p=.105$, 1-

tailed), there was a main effect of assessment session (pre-versus post tx) ($p=.0065$, 1-tailed) and a trend towards an interaction between group and assessment session ($p=.075$, 1-tailed). Inspection of average ranks and relative effects (i.e., the typical ranks across the combinations of groups and combined outcome measures) suggests greater improvements in sleep quality and daytime sleepiness in the Blue Light than Amber Light group (see Table 1).

Table 1: Average ranks and relative effects for the effect of group and light on subjective sleep and sleepiness

	Pre-intervention	Post-intervention
	<i>Average ranks</i>	
Blue Light group	55.80	38.90
Amber Light group	58.60	53.80
	<i>Relative effects¹</i>	
Blue Light group	0.53	0.37
Amber Light group	0.59	0.51

¹ A relative effect of 0.5 signifies that there is no difference for this factor (i.e., group or assessment). Lower relative effects suggest lower scores on the variables of interest.

Depressive symptoms

Interim analyses of two self-report measures (Patient Health Questionnaire PHQ; Beck Depression Inventory BDI) tentatively suggest six weeks of morning Blue Light to reduce severity of depressive symptoms compared to Amber Light. While there was no main effect of group ($p=.255$, 1-tailed), there was a main effect of assessment session ($p=.001$, 1-tailed) and a trend towards an interaction between group and assessment session ($p=.05$, 1-tailed). Inspection of average ranks and relative effects suggests greater reductions in depressive symptoms in the Blue Light than Amber Light group (see Table 2).

Table 2: Average ranks and relative effects for the effect of group and light on depressive symptoms

	Pre-intervention	Post-intervention
	<i>Average ranks</i>	
Blue Light group	57.50	37.96
Amber Light group	55.63	49.28
	<i>Relative effects¹</i>	
Blue Light group	0.57	0.37
Amber Light group	0.55	0.49

¹ A relative effect of 0.5 signifies that there is no difference for this factor (i.e., group or assessment). Lower relative effects suggest lower scores on the variables of interest.

Cognitive performance: Attention

Interim analyses were conducted on the Psychomotor Vigilance Test (PVT) speed and lapses (i.e., number of trials with reaction time greater than 500ms). There was a significant main effect of time ($p<.001$), with average ranks and relative effects suggesting speed reductions in both Blue Light and Amber groups. However, there was no significant effect of light on speed ($p=.24$, 1-tailed) and interaction between light and assessment ($p=.14$, 1-tailed). There was a significant main effect of time on PVT lapses, with average ranks and relative suggesting that lapses increased for both groups. Furthermore, there was trend for a main effect of light on PVT lapses ($p=.05$, 1-tailed), with average ranks and relative effects suggesting that PVT lapses were higher in the Amber Group than Blue Light group ($p<.001$). There was a an interaction between light and assessment ($p=.025$, 1-tailed), with

average ranks and relative effects suggesting a steeper increase in lapses between the pre- and post-assessment in the Amber Light than the Blue Light group (Table 3). We interpret this as suggesting that participants were somewhat more bored during the second session overall, leading to slower response times on the PVT, but that those in the Amber Light group were significantly more adversely affected by attentional lapses and response slowing than those in the Blue Light group.

Table 3: Average ranks and relative effects for the effect of group and light on PVT as a measure of attention

	Pre-intervention	Post-intervention
<i>Average ranks</i>		
<i>PVT Speed</i>		
Blue Light	85.59	73.29
Amber Light	80.68	65.25
<i>Relative effects¹</i>		
Blue Light	0.57	0.49
Amber Light	0.53	0.43
<i>Average ranks</i>		
<i>PVT Lapses</i>		
Blue Light	64.95	68.40
Amber Light	71.93	90.60
<i>Relative effects¹</i>		
Blue Light	0.43	0.45
Amber Light	0.48	0.60

¹ A relative effect of 0.5 signifies that there is no difference for this factor (i.e., group or assessment). Lower relative effects suggest lower scores on the variables of interest.

Neuroimaging

Figure 1 shows functional brain activation during the MSIT task, a cognitively demanding interference task that subjects performed in the MRI scanner pre-and post-intervention. Specifically, the figure depicts the change in brain activation between pre- and post-assessment for the interference condition in 22 subjects who presented with study protocol adherence greater than 75%. In line with the literature, the data tentatively suggest greater recruitment of the left prefrontal cortex/inferior frontal operculum during this task following six weeks of Blue Light compared to Amber Light.



Figure 1: Blue Light was associated with greater brain activation in the left opercular cortex during a cognitively demanding interference task compared to Amber Light ($p < .005$, uncorrected)

Figure 2 shows functional brain activation during the N-Back task, a working memory task that subjects performed in the MRI scanner pre-and post-intervention. Specifically, the figure depicts the change in brain activation between pre- and post-assessment for the most difficult task condition in 22 subjects who presented with study protocol adherence greater than 75%. Consistent with the literature, the data tentatively suggest greater recruitment of the bilateral hippocampi during this task following six weeks of Blue Light compared to Amber Light.




Figure 2: Blue Light was associated with greater brain activation in bilateral hippocampus during a working memory task compared to Amber Light ($p < .005$, uncorrected)

Planned analyses include the incorporation of an objective measure of light exposure, as quantified by the data collected through the light sensor incorporated in the actiwatch. These data are currently being extracted and prepared for data analyses.

KEY RESEARCH ACCOMPLISHMENTS:

- Advertising and recruitment are ongoing.
- Data entry, quality checks, preprocessing and interim analyses are ongoing.
- 38 participants have been enrolled to date.
- 32 participants have completed the study.
- Preliminary results suggest that morning blue light therapy may improve sleep, cognition and emotion relative to a morning amber light placebo therapy of equal duration and intensity.

REPORTABLE OUTCOMES:

- Preliminary results were presented at national sleep and biological psychiatry conferences, yielding interest from health-related media outlets.
- Preliminary results will be presented at a national brain injury conference.

CONCLUSION:

The study has made substantial progress over the past year. The emerging data on cognition, emotion, and subjective sleep suggest that six weeks of morning Blue Light Therapy versus comparable Amber Light Placebo supports our initial hypotheses that the treatment would improve sleep and cognition. Emerging data from functional magnetic resonance imaging tasks also suggest that the Blue Light condition was effective in altering brain responses during two demanding attention and working memory tasks, whereas such changes were not evident in the Amber Light Placebo condition. Overall, these findings suggest that the Blue Light treatment improved hippocampal functioning during working memory and was associated with prefrontal cortex activation during an attention-based conflict monitoring task. The initial findings point toward some beneficial effects of the active treatment in reducing daytime sleepiness and sleep-related functional impairments, improving subjective sleep, showing clinically significant improvements in attention, and affecting functional brain responses. The current data set is still small and we are exploring avenues to increase sample size to obtain sufficient power to detect reliable effects.

REFERENCES:

Hoge, C. W., McGurk, D., Thomas, J. L., Cox, A. L., Engel, C. C., & Castro, C. A. (2008). Mild traumatic brain injury in U.S. Soldiers returning from Iraq. *New England Journal of Medicine*, 358(5), 453-463.

APPENDICES:

	<u>Page</u>
List of Assessments.....	12 – 13
Copies of Questionnaires & Examples of Computer-Administered Tasks.....	14 – 92
William D. “Scott” Killgore, Ph.D. Curriculum Vitae.....	93 – 151

Effects of Bright Light Therapy on Sleep, Cognition, Brain Function, and Neurochemistry in
Mild Traumatic Brain Injury

PI: William D. “Scott” Killgore, Ph.D.

Appendix: Study Measures/Assessments

Day 1 (Assessment Day)

1. Neurobehavioral Symptom Inventory (NSI)
2. Personality Assessment Inventory (PAI)
3. Screen Time Questionnaire (STQ)
4. MINI International Neuropsychiatric Interview (MINI)

Days 2 & 3 (Scan Days)

Pre-scan

5. Multi-Source Interference Task Practice
6. N-back practice
7. Stanford Sleepiness Scale (SSS)

Scan

8. Multi-Source Interference Task
9. N-back

10. Diffusion Tensor MRI

11. Resting State MRI

Post-scan

12. Repeatable Battery for the Assessment of Neuropsychological Status
13. Automated Neuropsychological Assessment Metrics (ANAM4) TBI Battery
14. Psychomotor Vigilance Test (PVT)
15. Multiple Sleep Latency Test (MSLT)
16. Invincibility Belief Index (IBI)
17. Go/No Go
18. Body Sway and Stability (BS&S)
19. Day of Scan Information Questionnaire
20. Morningness-Eveningness Questionnaire (MEQ)
21. Functional Outcome of Sleep Questionnaire (FOSQ)
22. Evaluation of Risk (EVAR)

Effects of Bright Light Therapy on Sleep, Cognition, Brain Function, and Neurochemistry in
Mild Traumatic Brain Injury

PI: William D. “Scott” Killgore, Ph.D.

- 23. Patient Health Questionnaire (PHQ)
- 24. Pittsburgh Sleep Quality Index (PSQI)
- 25. Rivermead Post-Concussion Symptoms Questionnaire (RPCSQ)
- 26. Beck Depression Inventory (BDI)
- 27. Balloon Analogue Risk Task (BART)
- 28. Spielberger State-Trait Anxiety Inventory – STATE
- 29. Spielberger State-Trait Anxiety Inventory – TRAIT
- 30. Tower of London (ToL)

6-Week Intervention Period

- 1. Sleep Diary

Appendix II: Symptom Checklist Included in VA's National Traumatic Brain Injury Evaluation and Treatment Protocol

NEUROBEHAVIORAL SYMPTOM INVENTORY

Please rate the following symptoms with regard to how much they have disturbed you
SINCE YOUR INJURY.

0 = None- Rarely if ever present; not a problem at all

1 = Mild- Occasionally present, but it does not disrupt activities; I can usually continue what I'm doing; doesn't really concern me.

2 = Moderate- Often present, occasionally disrupts my activities; I can usually continue what I'm doing with some effort; I feel somewhat concerned.

3 = Severe- Frequently present and disrupts activities; I can only do things that are fairly simple or take little effort; I feel like I need help.

4 = Very Severe- Almost always present and I have been unable to perform at work, school or home due to this problem; I probably cannot function without help.

1. Feeling dizzy:

0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE

2. Loss of balance:

0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE

3. Poor coordination, clumsy:

0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE

4. Headaches:

0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE

5. Nausea:

0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE

6. Vision problems, blurring, trouble seeing:

0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE

**Appendix II: Symptom Checklist Included in
VA's National Traumatic Brain Injury
Evaluation and Treatment Protocol**

7. Sensitivity to light	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
8. Hearing difficulty:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
9. Sensitivity to noise:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
10. Numbness or tingling on parts of my body:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
11. Change in taste and/or smell:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
12. Loss of appetite or increase appetite:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
13. Poor concentration, can't pay attention, easily distracted:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
14. Forgetfulness, can't remember things:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
15. Difficulty making decisions:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
16. Slowed thinking, difficulty getting organized, can't finish things:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE
17. Fatigue, loss of energy, getting tired easily:	0	1	2	3	4
	NONE	MILD	MODERATE	SEVERE	VERY SEVERE

**Appendix II: Symptom Checklist Included in
VA's National Traumatic Brain Injury
Evaluation and Treatment Protocol**

18. Difficulty falling or staying asleep:				
0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE
19. Feeling anxious or tense:				
0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE
20. Feeling depressed or sad:				
0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE
21. Irritability, easily annoyed:				
0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE
22. Poor frustration tolerance, feeling easily overwhelmed by things:				
0	1	2	3	4
NONE	MILD	MODERATE	SEVERE	VERY SEVERE

Personality Assessment Inventory (PAI)



99% of the products we distribute are in stock at all times.

Personality Assessment Inventory™ (PAI®)

Leslie C. Morey, PhD

Product Search

By All



Advanced Search

About PAR

Products

Request Catalog

Conferences/Workshops

Assessment Consultants

Research and Development

Opportunities at PAR

Community Involvement

Permissions and Licensing

PAR Report Card

Forms

Contact Us

Telephone 1.800.331.8378

Fax 1.800.727.9329

Tech Support 1.800.899.8378

Customer Comments:

"The speed with which you fill your orders is to be commended! This is very helpful for your customers. Thank you!"

Laura Liljequist, PhD
Murray, KY



Revised and updated materials help increase the accuracy of personality assessment.

Purpose: 22 nonoverlapping full scales provide a comprehensive assessment of adult psychopathology in ages 18 years and older

Age Range: Adult
Elder Adult

Admin: Individual or group

Time: 50-60 minutes to administer; 15-20 minutes to score

Qualification: [C](#)

Sample Reports: N/A

Related Products: [PAI® Professional Report Service](#)

[PAI® Software Portfolio](#)

[Personality Assessment Inventory™-Adolescent](#)

With its newly revised Professional Manual, Profile Form Adults-Revised, and Critical Items Form-Revised, the PAI® continues to raise the standard for the assessment of adult psychopathology. This objective inventory of adult personality assesses psychopathological syndromes and provides information relevant for clinical diagnosis, treatment planning, and screening for psychopathology. Since its introduction, the PAI has been heralded as one of the most important innovations in the field of clinical assessment.

PAI® Scales and Subscales

The 344 PAI items constitute 22 nonoverlapping scales covering the constructs most relevant to a broad-based assessment of mental disorders: 4 validity scales, 11 clinical scales, 5 treatment scales, and 2 interpersonal scales. To facilitate interpretation and to cover the full range of complex clinical constructs, 10 scales contain conceptually derived subscales.

The PAI Clinical scales were developed to provide information about critical diagnostic features of 11 important clinical constructs. These 11 scales may be divided into three broad classes of disorders: those within the neurotic spectrum, those within the psychotic spectrum, and those associated with behavior disorder or impulse control problems.

The Treatment scales were developed to provide indicators of potential complications in treatment that would not necessarily be apparent from diagnostic information. These five scales include two indicators of potential for harm to self or others, two measures of the respondent's environmental circumstances, and one indicator of the respondent's motivation for treatment.

The Interpersonal scales were developed to provide an assessment of the respondent's interpersonal style along two dimensions: a warmly affiliative versus a cold rejecting style, and a dominating/controlling versus a meekly submissive style. These axes provide a useful way of conceptualizing many different mental disorders: persons at the extremes of these dimensions may present with a variety of disorders. A number of studies provide evidence that diagnostic groups differ on these dimensions.

The PAI includes a Borderline Features scale and an Antisocial Features scale. Both of these scales specifically assess character pathology. The Borderline Features scale is the only PAI scale that has four subscales, reflecting the factorial complexity of the construct. The Antisocial Features scale includes a total of three facets: one assessing antisocial behaviors, and the other two assessing antisocial traits.

Subject Number: _____ Date: _____

In a typical week, we would like to know how much and when you are using your TV and Computer. Please place a C (computer) and/or T (television) in each hour time slot to indicate use.

Time	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
12AM							
1AM							
2AM							
3AM							
4AM							
5AM							
6AM							
7AM							
8AM							
9AM							
10AM							
11AM							
12PM							
1PM							
2PM							
3PM							
4PM							
5PM							
6PM							
7PM							
8PM							
9PM							
10PM							
11PM							

M.I.N.I.

MINI INTERNATIONAL NEUROPSYCHIATRIC INTERVIEW

English Version 6.0.0

DSM-IV

USA: **D. Sheehan¹, J. Janavs, K. Harnett-Sheehan, M. Sheehan, C. Gray.**

¹University of South Florida College of Medicine- Tampa, USA

EU: **Y. Lecrubier², E. Weiller, T. Hergueta, C. Allgulander, N. Kadri, D. Baldwin, C. Even.**

²Centre Hospitalier Sainte-Anne – Paris, France

© Copyright 1992-2009 Sheehan DV & Lecrubier Y

All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means, electronic or mechanical, including photocopying, or by any information storage or retrieval system, without permission in writing from Dr. Sheehan or Dr. Lecrubier. Researchers and clinicians working in nonprofit or publicly owned settings (including universities, nonprofit hospitals, and government institutions) may make paper copies of a M.I.N.I. instrument for their own clinical and research use.

DISCLAIMER

Our aim is to assist in the assessment and tracking of patients with greater efficiency and accuracy. Before action is taken on any data collected and processed by this program, it should be reviewed and interpreted by a licensed clinician.

This program is not designed or intended to be used in the place of a full medical and psychiatric evaluation by a qualified licensed physician – psychiatrist. It is intended only as a tool to facilitate accurate data collection and processing of symptoms elicited by trained personnel.

Patient Name: _____ Date of Birth: _____ Interviewer's Name: _____ Date of Interview: _____	Patient Number: _____ Time Interview Began: _____ Time Interview Ended: _____ Total Time: _____
--	--

	MODULES	TIME FRAME	MEETS CRITERIA	DSM-IV-TR	ICD-10	PRIMARY DIAGNOSIS
A	MAJOR DEPRESSIVE EPISODE	Current (2 weeks)	<input type="checkbox"/>	296.20-296.26 Single	F32.x	<input type="checkbox"/>
		Past	<input type="checkbox"/>	296.20-296.26 Single	F32.x	<input type="checkbox"/>
		Recurrent	<input type="checkbox"/>	296.30-296.36 Recurrent	F33.x	<input type="checkbox"/>
B	SUICIDALITY	Current (Past Month)	<input type="checkbox"/>			
		<input type="checkbox"/> Low <input type="checkbox"/> Moderate <input type="checkbox"/> High				
C	MANIC EPISODE	Current	<input type="checkbox"/>	296.00-296.06	F30.x-F31.9	<input type="checkbox"/>
		Past	<input type="checkbox"/>			
	HYPOMANIC EPISODE	Current	<input type="checkbox"/>	296.80-296.89	F31.8-F31.9/F34.0	<input type="checkbox"/>
		Past	<input type="checkbox"/>			
	BIPOLAR I DISORDER	Current	<input type="checkbox"/>	296.0x-296.6x	F30.x-F31.9	<input type="checkbox"/>
		Past	<input type="checkbox"/>	296.0x-296.6x	F30.x-F31.9	<input type="checkbox"/>
	BIPOLAR II DISORDER	Current	<input type="checkbox"/>	296.89	F31.8	<input type="checkbox"/>
		Past	<input type="checkbox"/>	296.89	F31.8	<input type="checkbox"/>
	BIPOLAR DISORDER NOS	Current	<input type="checkbox"/>	296.80	F31.9	<input type="checkbox"/>
		Past	<input type="checkbox"/>	296.80	F31.9	<input type="checkbox"/>
D	PANIC DISORDER	Current (Past Month)	<input type="checkbox"/>	300.01/300.21	F40.01-F41.0	<input type="checkbox"/>
		Lifetime	<input type="checkbox"/>			
E	AGORAPHOBIA	Current	<input type="checkbox"/>	300.22	F40.00	<input type="checkbox"/>
F	SOCIAL PHOBIA (Social Anxiety Disorder)	Current (Past Month)				
		Generalized	<input type="checkbox"/>	300.23	F40.1	<input type="checkbox"/>
		Non-Generalized	<input type="checkbox"/>	300.23	F40.1	<input type="checkbox"/>
G	OBSESSIVE-COMPULSIVE DISORDER	Current (Past Month)	<input type="checkbox"/>	300.3	F42.8	<input type="checkbox"/>
H	POSTTRAUMATIC STRESS DISORDER	Current (Past Month)	<input type="checkbox"/>	309.81	F43.1	<input type="checkbox"/>
I	ALCOHOL DEPENDENCE	Past 12 Months	<input type="checkbox"/>	303.9	F10.2x	<input type="checkbox"/>
	ALCOHOL ABUSE	Past 12 Months	<input type="checkbox"/>	305.00	F10.1	<input type="checkbox"/>
J	SUBSTANCE DEPENDENCE (Non-alcohol)	Past 12 Months	<input type="checkbox"/>	304.00-.90/305.20-.90	F11.1-F19.1	<input type="checkbox"/>
	SUBSTANCE ABUSE (Non-alcohol)	Past 12 Months	<input type="checkbox"/>	304.00-.90/305.20-.90	F11.1-F19.1	<input type="checkbox"/>
K	PSYCHOTIC DISORDERS	Lifetime	<input type="checkbox"/>	295.10-295.90/297.1/	F20.xx-F29	<input type="checkbox"/>
		Current	<input type="checkbox"/>	297.3/293.81/293.82/		
				293.89/298.8/298.9		
	MOOD DISORDER WITH	Lifetime	<input type="checkbox"/>	296.24/296.34/296.44	F32.3/F33.3/	<input type="checkbox"/>
	PSYCHOTIC FEATURES	Current	<input type="checkbox"/>	296.24/296.34/296.44	F30.2/F31.2/F31.5	<input type="checkbox"/>
					F31.8/F31.9/F39	<input type="checkbox"/>
L	ANOREXIA NERVOSA	Current (Past 3 Months)	<input type="checkbox"/>	307.1	F50.0	<input type="checkbox"/>
M	BULIMIA NERVOSA	Current (Past 3 Months)	<input type="checkbox"/>	307.51	F50.2	<input type="checkbox"/>
	ANOREXIA NERVOSA, BINGE EATING/PURGING TYPE	Current	<input type="checkbox"/>	307.1	F50.0	<input type="checkbox"/>
N	GENERALIZED ANXIETY DISORDER	Current (Past 6 Months)	<input type="checkbox"/>	300.02	F41.1	<input type="checkbox"/>
O	MEDICAL, ORGANIC, DRUG CAUSE RULED OUT		<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Uncertain			
P	ANTISOCIAL PERSONALITY DISORDER	Lifetime	<input type="checkbox"/>	301.7	F60.2	<input type="checkbox"/>

IDENTIFY THE PRIMARY DIAGNOSIS BY CHECKING THE APPROPRIATE CHECK BOX.

(Which problem troubles you the most or dominates the others or came first in the natural history?)



The translation from DSM-IV-TR to ICD-10 coding is not always exact. For more information on this topic see Schulte-Markwort. Crosswalks ICD-10/DSM-IV-TR. Hogrefe & Huber Publishers 2006.

GENERAL INSTRUCTIONS

The M.I.N.I. was designed as a brief structured interview for the major Axis I psychiatric disorders in DSM-IV and ICD-10. Validation and reliability studies have been done comparing the M.I.N.I. to the SCID-P for DSM-III-R and the CIDI (a structured interview developed by the World Health Organization). The results of these studies show that the M.I.N.I. has similar reliability and validity properties, but can be administered in a much shorter period of time (mean 18.7 ± 11.6 minutes, median 15 minutes) than the above referenced instruments. It can be used by clinicians, after a brief training session. Lay interviewers require more extensive training.

INTERVIEW:

In order to keep the interview as brief as possible, inform the patient that you will conduct a clinical interview that is more structured than usual, with very precise questions about psychological problems which require a yes or no answer.

GENERAL FORMAT:

The M.I.N.I. is divided into **modules** identified by letters, each corresponding to a diagnostic category.

- At the beginning of each diagnostic module (except for psychotic disorders module), screening question(s) corresponding to the main criteria of the disorder are presented in a **gray box**.
- At the end of each module, diagnostic box(es) permit the clinician to indicate whether diagnostic criteria are met.

CONVENTIONS:

Sentences written in « normal font » should be read exactly as written to the patient in order to standardize the assessment of diagnostic criteria.

Sentences written in « CAPITALS » should not be read to the patient. They are instructions for the interviewer to assist in the scoring of the diagnostic algorithms.

Sentences written in « bold » indicate the time frame being investigated. The interviewer should read them as often as necessary. Only symptoms occurring during the time frame indicated should be considered in scoring the responses.

Answers with an arrow above them (➡) indicate that one of the criteria necessary for the diagnosis(es) is not met. In this case, the interviewer should go to the end of the module, circle « **NO** » in all the diagnostic boxes and move to the next module.

When terms are separated by a *slash (/)* the interviewer should read only those symptoms known to be present in the patient (for example, question G6).

Phrases in (parentheses) are clinical examples of the symptom. These may be read to the patient to clarify the question.

RATING INSTRUCTIONS:

All questions must be rated. The rating is done at the right of each question by circling either Yes or No. Clinical judgment by the rater should be used in coding the responses. Interviewers need to be sensitive to the diversity of cultural beliefs in their administration of questions and rating of responses. The rater should ask for examples when necessary, to ensure accurate coding. The patient should be encouraged to ask for clarification on any question that is not absolutely clear.

The clinician should be sure that each dimension of the question is taken into account by the patient (for example, time frame, frequency, severity, and/or alternatives).

Symptoms better accounted for by an organic cause or by the use of alcohol or drugs should not be coded positive in the M.I.N.I. The M.I.N.I. Plus has questions that investigate these issues.

For any questions, suggestions, need for a training session or information about updates of the M.I.N.I., please contact:

David V Sheehan, M.D., M.B.A.

University of South Florida College of Medicine

3515 East Fletcher Ave, Tampa, FL USA 33613-4706

tel : +1 813 974 4544; fax : +1 813 974 4575

e-mail : dsheehan@health.usf.edu

Yves Lecrubier, M.D. / Christian Even, M.D.

Centre Hospitalier Sainte-Anne

Clinique des Maladies Mentales de l'Encéphale

100 rue de la Santé, 75674 Paris Cedex 14, France

tel : +33 (0) 1 53 80 49 41; fax : +33 (0) 1 45 65 88 54

e-mail : ylecubier@noos.fr or even-sainteanne@orange.fr

A. MAJOR DEPRESSIVE EPISODE

(➡ MEANS : GO TO THE DIAGNOSTIC BOXES, CIRCLE **NO** IN ALL DIAGNOSTIC BOXES, AND MOVE TO THE NEXT MODULE)

A1	a	Were you <u>ever</u> depressed or down, most of the day, nearly every day, for two weeks?	NO	YES
IF NO, CODE NO TO A1b : IF YES ASK:				
	b	For the <u>past two weeks</u> , were you depressed or down, most of the day, nearly every day?	NO	YES
A2	a	Were you <u>ever</u> much less interested in most things or much less able to enjoy the things you used to enjoy most of the time, for two weeks?	NO	YES
IF NO, CODE NO TO A2b : IF YES ASK:				
	b	In the <u>past two weeks</u> , were you much less interested in most things or much less able to enjoy the things you used to enjoy, most of the time?	NO	YES
IS A1a OR A2a CODED YES ?			➡ NO	YES

A3 IF **A1b** OR **A2b** = **YES**: EXPLORE THE **CURRENT** AND THE MOST SYMPTOMATIC **PAST** EPISODE, OTHERWISE
IF **A1b** AND **A2b** = **NO**: EXPLORE ONLY THE MOST SYMPTOMATIC **PAST** EPISODE

Over that two week period, when you felt depressed or uninterested:

		Past 2 Weeks		Past Episode	
a	Was your appetite decreased or increased nearly every day? Did your weight decrease or increase without trying intentionally (i.e., by $\pm 5\%$ of body weight or ± 8 lbs. or ± 3.5 kgs., for a 160 lb./70 kg. person in a month)? <small>IF YES TO EITHER, CODE YES.</small>	NO	YES	NO	YES
b	Did you have trouble sleeping nearly every night (difficulty falling asleep, waking up in the middle of the night, early morning waking or sleeping excessively)?	NO	YES	NO	YES
c	Did you talk or move more slowly than normal or were you fidgety, restless or having trouble sitting still almost every day?	NO	YES	NO	YES
d	Did you feel tired or without energy almost every day?	NO	YES	NO	YES
e	Did you feel worthless or guilty almost every day? <small>IF YES, ASK FOR EXAMPLES. THE EXAMPLES ARE CONSISTENT WITH A DELUSIONAL IDEA. Current Episode <input type="checkbox"/> No <input type="checkbox"/> Yes Past Episode <input type="checkbox"/> No <input type="checkbox"/> Yes</small>	NO	YES	NO	YES
f	Did you have difficulty concentrating or making decisions almost every day?	NO	YES	NO	YES
g	Did you repeatedly consider hurting yourself, feel suicidal, or wish that you were dead? Did you attempt suicide or plan a suicide? <small>IF YES TO EITHER, CODE YES.</small>	NO	YES	NO	YES
A4	Did these symptoms cause significant problems at home, at work, socially, at school or in some other important way?	NO	YES	NO	YES
A5	In between 2 episodes of depression, did you ever have an interval of at least 2 months, without any significant depression or any significant loss of interest?			NO	YES

ARE **5** OR MORE ANSWERS (**A1-A3**) CODED **YES** AND IS **A4** CODED YES FOR THAT TIME FRAME?

SPECIFY IF THE EPISODE IS CURRENT AND / OR PAST.

IF **A5** IS CODED **YES**, CODE **YES** FOR RECURRENT.

NO	YES
MAJOR DEPRESSIVE EPISODE	
CURRENT	<input type="checkbox"/>
PAST	<input type="checkbox"/>
RECURRENT	<input type="checkbox"/>

A6 a How many episodes of depression did you have in your lifetime? _____

Between each episode there must be at least 2 months without any significant depression.

B. SUICIDALITY

Points

In the past month did you:

B1	Suffer any accident? IF NO TO B1, SKIP TO B2; IF YES, ASK B1a:	NO	YES	0
B1a	Plan or intend to hurt yourself in that accident either actively or passively (e.g. not avoiding a risk)? IF NO TO B1a, SKIP TO B2: IF YES, ASK B1b:	NO	YES	0
B1b	Intend to die as a result of this accident?	NO	YES	0
B2	Feel hopeless?	NO	YES	1
B3	Think that you would be better off dead or wish you were dead?	NO	YES	1
B4	Want to harm yourself or to hurt or to injure yourself or have mental images of harming yourself?	NO	YES	2
B5	Think about suicide? IF NO TO B5, SKIP TO B7. OTHERWISE ASK:	NO	YES	6

Frequency

Intensity

Occasionally	<input type="checkbox"/>	Mild	<input type="checkbox"/>
Often	<input type="checkbox"/>	Moderate	<input type="checkbox"/>
Very often	<input type="checkbox"/>	Severe	<input type="checkbox"/>

	Can you state that you will not act on these impulses during this treatment program?	NO	YES	
B6	Feel unable to control these impulses?	NO	YES	8
B7	Have a suicide plan?	NO	YES	8
B8	Take any active steps to prepare to injure yourself or to prepare for a suicide attempt in which you expected or intended to die?	NO	YES	9
B9	Deliberately injure yourself without intending to kill yourself?	NO	YES	4
B10	Attempt suicide? IF NO SKIP TO B11: Hope to be rescued / survive <input type="checkbox"/> Expected / intended to die <input type="checkbox"/>	NO	YES	9

In your lifetime:

B11	Did you ever make a suicide attempt?	NO	YES	4
-----	--------------------------------------	----	-----	---

IS AT LEAST **1** OF THE ABOVE (EXCEPT B1) CODED **YES**?

IF YES, ADD THE TOTAL POINTS FOR THE ANSWERS (B1-B11)
CHECKED 'YES' AND SPECIFY THE SUICIDALITY SCORE AS
INDICATED IN THE DIAGNOSTIC BOX:

MAKE ANY ADDITIONAL COMMENTS ABOUT YOUR ASSESSMENT
OF THIS PATIENT'S CURRENT AND NEAR FUTURE SUICIDALITY IN
THE SPACE BELOW:

NO

YES

***SUICIDALITY
CURRENT***

1-8 points	Low	<input type="checkbox"/>
9-16 points	Moderate	<input type="checkbox"/>
≥ 17 points	High	<input type="checkbox"/>

C. MANIC AND HYPOMANIC EPISODES

(➡ MEANS : GO TO THE DIAGNOSTIC BOXES, CIRCLE NO IN MANIC AND HYPOMANIC DIAGNOSTIC BOXES, AND MOVE TO NEXT MODULE)

Do you have any family history of manic depressive illness or bipolar disorder, or any family member who had mood swings treated with a medication like lithium, sodium valproate (Depakote) or lamotrigine (Lamictal)?

NO

YES

THIS QUESTION IS NOT A CRITERION FOR BIPOLAR DISORDER, BUT IS ASKED TO INCREASE THE CLINICIAN'S VIGILANCE ABOUT THE RISK FOR BIPOLAR DISORDER .

IF YES, PLEASE SPECIFY WHO: _____

- C1 a Have you **ever** had a period of time when you were feeling 'up' or 'high' or 'hyper' or so full of energy or full of yourself that you got into trouble, - or that other people thought you were not your usual self? (Do not consider times when you were intoxicated on drugs or alcohol.)

NO

YES

IF PATIENT IS PUZZLED OR UNCLEAR ABOUT WHAT YOU MEAN

BY 'UP' OR 'HIGH' OR 'HYPER', CLARIFY AS FOLLOWS: By 'up' or 'high' or 'hyper'

I mean: having elated mood; increased energy; needing less sleep; having rapid thoughts; being full of ideas; having an increase in productivity, motivation, creativity, or impulsive behavior; phoning or working excessively or spending more money.

IF NO, CODE NO TO **C1b**: IF YES ASK:

- b Are you currently feeling 'up' or 'high' or 'hyper' or full of energy?

NO

YES

- C2 a Have you **ever** been persistently irritable, for several days, so that you had arguments or verbal or physical fights, or shouted at people outside your family? Have you or others noticed that you have been more irritable or over reacted, compared to other people, even in situations that you felt were justified?

NO

YES

IF NO, CODE NO TO **C2b**: IF YES ASK:

- b Are you currently feeling persistently irritable?

NO

YES

IS **C1a** OR **C2a** CODED YES?

➡

NO

YES

- C3 IF **C1b** OR **C2b** = YES: EXPLORE THE **CURRENT** AND THE MOST SYMPTOMATIC **PAST** EPISODE, OTHERWISE
IF **C1b** AND **C2b** = NO: EXPLORE ONLY THE MOST SYMPTOMATIC **PAST** EPISODE

During the times when you felt high, full of energy, or irritable did you:

	<u>Current Episode</u>		<u>Past Episode</u>	
a Feel that you could do things others couldn't do, or that you were an especially important person? If YES, ASK FOR EXAMPLES. THE EXAMPLES ARE CONSISTENT WITH A DELUSIONAL IDEA. Current Episode <input type="checkbox"/> No <input type="checkbox"/> Yes Past Episode <input type="checkbox"/> No <input type="checkbox"/> Yes	NO	YES	NO	YES
b Need less sleep (for example, feel rested after only a few hours sleep)?	NO	YES	NO	YES
c Talk too much without stopping, or so fast that people had difficulty understanding?	NO	YES	NO	YES
d Have racing thoughts?	NO	YES	NO	YES

	Current Episode		Past Episode	
e Become easily distracted so that any little interruption could distract you?	NO	YES	NO	YES
f Have a significant increase in your activity or drive, at work, at school, socially or sexually or did you become physically or mentally restless?	NO	YES	NO	YES
g Want so much to engage in pleasurable activities that you ignored the risks or consequences (for example, spending sprees, reckless driving, or sexual indiscretions)?	NO	YES	NO	YES
C3 SUMMARY: WHEN RATING CURRENT EPISODE: IF C1b IS NO, ARE 4 OR MORE C3 ANSWERS CODED YES? IF C1b IS YES, ARE 3 OR MORE C3 ANSWERS CODED YES?	NO	YES	NO	YES
WHEN RATING PAST EPISODE: IF C1a IS NO, ARE 4 OR MORE C3 ANSWERS CODED YES? IF C1a IS YES, ARE 3 OR MORE C3 ANSWERS CODED YES? CODE YES ONLY IF THE ABOVE 3 OR 4 SYMPTOMS OCCURRED DURING THE SAME TIME PERIOD. RULE: ELATION/EXPANSIVENESS REQUIRES ONLY THREE C3 SYMPTOMS, WHILE IRRITABLE MOOD ALONE REQUIRES 4 OF THE C3 SYMPTOMS.				
C4 What is the longest time these symptoms lasted?				
a) 3 days or less		<input type="checkbox"/>		<input type="checkbox"/>
b) 4 to 6 days		<input type="checkbox"/>		<input type="checkbox"/>
c) 7 days or more		<input type="checkbox"/>		<input type="checkbox"/>
C5 Were you hospitalized for these problems?	NO	YES	NO	YES
IF YES, STOP HERE AND CIRCLE YES IN MANIC EPISODE FOR THAT TIME FRAME.				
C6 Did these symptoms cause significant problems at home, at work, socially in your relationships with others, at school or in some other important way?	NO	YES	NO	YES

ARE **C3 SUMMARY** AND **C5** AND **C6** CODED **YES** AND EITHER **C4a** or **b** or **c** CODED **YES**?

OR

ARE **C3 SUMMARY** AND **C4c** AND **C6** CODED **YES** AND IS **C5** CODED **NO**?

SPECIFY IF THE EPISODE IS CURRENT AND / OR PAST.

NO	YES
MANIC EPISODE	
CURRENT	<input type="checkbox"/>
PAST	<input type="checkbox"/>

ARE **C3 SUMMARY** AND **C5** AND **C6** CODED **NO** AND EITHER **C4b** OR **C4c** CODED **YES**?

OR

ARE **C3 SUMMARY** AND **C4b** AND **C6** CODED **YES** AND IS **C5** CODED **NO**?

SPECIFY IF THE EPISODE IS CURRENT AND / OR PAST.

NO	YES
HYPOMANIC EPISODE	
CURRENT	<input type="checkbox"/>
PAST	<input type="checkbox"/>

ARE **C3** SUMMARY AND **C4a** CODED **YES** AND IS **C5** CODED **NO**?

NO

YES

HYPOMANIC SYMPTOMS

SPECIFY IF THE EPISODE IS CURRENT AND / OR PAST.

CURRENT

☐

PAST

☐

C7

a) IF MANIC EPISODE IS POSITIVE FOR EITHER CURRENT OR PAST ASK:

Did you have 2 or more manic episodes (**C4c**) in your lifetime (including the current episode if present)? NO YES

b) IF HYPOMANIC EPISODE IS POSITIVE FOR EITHER CURRENT OR PAST ASK:

Did you have 2 or more hypomanic EPISODES (**C4b**) in your lifetime (including the current episode)? NO YES

c) IF PAST "HYPOMANIC SYMPTOMS" IS CODED POSITIVE ASK:

Did you have 2 or more episodes of hypomanic SYMPTOMS (**C4a**) in your lifetime (including the current episode if present)? NO YES

D. PANIC DISORDER

(➡ MEANS : CIRCLE NO IN D5, D6 AND D7 AND SKIP TO E1)

D1	<p>a Have you, on more than one occasion, had spells or attacks when you suddenly felt anxious, frightened, uncomfortable or uneasy, even in situations where most people would not feel that way?</p> <p>b Did the spells surge to a peak within 10 minutes of starting?</p>	➡ NO	YES
		➡ NO	YES
D2	At any time in the past, did any of those spells or attacks come on unexpectedly or occur in an unpredictable or unprovoked manner?	➡ NO	YES
D3	Have you ever had one such attack followed by a month or more of persistent concern about having another attack, or worries about the consequences of the attack - or did you make a significant change in your behavior because of the attacks (e.g., shopping only with a companion, not wanting to leave your house, visiting the emergency room repeatedly, or seeing your doctor more frequently because of the symptoms)?	NO	YES
D4	During the worst attack that you can remember:		
a	Did you have skipping, racing or pounding of your heart?	NO	YES
b	Did you have sweating or clammy hands?	NO	YES
c	Were you trembling or shaking?	NO	YES
d	Did you have shortness of breath or difficulty breathing?	NO	YES
e	Did you have a choking sensation or a lump in your throat?	NO	YES
f	Did you have chest pain, pressure or discomfort?	NO	YES
g	Did you have nausea, stomach problems or sudden diarrhea?	NO	YES
h	Did you feel dizzy, unsteady, lightheaded or faint?	NO	YES
i	Did things around you feel strange, unreal, detached or unfamiliar, or did you feel outside of or detached from part or all of your body?	NO	YES
j	Did you fear that you were losing control or going crazy?	NO	YES
k	Did you fear that you were dying?	NO	YES
l	Did you have tingling or numbness in parts of your body?	NO	YES
m	Did you have hot flushes or chills?	NO	YES
D5	ARE BOTH D3 , AND 4 OR MORE D4 ANSWERS, CODED YES ? IF YES TO D5, SKIP TO D7.	NO	YES
			<i>PANIC DISORDER LIFETIME</i>
D6	IF D5 = NO , ARE ANY D4 ANSWERS CODED YES ? THEN SKIP TO E1 .	NO	YES
			<i>LIMITED SYMPTOM ATTACKS LIFETIME</i>

D7	In the past month, did you have such attacks repeatedly (2 or more), and did you have persistent concern about having another attack, or worry about the consequences of the attacks, or did you change your behavior in any way because of the attacks?	NO	YES <i>PANIC DISORDER CURRENT</i>
----	--	----	--

E. AGORAPHOBIA

E1	Do you feel anxious or uneasy in places or situations where help might not be available or escape might be difficult, like being in a crowd, standing in a line (queue), when you are alone away from home or alone at home, or when crossing a bridge, or traveling in a bus, train or car or where you might have a panic attack or the panic-like symptoms we just spoke about?	NO	YES
----	--	----	-----

IF **E1 = NO**, CIRCLE **NO** IN **E2**.

E2	Do you fear these situations so much that you avoid them, or suffer through them, or need a companion to face them?	NO	YES <i>AGORAPHOBIA CURRENT</i>
----	---	----	---------------------------------------

IS **E2** (CURRENT AGORAPHOBIA) CODED **YES**

and

IS **D7** (CURRENT PANIC DISORDER) CODED **YES**?

NO	YES
----	-----

***PANIC DISORDER
with Agoraphobia
CURRENT***

IS **E2** (CURRENT AGORAPHOBIA) CODED **NO**

and

IS **D7** (CURRENT PANIC DISORDER) CODED **YES**?

NO	YES
----	-----

***PANIC DISORDER
without Agoraphobia
CURRENT***

IS **E2** (CURRENT AGORAPHOBIA) CODED **YES**

and

IS **D5** (PANIC DISORDER LIFETIME) CODED **NO**?

NO	YES
----	-----

***AGORAPHOBIA, CURRENT
without history of
Panic Disorder***

F. SOCIAL PHOBIA (Social Anxiety Disorder)

(➡ MEANS : GO TO THE DIAGNOSTIC BOX, CIRCLE NO AND MOVE TO THE NEXT MODULE)

F1	In the past month, did you have persistent fear and significant anxiety at being watched, being the focus of attention, or of being humiliated or embarrassed? This includes things like speaking in public, eating in public or with others, writing while someone watches, or being in social situations.	➡ NO	YES
----	---	---------	-----

F2	Is this social fear excessive or unreasonable and does it almost always make you anxious?	➡ NO	YES
----	---	---------	-----

F3	Do you fear these social situations so much that you avoid them or suffer through them most of the time?	➡ NO	YES
----	--	---------	-----

F4	Do these social fears disrupt your normal work, school or social functioning or cause you significant distress?	NO	YES
----	---	----	-----

SOCIAL PHOBIA
(Social Anxiety Disorder)
CURRENT

GENERALIZED ☐

NON-GENERALIZED ☐

SUBTYPES

Do you fear and avoid 4 or more social situations?

If YES Generalized social phobia (social anxiety disorder)

If NO Non-generalized social phobia (social anxiety disorder)

EXAMPLES OF SUCH SOCIAL SITUATIONS TYPICALLY INCLUDE

- INITIATING OR MAINTAINING A CONVERSATION,
- PARTICIPATING IN SMALL GROUPS,
- DATING,
- SPEAKING TO AUTHORITY FIGURES,
- ATTENDING PARTIES,
- PUBLIC SPEAKING,
- EATING IN FRONT OF OTHERS,
- URINATING IN A PUBLIC WASHROOM, ETC.

NOTE TO INTERVIEWER: PLEASE ASSESS WHETHER THE SUBJECT'S FEARS ARE RESTRICTED TO NON-GENERALIZED ("ONLY 1 OR SEVERAL") SOCIAL SITUATIONS OR EXTEND TO GENERALIZED ("MOST") SOCIAL SITUATIONS. "MOST" SOCIAL SITUATIONS IS USUALLY OPERATIONALIZED TO MEAN 4 OR MORE SOCIAL SITUATIONS, ALTHOUGH THE DSM-IV DOES NOT EXPLICITLY STATE THIS.

G. OBSESSIVE-COMPULSIVE DISORDER

(➡ MEANS: GO TO THE DIAGNOSTIC BOX, CIRCLE NO AND MOVE TO THE NEXT MODULE)

G1	In the past month, have you been bothered by recurrent thoughts, impulses, or images that were unwanted, distasteful, inappropriate, intrusive, or distressing? - (For example, the idea that you were dirty, contaminated or had germs, or fear of contaminating others, or fear of harming someone even though it disturbs or distresses you, or fear you would act on some impulse, or fear or superstitions that you would be responsible for things going wrong, or obsessions with sexual thoughts, images or impulses, or hoarding, collecting, or religious obsessions.)	NO	YES
		↓	
		SKIP TO G4	

(DO NOT INCLUDE SIMPLY EXCESSIVE WORRIES ABOUT REAL LIFE PROBLEMS. DO NOT INCLUDE OBSESSIONS DIRECTLY RELATED TO EATING DISORDERS, SEXUAL DEVIATIONS, PATHOLOGICAL GAMBLING, OR ALCOHOL OR DRUG ABUSE BECAUSE THE PATIENT MAY DERIVE PLEASURE FROM THE ACTIVITY AND MAY WANT TO RESIST IT ONLY BECAUSE OF ITS NEGATIVE CONSEQUENCES.)

G2	Did they keep coming back into your mind even when you tried to ignore or get rid of them?	NO	YES
		↓	
		SKIP TO G4	

G3	Do you think that these obsessions are the product of your own mind and that they are not imposed from the outside?	NO	YES
			obsessions

G4	In the past month, did you do something repeatedly without being able to resist doing it, like washing or cleaning excessively, counting or checking things over and over, or repeating, collecting, arranging things, or other superstitious rituals?	NO	YES
			compulsions

IS G3 OR G4 CODED YES?

➡	NO	YES
---	----	-----

G5	At any point, did you recognize that either these obsessive thoughts or these compulsive behaviors were excessive or unreasonable?	NO	YES
		➡	

G6	In the past month, did these obsessive thoughts and/or compulsive behaviors significantly interfere with your normal routine, your work or school, your usual social activities, or relationships, or did they take more than one hour a day?		
----	---	--	--

NO	YES
----	-----

***O.C.D.
CURRENT***

H. POSTTRAUMATIC STRESS DISORDER

(➡ MEANS : GO TO THE DIAGNOSTIC BOX, CIRCLE NO, AND MOVE TO THE NEXT MODULE)

H1	Have you ever experienced or witnessed or had to deal with an extremely traumatic event that included actual or threatened death or serious injury to you or someone else?	➡ NO	YES
<p>EXAMPLES OF TRAUMATIC EVENTS INCLUDE: SERIOUS ACCIDENTS, SEXUAL OR PHYSICAL ASSAULT, A TERRORIST ATTACK, BEING HELD HOSTAGE, KIDNAPPING, FIRE, DISCOVERING A BODY, WAR, OR NATURAL DISASTER, WITNESSING THE VIOLENT OR SUDDEN DEATH OF SOMEONE CLOSE TO YOU, OR A LIFE THREATENING ILLNESS.</p>			
H2	Did you respond with intense fear, helplessness or horror?	➡ NO	YES
H3	During the past month, have you re-experienced the event in a distressing way (such as in dreams, intense recollections, flashbacks or physical reactions) or did you have intense distress when you were reminded about the event or exposed to a similar event?	➡ NO	YES

H4 In the past month:

- | | | | |
|-------------------------------------|---|---------|-----|
| a | Have you avoided thinking about or talking about the event ? | NO | YES |
| b | Have you avoided activities, places or people that remind you of the event? | NO | YES |
| c | Have you had trouble recalling some important part of what happened? | NO | YES |
| d | Have you become much less interested in hobbies or social activities? | NO | YES |
| e | Have you felt detached or estranged from others? | NO | YES |
| f | Have you noticed that your feelings are numbed? | NO | YES |
| g | Have you felt that your life will be shortened or that you will die sooner than other people? | NO | YES |
| ARE 3 OR MORE H4 ANSWERS CODED YES? | | ➡
NO | YES |

H5 In the past month:

- | | | | |
|-------------------------------------|---|---------|-----|
| a | Have you had difficulty sleeping? | NO | YES |
| b | Were you especially irritable or did you have outbursts of anger? | NO | YES |
| c | Have you had difficulty concentrating? | NO | YES |
| d | Were you nervous or constantly on your guard? | NO | YES |
| e | Were you easily startled? | NO | YES |
| ARE 2 OR MORE H5 ANSWERS CODED YES? | | ➡
NO | YES |

H6 During the past month, have these problems significantly interfered with your work, school or social activities, or caused significant distress?

NO YES

**POSTTRAUMATIC
STRESS DISORDER
CURRENT**

I. ALCOHOL DEPENDENCE / ABUSE

(➡ MEANS: GO TO DIAGNOSTIC BOXES, CIRCLE NO IN BOTH AND MOVE TO THE NEXT MODULE)

I1	In the past 12 months , have you had 3 or more alcoholic drinks, - within a 3 hour period, - on 3 or more occasions?	➡ NO	YES
----	---	---------	-----

I2	In the past 12 months:		
	a Did you need to drink a lot more in order to get the same effect that you got when you first started drinking or did you get much less effect with continued use of the same amount?	NO	YES
	b When you cut down on drinking did your hands shake, did you sweat or feel agitated? Did you drink to avoid these symptoms (for example, "the shakes", sweating or agitation) or to avoid being hungover? <small>IF YES TO ANY, CODE YES.</small>	NO	YES
	c During the times when you drank alcohol, did you end up drinking more than you planned when you started?	NO	YES
	d Have you tried to reduce or stop drinking alcohol but failed?	NO	YES
	e On the days that you drank, did you spend substantial time in obtaining alcohol, drinking, or in recovering from the effects of alcohol?	NO	YES
	f Did you spend less time working, enjoying hobbies, or being with others because of your drinking?	NO	YES
	g If your drinking caused you health or mental problems, did you still keep on drinking?	NO	YES

ARE **3** OR MORE **I2** ANSWERS CODED **YES**?

***** IF YES, SKIP I3 QUESTIONS AND GO TO NEXT MODULE. "DEPENDENCE PREEMPTS ABUSE" IN DSM IV TR.

NO	YES*
ALCOHOL DEPENDENCE CURRENT	

I3	In the past 12 months:		
	a Have you been intoxicated, high, or hungover more than once when you had other responsibilities at school, at work, or at home? Did this cause any problems? <small>(CODE YES ONLY IF THIS CAUSED PROBLEMS.)</small>	NO	YES
	b Were you intoxicated more than once in any situation where you were physically at risk, for example, driving a car, riding a motorbike, using machinery, boating, etc.?	NO	YES
	c Did you have legal problems more than once because of your drinking, for example, an arrest or disorderly conduct?	NO	YES
	d If your drinking caused problems with your family or other people, did you still keep on drinking?	NO	YES

ARE **1** OR MORE **I3** ANSWERS CODED **YES**?

NO

YES

***ALCOHOL ABUSE
CURRENT***

J. SUBSTANCE DEPENDENCE / ABUSE (NON-ALCOHOL)

(➡ MEANS : GO TO THE DIAGNOSTIC BOXES, CIRCLE NO IN ALL DIAGNOSTIC BOXES, AND MOVE TO THE NEXT MODULE)

Now I am going to show you / read to you a list of street drugs or medicines.

- | | | | | |
|----|---|---|---------|-----|
| J1 | a | In the past 12 months, did you take any of these drugs more than once, to get high, to feel elated, to get “a buzz” or to change your mood? | ➡
NO | YES |
|----|---|---|---------|-----|

CIRCLE EACH DRUG TAKEN:

Stimulants: amphetamines, "speed", crystal meth, "crank", "rush", Dexedrine, Ritalin, diet pills.

Cocaine: snorting, IV, freebase, crack, "speedball".

Narcotics: heroin, morphine, Dilaudid, opium, Demerol, methadone, Darvon, codeine, Percodan, Vicoden, OxyContin.

Hallucinogens: LSD ("acid"), mescaline, peyote, psilocybin, STP, "mushrooms", "ecstasy", MDA, MDMA.

Phencyclidine: PCP ("Angel Dust", "PeaCe Pill", "Tranq", "Hog"), or ketamine ("special K").

Inhalants: "glue", ethyl chloride, "rush", nitrous oxide ("laughing gas"), amyl or butyl nitrate ("poppers").

Cannabis: marijuana, hashish ("hash"), THC, "pot", "grass", "weed", "reefer".

Tranquilizers: Quaalude, Seconal ("reds"), Valium, Xanax, Librium, Ativan, Dalmane, Halcion, barbiturates, Miltown, GHB, Roofinol, "Roofies".

Miscellaneous: steroids, nonprescription sleep or diet pills. Cough Medicine? Any others?

SPECIFY THE MOST USED DRUG(S): _____

WHICH DRUG(S) CAUSE THE BIGGEST PROBLEMS?: _____

FIRST EXPLORE THE DRUG CAUSING THE BIGGEST PROBLEMS AND MOST LIKELY TO MEET DEPENDENCE / ABUSE CRITERIA.

IF MEETS CRITERIA FOR ABUSE OR DEPENDENCE, SKIP TO THE NEXT MODULE. OTHERWISE, EXPLORE THE NEXT MOST PROBLEMATIC DRUG.

- J2 **Considering your use of (NAME THE DRUG / DRUG CLASS SELECTED), in the past 12 months:**

- | | | | |
|-----------------------------|--|----|-----|
| a | Have you found that you needed to use much more (NAME OF DRUG / DRUG CLASS SELECTED) to get the same effect that you did when you first started taking it? | NO | YES |
| b | When you reduced or stopped using (NAME OF DRUG / DRUG CLASS SELECTED), did you have withdrawal symptoms (aches, shaking, fever, weakness, diarrhea, nausea, sweating, heart pounding, difficulty sleeping, or feeling agitated, anxious, irritable, or depressed)? Did you use any drug(s) to keep yourself from getting sick (withdrawal symptoms) or so that you would feel better? | NO | YES |
| IF YES TO EITHER, CODE YES. | | | |
| c | Have you often found that when you used (NAME OF DRUG / DRUG CLASS SELECTED), you ended up taking more than you thought you would? | NO | YES |
| d | Have you tried to reduce or stop taking (NAME OF DRUG / DRUG CLASS SELECTED) but failed? | NO | YES |
| e | On the days that you used (NAME OF DRUG / DRUG CLASS SELECTED), did you spend substantial time (>2 HOURS), obtaining, using or in recovering from the drug, or thinking about the drug? | NO | YES |
| f | Did you spend less time working, enjoying hobbies, or being with family or friends because of your drug use? | NO | YES |
| g | If (NAME OF DRUG / DRUG CLASS SELECTED) caused you health or mental problems, did you still keep on using it? | NO | YES |

ARE **3** OR MORE **J2** ANSWERS CODED **YES**?

SPECIFY DRUG(S): _____

***** IF YES, SKIP J3 QUESTIONS, MOVE TO NEXT DISORDER.
“DEPENDENCE PREEMPTS ABUSE” IN DSM IV TR.

NO

YES *

***SUBSTANCE DEPENDENCE
CURRENT***

Considering your use of (NAME THE DRUG CLASS SELECTED), in the past 12 months:

- J3 a Have you been intoxicated, high, or hungover from (NAME OF DRUG / DRUG CLASS SELECTED) more than once, when you had other responsibilities at school, at work, or at home? Did this cause any problem?

NO

YES

(CODE **YES** ONLY IF THIS CAUSED PROBLEMS.)

- b Have you been high or intoxicated from (NAME OF DRUG / DRUG CLASS SELECTED) more than once in any situation where you were physically at risk (for example, driving a car, riding a motorbike, using machinery, boating, etc.)?

NO

YES

- c Did you have legal problems more than once because of your drug use, for example, an arrest or disorderly conduct?

NO

YES

- d If (NAME OF DRUG / DRUG CLASS SELECTED) caused problems with your family or other people, did you still keep on using it?

NO

YES

ARE **1** OR MORE **J3** ANSWERS CODED **YES**?

SPECIFY DRUG(S): _____

NO

YES

***SUBSTANCE ABUSE
CURRENT***

K. PSYCHOTIC DISORDERS AND MOOD DISORDER WITH PSYCHOTIC FEATURES

ASK FOR AN EXAMPLE OF EACH QUESTION ANSWERED POSITIVELY. CODE **YES** ONLY IF THE EXAMPLES CLEARLY SHOW A DISTORTION OF THOUGHT OR OF PERCEPTION OR IF THEY ARE NOT CULTURALLY APPROPRIATE. BEFORE CODING, INVESTIGATE WHETHER DELUSIONS QUALIFY AS "BIZARRE".

DELUSIONS ARE "BIZARRE" IF: CLEARLY IMPLAUSIBLE, ABSURD, NOT UNDERSTANDABLE, AND CANNOT DERIVE FROM ORDINARY LIFE EXPERIENCE.

HALLUCINATIONS ARE SCORED "BIZARRE" IF: A VOICE COMMENTS ON THE PERSON'S THOUGHTS OR BEHAVIOR, OR WHEN TWO OR MORE VOICES ARE CONVERSING WITH EACH OTHER.

THE PURPOSE OF THIS MODULE IS TO EXCLUDE PATIENTS WITH PSYCHOTIC DISORDERS. THIS MODULE NEEDS EXPERIENCE.

Now I am going to ask you about unusual experiences that some people have.			BIZARRE
K1	a	Have you ever believed that people were spying on you, or that someone was plotting against you, or trying to hurt you? NOTE: ASK FOR EXAMPLES TO RULE OUT ACTUAL STALKING.	NO YES YES
	b	IF YES OR YES BIZARRE: do you currently believe these things?	NO YES YES ↳K6
K2	a	Have you ever believed that someone was reading your mind or could hear your thoughts, or that you could actually read someone's mind or hear what another person was thinking?	NO YES YES
	b	IF YES OR YES BIZARRE: do you currently believe these things?	NO YES YES ↳K6
K3	a	Have you ever believed that someone or some force outside of yourself put thoughts in your mind that were not your own, or made you act in a way that was not your usual self? Have you ever felt that you were possessed? CLINICIAN: ASK FOR EXAMPLES AND DISCOUNT ANY THAT ARE NOT PSYCHOTIC.	NO YES YES
	b	IF YES OR YES BIZARRE: do you currently believe these things?	NO YES YES ↳K6
K4	a	Have you ever believed that you were being sent special messages through the TV, radio, newspapers, books or magazines or that a person you did not personally know was particularly interested in you?	NO YES YES
	b	IF YES OR YES BIZARRE: do you currently believe these things?	NO YES YES ↳K6
K5	a	Have your relatives or friends ever considered any of your beliefs odd or unusual? INTERVIEWER: ASK FOR EXAMPLES. ONLY CODE YES IF THE EXAMPLES ARE CLEARLY DELUSIONAL IDEAS NOT EXPLORED IN QUESTIONS K1 TO K4, FOR EXAMPLE, SOMATIC OR RELIGIOUS DELUSIONS OR DELUSIONS OF GRANDIOSITY, JEALOUSY, GUILT, RUIN OR DESTITUTION, ETC.	NO YES YES
	b	IF YES OR YES BIZARRE: do they currently consider your beliefs strange?	NO YES YES
K6	a	Have you ever heard things other people couldn't hear, such as voices? IF YES TO VOICE HALLUCINATION: Was the voice commenting on your thoughts or behavior or did you hear two or more voices talking to each other?	NO YES NO YES
	b	IF YES OR YES BIZARRE TO K6a: have you heard sounds / voices in the past month? IF YES TO VOICE HALLUCINATION: Was the voice commenting on your thoughts or behavior or did you hear two or more voices talking to each other?	NO YES NO YES ↳K8b

K7 a Have you ever had visions when you were awake or have you ever seen things other people couldn't see? NO YES

CLINICIAN: CHECK TO SEE IF THESE ARE CULTURALLY INAPPROPRIATE.

b IF YES: have you seen these things in the past month? NO YES

CLINICIAN'S JUDGMENT

K8 b IS THE PATIENT CURRENTLY EXHIBITING INCOHERENCE, DISORGANIZED SPEECH, OR MARKED LOOSENING OF ASSOCIATIONS? NO YES

K9 b IS THE PATIENT CURRENTLY EXHIBITING DISORGANIZED OR CATATONIC BEHAVIOR? NO YES

K10 b ARE NEGATIVE SYMPTOMS OF SCHIZOPHRENIA, E.G. SIGNIFICANT AFFECTIVE FLATTENING, POVERTY OF SPEECH (ALOGIA) OR AN INABILITY TO INITIATE OR PERSIST IN GOAL-DIRECTED ACTIVITIES (AVOLITION), PROMINENT DURING THE INTERVIEW? NO YES

K11 a ARE 1 OR MORE « a » QUESTIONS FROM K1a TO K7a CODED YES OR YES BIZARRE AND IS EITHER:

MAJOR DEPRESSIVE EPISODE, (CURRENT, RECURRENT OR PAST)

OR

MANIC OR HYPOMANIC EPISODE, (CURRENT OR PAST) CODED YES?

NO YES
↳ K13

IF NO TO K11 a, CIRCLE NO IN BOTH 'MOOD DISORDER WITH PSYCHOTIC FEATURES' DIAGNOSTIC BOXES AND MOVE TO K13.

b You told me earlier that you had period(s) when you felt (depressed/high/persistently irritable).

Were the beliefs and experiences you just described (SYMPTOMS CODED YES FROM K1a TO K7a) restricted exclusively to times when you were feeling depressed/high/irritable?

IF THE PATIENT EVER HAD A PERIOD OF AT LEAST 2 WEEKS OF HAVING THESE BELIEFS OR EXPERIENCES (PSYCHOTIC SYMPTOMS) WHEN THEY WERE NOT DEPRESSED/HIGH/IRRITABLE, CODE NO TO THIS DISORDER.

IF THE ANSWER IS NO TO THIS DISORDER, ALSO CIRCLE NO TO K12 AND MOVE TO K13

NO YES

**MOOD DISORDER WITH
PSYCHOTIC FEATURES**

LIFETIME

K12 a ARE 1 OR MORE « b » QUESTIONS FROM K1b TO K7b CODED YES OR YES BIZARRE AND IS EITHER:

MAJOR DEPRESSIVE EPISODE, (CURRENT)

OR

MANIC OR HYPOMANIC EPISODE, (CURRENT) CODED YES?

NO YES

**MOOD DISORDER WITH
PSYCHOTIC FEATURES**

CURRENT

IF THE ANSWER IS YES TO THIS DISORDER (LIFETIME OR CURRENT), CIRCLE NO TO K13 AND K14 AND MOVE TO THE NEXT MODULE.

K13 ARE 1 OR MORE « b » QUESTIONS FROM K1b TO K6b, CODED **YES BIZARRE**?

OR

ARE 2 OR MORE « b » QUESTIONS FROM K1b TO K10b, CODED **YES** (RATHER THAN **YES BIZARRE**)?

AND DID AT LEAST TWO OF THE PSYCHOTIC SYMPTOMS OCCUR DURING THE SAME 1 MONTH PERIOD?

NO

YES

***PSYCHOTIC DISORDER
CURRENT***

K14 IS **K13** CODED **YES**

OR

ARE 1 OR MORE « a » QUESTIONS FROM K1a TO K6a, CODED **YES BIZARRE**?

OR

ARE 2 OR MORE « a » QUESTIONS FROM K1a TO K7a, CODED **YES** (RATHER THAN **YES BIZARRE**)

AND DID AT LEAST TWO OF THE PSYCHOTIC SYMPTOMS OCCUR DURING THE SAME 1 MONTH PERIOD?

NO

YES

***PSYCHOTIC DISORDER
LIFETIME***

L. ANOREXIA NERVOSA

(➔ MEANS : GO TO THE DIAGNOSTIC BOX, CIRCLE NO, AND MOVE TO THE NEXT MODULE)

L1	a	How tall are you?	<input type="text"/> ft <input type="text"/> in.
			<input type="text"/> cm.
	b.	What was your lowest weight in the past 3 months?	<input type="text"/> lbs.
			<input type="text"/> kgs.
c		IS PATIENT'S WEIGHT EQUAL TO OR BELOW THE THRESHOLD CORRESPONDING TO HIS / HER HEIGHT? (SEE TABLE BELOW)	➔ NO YES

In the past 3 months:

L2		In spite of this low weight, have you tried not to gain weight?	➔ NO YES
L3		Have you intensely feared gaining weight or becoming fat, even though you were underweight?	➔ NO YES
L4	a	Have you considered yourself too big / fat or that part of your body was too big / fat?	NO YES
	b	Has your body weight or shape greatly influenced how you felt about yourself?	NO YES
	c	Have you thought that your current low body weight was normal or excessive?	NO YES
L5		ARE 1 OR MORE ITEMS FROM L4 CODED YES?	➔ NO YES
L6		FOR WOMEN ONLY: During the last 3 months, did you miss all your menstrual periods when they were expected to occur (when you were not pregnant)?	➔ NO YES

FOR WOMEN: ARE L5 AND L6 CODED YES?

FOR MEN: IS L5 CODED YES?

NO YES

**ANOREXIA NERVOSA
CURRENT**

HEIGHT / WEIGHT TABLE CORRESPONDING TO A BMI THRESHOLD OF 17.5 kg/m²

Height/Weight														
ft/in	4'9	4'10	4'11	5'0	5'1	5'2	5'3	5'4	5'5	5'6	5'7	5'8	5'9	5'10
lbs.	81	84	87	89	92	96	99	102	105	108	112	115	118	122
cm	145	147	150	152	155	158	160	163	165	168	170	173	175	178
kgs	37	38	39	41	42	43	45	46	48	49	51	52	54	55

Height/Weight					
ft/in	5'11	6'0	6'1	6'2	6'3
lbs.	125	129	132	136	140
cm	180	183	185	188	191
kgs	57	59	60	62	64

The weight thresholds above are calculated using a body mass index (BMI) equal to or below 17.5 kg/m² for the patient's height. This is the threshold guideline below which a person is deemed underweight by the DSM-IV and the ICD-10 Diagnostic Criteria for Research for Anorexia Nervosa.

M. BULIMIA NERVOSA

(➡ MEANS : GO TO THE DIAGNOSTIC BOXES, CIRCLE NO IN ALL DIAGNOSTIC BOXES, AND MOVE TO THE NEXT MODULE)

M1	In the past three months, did you have eating binges or times when you ate a very large amount of food within a 2-hour period?	➡ NO	YES
M2	In the last 3 months, did you have eating binges as often as twice a week?	➡ NO	YES
M3	During these binges, did you feel that your eating was out of control?	➡ NO	YES
M4	Did you do anything to compensate for, or to prevent a weight gain from these binges, like vomiting, fasting, exercising or taking laxatives, enemas, diuretics (fluid pills), or other medications?	➡ NO	YES
M5	Does your body weight or shape greatly influence how you feel about yourself?	➡ NO	YES
M6	DO THE PATIENT'S SYMPTOMS MEET CRITERIA FOR ANOREXIA NERVOSA?	NO ↓ Skip to M8	YES
M7	Do these binges occur only when you are under (____lbs./kgs.)? <small>INTERVIEWER: WRITE IN THE ABOVE PARENTHESIS THE THRESHOLD WEIGHT FOR THIS PATIENT'S HEIGHT FROM THE HEIGHT / WEIGHT TABLE IN THE ANOREXIA NERVOSA MODULE.</small>	NO	YES

M8 IS **M5** CODED **YES** AND IS EITHER **M6** OR **M7** CODED **NO**?

NO **YES**

BULIMIA NERVOSA
CURRENT

IS **M7** CODED **YES**?

NO **YES**

ANOREXIA NERVOSA
Binge Eating/Purging Type
CURRENT

N. GENERALIZED ANXIETY DISORDER

(➔ MEANS : GO TO THE DIAGNOSTIC BOX, CIRCLE NO, AND MOVE TO THE NEXT MODULE)

N1	a	Were you excessively anxious or worried about several routine things, over the past 6 months? IN ENGLISH, IF THE PATIENT IS UNCLEAR ABOUT WHAT YOU MEAN, PROBE BY ASKING (Do others think that you are a “worry wart”) AND GET EXAMPLES.	➔ NO	YES
	b	Are these anxieties and worries present most days?	➔ NO	YES
		ARE THE PATIENT’S ANXIETY AND WORRIES RESTRICTED EXCLUSIVELY TO, OR BETTER EXPLAINED BY, ANY DISORDER PRIOR TO THIS POINT?	NO	➔ YES
N2		Do you find it difficult to control the worries?	➔ NO	YES
N3		FOR THE FOLLOWING, CODE NO IF THE SYMPTOMS ARE CONFINED TO FEATURES OF ANY DISORDER EXPLORED PRIOR TO THIS POINT. When you were anxious over the past 6 months, did you, most of the time:		
	a	Feel restless, keyed up or on edge?	NO	YES
	b	Have muscle tension?	NO	YES
	c	Feel tired, weak or exhausted easily?	NO	YES
	d	Have difficulty concentrating or find your mind going blank?	NO	YES
	e	Feel irritable?	NO	YES
	f	Have difficulty sleeping (difficulty falling asleep, waking up in the middle of the night, early morning waking or sleeping excessively)?	NO	YES
		ARE 3 OR MORE N3 ANSWERS CODED YES ?	➔ NO	YES
N4		Do these anxieties and worries disrupt your normal work, school or social functioning or cause you significant distress?	<div style="border: 1px solid black; padding: 10px; text-align: center;"> <p>NO YES</p> <p>GENERALIZED ANXIETY DISORDER CURRENT</p> </div>	

O. RULE OUT MEDICAL, ORGANIC OR DRUG CAUSES FOR ALL DISORDERS

IF THE PATIENT CODES POSITIVE FOR ANY CURRENT DISORDER ASK:

Just before these symptoms began:

- O1a Were you taking any drugs or medicines? ☐ No ☐ Yes ☐ Uncertain
- O1b Did you have any medical illness? ☐ No ☐ Yes ☐ Uncertain

IN THE CLINICIAN’S JUDGMENT: ARE EITHER OF THESE LIKELY TO BE DIRECT CAUSES OF THE PATIENT’S DISORDER?
IF NECESSARY ASK ADDITIONAL OPEN-ENDED QUESTIONS.

- O2 SUMMARY:** HAS AN ORGANIC CAUSE BEEN RULED OUT? ☐ No ☐ Yes ☐ Uncertain

P. ANTISOCIAL PERSONALITY DISORDER

(➔ MEANS : GO TO THE DIAGNOSTIC BOX AND CIRCLE NO)

P1 Before you were 15 years old, did you:

- | | | | |
|---|---|----|-----|
| a | repeatedly skip school or run away from home overnight? | NO | YES |
| b | repeatedly lie, cheat, "con" others, or steal? | NO | YES |
| c | start fights or bully, threaten, or intimidate others? | NO | YES |
| d | deliberately destroy things or start fires? | NO | YES |
| e | deliberately hurt animals or people? | NO | YES |
| f | force someone to have sex with you? | NO | YES |
| | ➔ | | |
| | ARE 2 OR MORE P1 ANSWERS CODED YES? | NO | YES |

DO NOT CODE YES TO THE BEHAVIORS BELOW IF THEY ARE EXCLUSIVELY POLITICALLY OR RELIGIOUSLY MOTIVATED.

P2 Since you were 15 years old, have you:

- | | | | |
|---|--|----|-----|
| a | repeatedly behaved in a way that others would consider irresponsible, like failing to pay for things you owed, deliberately being impulsive or deliberately not working to support yourself? | NO | YES |
| b | done things that are illegal even if you didn't get caught (for example, destroying property, shoplifting, stealing, selling drugs, or committing a felony)? | NO | YES |
| c | been in physical fights repeatedly (including physical fights with your spouse or children)? | NO | YES |
| d | often lied or "conned" other people to get money or pleasure, or lied just for fun? | NO | YES |
| e | exposed others to danger without caring? | NO | YES |
| f | felt no guilt after hurting, mistreating, lying to, or stealing from others, or after damaging property? | NO | YES |

ARE 3 OR MORE P2 QUESTIONS CODED YES?

NO

YES

**ANTISOCIAL PERSONALITY
DISORDER
LIFETIME**

THIS CONCLUDES THE INTERVIEW

REFERENCES

Sheehan DV, Lecrubier Y, Harnett-Sheehan K, Janavs J, Weiller E, Bonara LI, Keskiner A, Schinka J, Knapp E, Sheehan MF, Dunbar GC. Reliability and Validity of the MINI International Neuropsychiatric Interview (M.I.N.I.): According to the SCID-P. *European Psychiatry*. 1997; 12:232-241.

Lecrubier Y, Sheehan D, Weiller E, Amorim P, Bonora I, Sheehan K, Janavs J, Dunbar G. The MINI International Neuropsychiatric Interview (M.I.N.I.) A Short Diagnostic Structured Interview: Reliability and Validity According to the CIDI. *European Psychiatry*. 1997; 12: 224-231.

Sheehan DV, Lecrubier Y, Harnett-Sheehan K, Amorim P, Janavs J, Weiller E, Hergueta T, Baker R, Dunbar G: The Mini International Neuropsychiatric Interview (M.I.N.I.): The Development and Validation of a Structured Diagnostic Psychiatric Interview. *J. Clin Psychiatry*, 1998;59(suppl 20):22-33.

Amorim P, Lecrubier Y, Weiller E, Hergueta T, Sheehan D: DSM-III-R Psychotic Disorders: procedural validity of the Mini International Neuropsychiatric Interview (M.I.N.I.). Concordance and causes for discordance with the CIDI. *European Psychiatry*. 1998; 13:26-34.

Scientific committee for the MINI 6.0.0:

A. Carlo Altamura, Milano, Italy
Cyril Hoschl, Praha, Czech Republic
George Papadimitriou, Athens, Greece
Hans Ågren, Göteborg, Sweden
Hans-Jürgen Möller, München, Germany
Hans-Ulrich Wittchen, Dresden, Germany
István Bitter, Budapest, Hungary
Jean-Pierre Lépine, Paris, France
Jules Angst, Zurich, Switzerland
Julio Bobes, Oviedo, Spain
Luciano Conti, Pisa, Italy
Marelli Colon-Soto MD, Puerto Rico, United States
Michael Van Ameringen MD, Toronto, Canada
Rosario Hidalgo MD, Tampa, United States
Siegfried Kasper, Vienna, Austria
Thomas Schlaepfer, Bonn, Germany

Translations

Afrikaans	R. Emsley, W. Maartens
Arabic	
Bengali	
Braille (English)	
Brazilian Portuguese	P. Amorim
Bulgarian	L.G. Hranov
Chinese	
Czech	
Danish	P. Bech
Dutch/Flemish	E. Griez, K. Shruers, T. Overbeek, K. Demyttenaere
English	D. Sheehan, J. Janavs, R. Baker, K. Harnett-Sheehan, E. Knapp, M. Sheehan
Estonian	
Farsi/Persian	
Finnish	M. Heikkinen, M. Lijeström, O. Tuominen
French	Y. Lecrubier, E. Weiller, I. Bonora, P. Amorim, J.P. Lepine
German	I. v. Denffer, M. Ackenheil, R. Dietz-Bauer
Greek	S. Beratis
Gujarati	
Hebrew	J. Zohar, Y. Sasson
Hindi	
Hungarian	I. Bitter, J. Balazs
Icelandic	
Italian	I. Bonora, L. Conti, M. Piccinelli, M. Tansella, G. Cassano, Y. Lecrubier, P. Donda, E. Weiller
Japanese	

M.I.N.I. 4.6/5.0, M.I.N.I. Plus 4.6/5.0 and M.I.N.I. Screen 5.0:

O. Osman, E. Al-Radi
H. Banerjee, A. Banerjee

P. Amorim

L. Carroll, Y-J. Lee, Y-S. Chen, C-C. Chen, C-Y. Liu, C-K. Wu, H-S. Tang, K-D. Juang, Yan-Ping Zheng.
P. Svlosky
P. Bech, T. Schütze
I. Van Vliet, H. Leroy, H. van Megen
D. Sheehan, R. Baker, J. Janavs, K. Harnett-Sheehan, M. Sheehan
J. Shlik, A. Aluoja, E. Khil
K. Khooshabi, A. Zomorodi
M. Heikkinen, M. Lijeström, O. Tuominen
Y. Lecrubier, E. Weiller, P. Amorim, T. Hergueta
G. Stotz, R. Dietz-Bauer, M. Ackenheil
T. Calligas, S. Beratis, GN Papadimitriou, T Matsoukas
CR Soldatos
M. Patel, B. Patel, Organon
R. Barda, I. Levinson, A. Aviv
C. Mittal, K. Batra, S. Gambhir, Organon
I. Bitter, J. Balazs
J.G. Stefansson
L. Conti, A. Rossi, P. Donda

T. Otsubo, H. Watanabe, H. Miyaoka, K. Kamijima, J. Shinoda, K. Tanaka, Y. Okajima

Kannada		Organon
Korean		K.S. Oh and Korean Academy of Anxiety Disorders
Latvian	V. Janavs, J. Janavs, I. Nagobads	V. Janavs, J. Janavs
Lithuanian		A. Bacevicius
Luganda		WW. Muhweziosal, H. Agren
Malayalam		Organon
Marathi		Organon
Norwegian	G. Pedersen, S. Blomhoff	K.A. Leiknes , U. Malt, E. Malt, S. Leganger
Polish	M. Masiak, E. Jasiak	M. Masiak, E. Jasiak
Portuguese	P. Amorim	P. Amorim, T. Guterres
Punjabi		A. Gahunia, S. Gambhir
Romanian		O. Driga
Russian		A. Bystritsky, E. Selivra, M. Bystritsky, L. Shumyak, M. Klisinska.
Serbian	I. Timotijevic	I. Timotijevic
Setswana	K. Ketlogetswe	
Slovenian	M. Kocmur	
Spanish	L. Ferrando, J. Bobes-Garcia, J. Gilbert-Rahola, Y. Lecrubier	L. Ferrando, L. Franco-Alfonso, M. Soto, J. Bobes-Garcia, O. Soto, L. Franco, G. Heinze, C. Santana, R. Hidalgo
Swedish	M. Waern, S. Andersch, M. Humble	C. Allgulander, H. Agren M. Waern, A. Brimse, M. Humble.
Tamil		Organon
Telugu		Organon
Thai		P. Kittirattanapaiboon, S. Mahatnirunkul, P. Udomrat, P. Silpakit,, M. Khamwongpin, S. Srikosai.
Turkish	T. Örnek, A. Keskiner, I. Vahip	T. Örnek, A. Keskiner, A.Engeler
Urdu		S. Gambhir
Yiddish		J. Goldman, Chana Pollack, Myrna Mniewski

A validation study of this instrument was made possible, in part, by grants from SmithKline Beecham and the European Commission. The authors are grateful to Dr. Pauline Powers for her advice on the modules on Anorexia Nervosa and Bulimia.

MOOD DISORDERS: DIAGNOSTIC ALGORITHM

Consult Modules:

A	Major Depressive Episode
C	(Hypo) manic Episode
K	Psychotic Disorders

MODULE K:

1a	IS K11b CODED YES?	NO	YES
1b	IS K12a CODED YES?	NO	YES

MODULES A and C:

		Current	Past
2	a CIRCLE YES IF A DELUSIONAL IDEA IS IDENTIFIED IN A3e ?	YES	YES
	b CIRCLE YES IF A DELUSIONAL IDEA IS IDENTIFIED IN C3a ?	YES	YES

- c Is a Major Depressive Episode coded YES (current or past)?
and
 is Manic Episode coded NO (current and past)?
and
 is Hypomanic Episode coded NO (current and past)?
and
 is "Hypomanic Symptoms" coded NO (current and past)?

Specify:

- If the depressive episode is **current** or **past** or both
- **With Psychotic Features** Current: If 1b or 2a (current) = YES
 With Psychotic Features Past: If 1a or 2a (past) = YES

MAJOR DEPRESSIVE DISORDER

	current	past
MDD	<input type="checkbox"/>	<input type="checkbox"/>
With Psychotic Features		
Current	<input type="checkbox"/>	
Past	<input type="checkbox"/>	

- d Is a Manic Episode coded YES (current or past)?

Specify:

- If the Bipolar I Disorder is **current** or **past** or both
- With **Single Manic Episode**: If Manic episode (current or past) = YES
 and MDE (current and past) = NO
- **With Psychotic Features** Current: If 1b or 2a (current) or 2b (current) = YES
 With Psychotic Features Past: If 1a or 2a (past) or 2b (past) = YES
- If the **most recent episode** is manic, depressed,
 mixed or hypomanic or unspecified (all mutually exclusive)
- **Unspecified** if the Past Manic Episode is coded YES AND
 Current (C3 Summary AND C4a AND C6 AND O2) are coded YES

BIPOLAR I DISORDER

	current	past
Bipolar I Disorder	<input type="checkbox"/>	<input type="checkbox"/>
Single Manic Episode	<input type="checkbox"/>	<input type="checkbox"/>
With Psychotic Features		
Current	<input type="checkbox"/>	
Past	<input type="checkbox"/>	
Most Recent Episode		
Manic	<input type="checkbox"/>	
Depressed	<input type="checkbox"/>	
Mixed	<input type="checkbox"/>	
Hypomanic	<input type="checkbox"/>	
Unspecified	<input type="checkbox"/>	

- e Is Major Depressive Episode coded YES (current or past)?
and
 Is Hypomanic Episode coded YES (current or past)?
and
 Is Manic Episode coded NO (current and past)?

Specify:

- If the Bipolar Disorder is **current** or **past** or both
- If the most recent mood episode is **hypomanic** or **depressed** (mutually exclusive)

<i>BIPOLAR II DISORDER</i>		
	current	past
Bipolar II Disorder	<input type="checkbox"/>	<input type="checkbox"/>
<i>Most Recent Episode</i>		
Hypomanic	<input type="checkbox"/>	
Depressed	<input type="checkbox"/>	

- f Is MDE coded NO (current and past)
and
 Is Manic Episode coded NO (current and past)?
and is either:

1) C7b coded YES for the appropriate time frame?

or

2) C3 Summary coded YES for the appropriate time frame?

and

C4a coded YES for the appropriate time frame?

and

C7c coded YES for the appropriate time frame?

Specify if the Bipolar Disorder NOS is **current** or **past** or both

<i>BIPOLAR DISORDER NOS</i>		
	current	past
Bipolar Disorder NOS	<input type="checkbox"/>	<input type="checkbox"/>

M.I.N.I. PLUS

The shaded modules below are additional modules available in the MINI PLUS beyond what is available in the standard MINI. The un-shaded modules below are in the standard MINI.

These MINI PLUS modules can be inserted into or used in place of the standard MINI modules, as dictated by the specific needs of any study.

MODULES		TIME FRAME
A	MAJOR DEPRESSIVE EPISODE	Current (2 weeks) Past Recurrent
	MOOD DISORDER DUE TO A GENERAL MEDICAL CONDITION	Current Past
	SUBSTANCE INDUCED MOOD DISORDER	Current Past
	MDE WITH MELANCHOLIC FEATURES	Current (2 weeks)
	MDE WITH ATYPICAL FEATURES	Current (2 weeks)
	MDE WITH CATATONIC FEATURES	Current (2 weeks)
B	DYSTHYMIA	Current (Past 2 years) Past
C	SUICIDALITY	Current (Past Month) Risk: <input type="checkbox"/> Low <input type="checkbox"/> Medium <input type="checkbox"/> High
D	MANIC EPISODE	Current Past
	HYPOMANIC EPISODE	Current Past
	BIPOLAR I DISORDER	Current Past
	BIPOLAR II DISORDER	Current Past
	BIPOLAR DISORDER NOS	Current Past
	MANIC EPISODE DUE TO A GENERAL MEDICAL CONDITION	Current Past
	HYPOMANIC EPISODE DUE TO A GENERAL MEDICAL CONDITION	Current Past
	SUBSTANCE INDUCED MANIC EPISODE	Current Past
	SUBSTANCE INDUCED HYPOMANIC EPISODE	Current Past
E	PANIC DISORDER	Current (Past Month) Lifetime
	ANXIETY DISORDER WITH PANIC ATTACKS DUE TO A GENERAL MEDICAL CONDITION	Current
	SUBSTANCE INDUCED ANXIETY DISORDER WITH PANIC ATTACKS	Current
F	AGORAPHOBIA	Current
G	SOCIAL PHOBIA (Social Anxiety Disorder)	Current (Past Month)
H	SPECIFIC PHOBIA	Current
I	OBSESSIVE-COMPULSIVE DISORDER	Current (Past Month)
	OCD DUE TO A GENERAL MEDICAL CONDITION	Current
	SUBSTANCE INDUCED OCD	Current
J	POSTTRAUMATIC STRESS DISORDER	Current (Past Month)
K	ALCOHOL DEPENDENCE	Past 12 Months
	ALCOHOL DEPENDENCE	Lifetime
	ALCOHOL ABUSE	Past 12 Months
	ALCOHOL ABUSE	Lifetime
L	SUBSTANCE DEPENDENCE (Non-alcohol)	Past 12 Months
	SUBSTANCE DEPENDENCE (Non-alcohol)	Lifetime
	SUBSTANCE ABUSE (Non-alcohol)	Past 12 Months

M	PSYCHOTIC DISORDERS	Lifetime
		Current
	MOOD DISORDER WITH PSYCHOTIC FEATURES	Current
	SCHIZOPHRENIA	Current
		Lifetime
	SCHIZOAFFECTIVE DISORDER	Current
		Lifetime
	SCHIZOPHRENIFORM DISORDER	Current
		Lifetime
	BRIEF PSYCHOTIC DISORDER	Current
		Lifetime
	DELUSIONAL DISORDER	Current
		Lifetime
	PSYCHOTIC DISORDER DUE TO A GENERAL MEDICAL CONDITION	Current
		Lifetime
	SUBSTANCE INDUCED PSYCHOTIC DISORDER	Current
		Lifetime
	PSYCHOTIC DISORDER NOS	Current
		Lifetime
	MOOD DISORDER WITH PSYCHOTIC FEATURES	Lifetime
	MOOD DISORDER NOS	Lifetime
	MAJOR DEPRESSIVE DISORDER WITH PSYCHOTIC FEATURES	Current
		Past
	BIPOLAR I DISORDER WITH PSYCHOTIC FEATURES	Current
		Past
N	ANOREXIA NERVOSA	Current (Past 3 Months)
O	BULIMIA NERVOSA	Current (Past 3 Months)
	BULIMIA NERVOSA PURGING TYPE	Current
	BULIMIA NERVOSA NONPURGING TYPE	Current
	ANOREXIA NERVOSA, BINGE EATING/PURGING TYPE	Current
	ANOREXIA NERVOSA, RESTRICTING TYPE	Current
P	GENERALIZED ANXIETY DISORDER	Current (Past 6 Months)
	GENERALIZED ANXIETY DISORDER DUE TO A GENERAL MEDICAL CONDITION	Current
	SUBSTANCE INDUCED GAD	Current
Q	ANTISOCIAL PERSONALITY DISORDER	Lifetime
R	SOMATIZATION DISORDER	Lifetime
		Current
S	HYPOCHONDRIASIS	Current
T	BODY DYSMORPHIC DISORDER	Current
U	PAIN DISORDER	Current
V	CONDUCT DISORDER	Past 12 Months
W	ATTENTION DEFICIT/HYPERACTIVITY DISORDER (Children/Adolescents)	Past 6 Months
	ATTENTION DEFICIT/HYPERACTIVITY DISORDER (Adults)	Lifetime
		Current
X	ADJUSTMENT DISORDERS	Current
Y	PREMENSTRUAL DYSPHORIC DISORDER	Current
Z	MIXED ANXIETY-DEPRESSIVE DISORDER	Current

Multi-Source Interference Task (MSIT)


Control

100

Interference

221

N-back task




Subject Number _____

Date _____

Please put an **X** next to the statement that best describes how you feel:

Right now I am:

- ☐ Feeling active, vital, alert or wide awake
- ☐ Functioning at high levels, but not at peak; able to concentrate
- ☐ Awake, but relaxed; responsive but not fully alert
- ☐ Somewhat foggy, let down
- ☐ Foggy; losing interest in remaining awake; slowed down
- ☐ Sleepy, woozy, fighting sleep; prefer to lie down
- ☐ No longer fighting sleep, sleep onset soon; having dream-like thoughts
- ☒ Asleep



RBANS
Repeatable Battery for the Assessment
of Neuropsychological Status

**Coding, Scoring, Summary
Record Form A**

Section 1: Coding

Item	Score	Item	Score	Item	Score	Item	Score
1		11		21		31	
2		12		22		32	
3		13		23		33	
4		14		24		34	
5		15		25		35	
6		16		26		36	
7		17		27		37	
8		18		28		38	
9		19		29		39	
10		20		30		40	

Section 2: Scoring



Item	Score	Item	Score	Item	Score	Item	Score
1		11		21		31	
2		12		22		32	
3		13		23		33	
4		14		24		34	
5		15		25		35	
6		16		26		36	
7		17		27		37	
8		18		28		38	
9		19		29		39	
10		20		30		40	

Section 3: Summary

Item	Score	Item	Score	Item	Score	Item	Score
1		11		21		31	
2		12		22		32	
3		13		23		33	
4		14		24		34	
5		15		25		35	
6		16		26		36	
7		17		27		37	
8		18		28		38	
9		19		29		39	
10		20		30		40	


THE PSYCHOMETRIC CORPORATION
110 Spring House Lane
Odessa, FL 33455-4388
Phone: 888-398-2772
Fax: 888-398-2773
Email: info@psychometric.com
Website: www.psychometric.com

Automated Neuropsychological Assessment Metrics (ANAM4)



Psychomotor Vigilance Test

Press the spacebar every time an “x” appears on the screen.



BRIGHT LIGHT

10-20 PSG electrode attachments

Subject ID: _____ Date: _____

Measure	cm	Electrode	Distance	cm	Completed
1 Nasion to Inion		CZ	midpoint		
		FP	10% from nasion		
		OZ	10% from inion		
2 Preaurical to preaurical		CZ	midpoint		
		C3 & C4	20% from midpoint		
3 Head Circumference (through FP and OZ)		FP1 & FP2	5% to each side of FP		
		O1 & O2	5% to each side of OZ		
4 FP1 to C3		F3	50% from C3		
5 FP2 to C4		F4	50% from C4		
6 Reference		A1 & A2			
7 Chins (EMG)		EMG1 & EMG2			

Bio Calibrations				MSLT 1	MSLT 2	MSLT 3
	Instruction	Code	Duration	Completed	Completed	Completed
1	Rest with eyes open	EO	1 min (2 epochs)			
2	Rest with eyes closed	EC	1 min (2 epochs)			
3	Look up and down	U/D	30 sec (1 epoch)			
4	Look left and right	L/R	30 sec (1 epoch)			
5	Blink 5 times	Blink	5 blinks (1 epoch)			
6	Grit teeth	Teeth	30 sec (1 epoch)			
				MSLT 1	MSLT 2	MSLT 3
				Lights out epoch		
				Wake time epoch		

Subject: _____

Date: _____

Read the following scenarios. Each scenario presents a situation and asks a question about the chance or likelihood that you would experience a particular outcome. For each one, think about how likely that outcome would be for YOU in that situation. Do NOT worry about how most people would do in a particular situation—just think about the chance that a particular outcome would happen to YOU in that situation. Circle the percent chance that best represents the probability that the outcome would happen to YOU.

1. You arrive 25 minutes late for a big job interview. What is the probability that YOU will get the job?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

2. If you were to find yourself confronted by a vicious angry dog, what is the probability that YOU could get away unharmed?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

3. Regardless of your moral convictions, if you were to shoplift a pair of \$50 sunglasses from a chain drug store, what is the probability that YOU could get away with it without being caught?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

4. While leaving a popular night club, you are attacked by a drunk man in his early 20s wielding a 10 inch knife. During the scuffle, your friend is stabbed, but not fatally. What is the chance that YOU will be killed during the attack?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

5. While on vacation, you meet up with a stranger asking for help. Although the story the stranger tells you is heart wrenching and he seems very sincere, you are aware that he may just be a con-artist trying to scam you. If the stranger truly is a con-artist, what is the probability YOU will end up being scammed out of some of your money?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

6. You awaken one morning realizing that you engaged in unprotected sex with someone you just met. Now that the alcohol has worn off, your partner remorsefully tells you that he/she has suffered for a long time with a very serious sexually transmitted disease. What is the chance that YOU will contract the sexually transmitted disease yourself after this contact?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

7. While on vacation in a far away country, your 3 traveling companions have all contracted a bad case of diarrhea after drinking the water. You realize that you just drank some of the same water about an hour ago. What is the likelihood that YOU will come down with diarrhea too?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

8. While on vacation in the woods, you decide to go hiking in an unfamiliar and thickly wooded area without a map or guide. What is the likelihood that YOU will get lost?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

9. You have been at a nightclub for 4 hours. During that time you have had 7 alcoholic beverages. You are feeling a little “buzzed” but you decide to drive yourself home anyway because it is only about 5 miles away. What is the probability that YOU will make it home without any negative incident?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

10. While playing golf one afternoon a thunderstorm comes up quickly. There is much wind and occasional lightning is hitting nearby. Because you are winning the game and only have two more holes to play, you decide to continue to the end. What is the likelihood that YOU will be struck by lightning before finishing the game?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

11. While at your job you discover that one of your superiors has been embezzling large amounts of money from your organization. You decide to inform higher management of his illegal behavior. What is the chance that YOUR future career at the company will be harmed by reporting him?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

12. Your company has a strict policy forbidding the removal of computer equipment from the work premises. However, you have a big project due that can only be completed if you “borrow” a company laptop computer over the weekend. What is the probability that YOU could secretly remove the computer for the weekend and return it to work on Monday without ever being caught?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

13. You are a foreigner living in a war-torn country that is filled with violence and frequent sniper attacks. Although it is dark outside and there are many hostile insurgents in the area, you decide to drive alone and unarmed down a 10 mile stretch of empty highway to spend the weekend in the next town. What is the probability that YOU will be killed while making the trip?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

14. While staying at a high rise hotel a bad fire breaks out several floors below yours. After hearing the fire alarm and smelling smoke, you quickly devise a plan of escape. What is the likelihood that YOU would be unable to figure out a way to escape and would die in the fire?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

15. A severe natural disaster has devastated your town, resulting in widespread panic, looting, and deadly violence. The escape routes leading from the town are blocked with gridlock traffic and street gangs are killing at random and using violent means to steal limited necessities and survive. What is the chance that YOU will be able to outmaneuver the looters and escape the town unharmed?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

16. You enter a competition in an arena in which you are particularly talented. What is the chance that YOU will ultimately win the competition?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

17. You are sightseeing off a tall bridge where many individuals have tried to commit suicide by jumping to their deaths in the water below. Approximately half of all jumpers have not survived the long drop into the bay. Unfortunately, you stumble and are accidentally knocked off of the bridge. What is the likelihood that YOU would die in the fall?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

18. Your biggest rival has challenged you in some way. What is the likelihood that YOU will ultimately defeat your rival at whatever he/she has challenged you with?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%


19. A bad automobile accident has just occurred in front of you. In one of the cars, the driver is unconscious and bleeding. You smell gas and notice that smoke is starting to billow out from the car. Afraid that the car may explode at any moment, you work to pull the unconscious driver from the car. What is the chance that YOU will die in the process of saving the driver?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%


20. While on vacation on a tropical island you decided to rent a small motor boat to do some sightseeing and fishing out along the island coast. After stopping the boat some distance from the shore you lay down to take a brief nap. Upon awakening you realize that you can no longer see the shore and notice that there is a fierce storm coming. What is the likelihood that YOU will die at sea?

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%


Go/No-Go Task




Go



Go





Go



No Go

Body Sway and Stability Test



Day of Scan Information Questionnaire

Subject #: _____ **Date:** _____

DATE OF BIRTH _____ / _____ / _____
day month year

AGE years
HEIGHT ft/inches
WEIGHT lbs
SEX **Male** **Female**

RIGHT or LEFT-HANDED? **RIGHT** **LEFT** **BOTH/NEITHER**

How far did you go in school?

<9th; 9th; 10th; 11th; HS Grad; 2yr College; College Grad; Some Grad School; Masters, Doctorate

Do you have any problems with reading? **NO** **YES** _____

What is your primary language (what do you speak at home most of the time)?

English **Spanish** **Other** _____

CAFFEINE USE

Did you have any caffeine containing products today? If so, how much? _____
On average, how many cups of caffeinated coffee do you drink per day? _____
On average, how many cups of caffeinated tea do you drink per day? _____
On average, how many cans of caffeinated soda do you drink per day? _____
On average, how many caffeinated sports drinks do you drink per day? _____ (brand)
Do you use any other caffeinated products, such as Vivarin? **YES** **NO**
If YES, **WHAT?** _____ How much? _____ How often? _____

NICOTINE USE

Do you smoke cigarettes? **YES** **NO**
If **YES**, about how many cigarettes do you smoke per day? _____
How long have you been smoking? _____ **years** _____ **months**
Have you tried to quit? **YES** **NO**
If **YES**, how many times? _____
If **NO**, did you ever smoke cigarettes in the past? **YES** **NO**
If **YES**, how many cigarettes did you smoke per day? _____
When did you start smoking? _____ (date)
When did you quit? _____ (date)
Do you use smokeless tobacco, such as dip or chew? **YES** **NO**
If **YES**, about how much do you use per day? _____
If **NO**, did you ever use smokeless tobacco in the past? **YES** **NO**
If **YES**, how much did you use per day? _____
When did you start using? _____ (year)
When did you quit? _____ (year)

Do you use any other nicotine-containing products? **YES NO**
If YES, **WHAT?** _____ How much? _____ How often? _____

OTHER

Do you take diet pills? **YES NO**
If YES, what brand? _____ How much? _____ How often? _____

Are you currently taking any medications, vitamins, or supplements? **YES NO**

If YES, please list:

Name: _____	Dosage: _____
Name: _____	Dosage: _____
Name: _____	Dosage: _____
Name: _____	Dosage: _____

How many times per month do you drink (alcohol)? _____
On those occasions, what is the average number of drinks you consume? _____
On those occasions, what is the largest number of drinks you consume? _____

How many times in the past year have you used marijuana? _____

Have you ever used marijuana at other times in your life? **YES NO**

If YES, at what age did you begin smoking marijuana? _____

On approximately how many occasions have you used marijuana? _____

Do you use any other street drugs currently or in the past year? **YES NO**

If YES, **WHAT?** _____ How much? _____ How often? _____

PHYSICAL INFORMATION

If female, when was the start of your last menstrual period (be as precise as possible)?

Date of period: _____ or about _____ days ago.

CONCUSSION INFORMATION

How many "concussions" have you had in your life? _____

Did you lose consciousness or get "knocked out" each time? _____

How long ago was your most recent concussion? _____ Date it happened: _____

Briefly describe the situation that led to your most recent concussion:

Did you "see stars" during your last concussion? **YES NO**

Did you lose consciousness during your last concussion? **YES NO**

(If "YES", for how long were you unconscious: _____)

Did you notice that your sleep became worse following the concussion? **YES NO**

After your concussion, what sleep problems became more noticeable to you? (check all that apply)

- _____ I get sleepier during the day
- _____ I get drowsier than I used to when trying to concentrate or work
- _____ I fall asleep when I should not
- _____ It is harder to stay alert during the day
- _____ It is harder to fall asleep at night
- _____ I fall asleep much later than I used to
- _____ I fall asleep much earlier than I used to
- _____ I sleep later in the morning than I used to
- _____ I wake up much earlier in the morning than I used to

_____ When I do sleep, it is fitful or less restful than it used to be
_____ I wake up off and on throughout the night more than I used to
_____ I have more nightmares than I used to

In the months **BEFORE** your concussion occurred:

Before your concussion, at what time did you normally go to bed at night on:

Week nights (Sun-Thur)? _____ AM PM (midnight = 12 AM; noon = 12 PM)
weekends (Fri-Sat)? _____ AM PM

Before your concussion, what time did you typically awaken on:

weekdays (Mon-Fri)? _____ AM PM
weekends (Sat-Sun)? _____ AM PM

Before your concussion, how long did it typically take you to fall asleep at night?

on week nights (Sun-Thur)? _____ MIN HRS
on weekends (Fri-Sat)? _____ MIN HRS

CURRENT SLEEP HABITS

How much sleep did you get last night? _____

Since your concussion, how much do you typically sleep on weeknights (Sun-Thur)? _____

Since your concussion, how much do you typically sleep on weekend nights (Fri-Sat)? _____

Since your concussion, at what time do you normally go to bed at night on:

week nights (Sun-Thur)? _____ AM PM (midnight = 12 AM; noon = 12 PM)
weekends (Fri-Sat)? _____ AM PM

Since your concussion, what time do you typically awaken on:

weekdays (Mon-Fri)? _____ AM PM
weekends (Sat-Sun)? _____ AM PM

Since your concussion, how long does it typically take you to fall asleep at night?

on week nights (Sun-Thur)? _____ MIN HRS
on weekends (Fri-Sat)? _____ MIN HRS

Since your concussion, at what time of day do you feel sleepiest? _____ AM PM

At what time of day do you feel most alert? _____ AM PM

Since your concussion, how many hours do you need to sleep to feel your best? _____

“Since your concussion...”

“If I get less than _____ hours of sleep, I notice an impairment in my ability to function at work.”

“If I get more than _____ hours of sleep, I notice an impairment in my ability to function at work.”

Is daytime sleepiness currently a problem for you?**YES NO**

Are you currently doing shift work, that is, working early morning, evening, or night shifts?...YES NO

Do you ever have trouble falling asleep?YES NO

If yes, how often? _____ times per WEEK MONTH YEAR (circle one)

If yes, did this get start or get worse since your concussion? YES NO

Do you ever have trouble staying asleep?YES NO

If yes, how often? _____ times per WEEK MONTH YEAR (circle one)

If yes, did this start or get worse since your concussion? YES NO

Do you take more than two daytime naps per month? YES NO

If yes, about how many times per week do you nap?

At what time of day do you normally take your nap? ____:____ AM/PM to ____:____ AM/PM

Do you consider yourself a light, normal, or heavy sleeper?LIGHT NORMAL HEAVY

Have you been told or do you think that you snore excessively? YES NO

Have you ever been diagnosed or treated for sleep apnea or sleep disordered breathing? YES NO

I yawn often

Never 1 2 3 4 5 6 7 8 9 10 Always yawning

When I see or hear someone else yawn, I will yawn too

Never 1 2 3 4 5 6 7 8 9 10 Every time

RECENT RISK OF DOZING OFF (ESS)

How likely are to doze off or fall asleep in the following situations, in contrast to feeling just tired? This refers to your **usual way of life in recent times**. Even if you have not done some of these things recently try to work out how they would have affected you. Use the following scale to choose the most appropriate number for each situation:

0 = would never doze

1 = slight chance of dozing

2 = moderate chance of dozing

3 = high chance of dozing

SITUATION

CHANCE OF DOZING (0-3)

Sitting and reading	0	1	2	3
Watching TV	0	1	2	3
Sitting, inactive in a public place (e.g. a theatre or meeting)	0	1	2	3
As a passenger in a car for an hour without a break	0	1	2	3
Lying down to rest in the afternoon when circumstances permit	0	1	2	3
Sitting and talking to someone	0	1	2	3
Sitting quietly after a lunch without alcohol	0	1	2	3
In a car, while stopped for a few minutes in the traffic	0	1	2	3

Second Day of Scan Information Questionnaire

Subject #: _____ **Date:** _____

CAFFEINE USE

Did you have any caffeine containing products today? If so, how much? _____
On average, how many cups of caffeinated coffee do you drink per day? _____
On average, how many cups of caffeinated tea do you drink per day? _____
On average, how many cans of caffeinated soda do you drink per day? _____
On average, how many caffeinated sports drinks do you drink per day? _____ (brand)
Do you use any other caffeinated products, such as Vivarin? **YES NO**
If YES, **WHAT?** _____ How much? _____ How often? _____

NICOTINE USE

Do you smoke cigarettes? **YES NO**
If **YES**, about how many cigarettes do you smoke per day? _____
How long have you been smoking? _____ **years** _____ **months**
Have you tried to quit? **YES NO**
If **YES**, how many times? _____
If **NO**, did you ever smoke cigarettes in the past? **YES NO**
If **YES**, how many cigarettes did you smoke per day? _____
When did you start smoking? _____ (date)
When did you quit? _____ (date)
Do you use smokeless tobacco, such as dip or chew? **YES NO**
If **YES**, about how much do you use per day? _____
If **NO**, did you ever use smokeless tobacco in the past? **YES NO**
If **YES**, how much did you use per day? _____
When did you start using? _____ (year)
When did you quit? _____ (year)
Do you use any other nicotine-containing products? **YES NO**
If YES, **WHAT?** _____ How much? _____ How often? _____

OTHER

Do you take diet pills? **YES NO**
If **YES**, what brand? _____ How much? _____ How often? _____
Are you currently taking any medications, vitamins, or supplements? **YES NO**
If **YES**, please list:
Name: _____ Dosage: _____
Name: _____ Dosage: _____
Name: _____ Dosage: _____
Name: _____ Dosage: _____
How many times per month do you drink (alcohol)? _____
On those occasions, what is the average number of drinks you consume? _____
On those occasions, what is the largest number of drinks you consume? _____
How many times in the past year have you used marijuana? _____
Have you ever used marijuana at other times in your life? **YES NO**
If **YES**, at what age did you begin smoking marijuana? _____
On approximately how many occasions have you used marijuana? _____

Do you use any other street drugs currently or in the past year? **YES NO**
If YES, **WHAT?** _____ How much? _____ How often? _____

PHYSICAL INFORMATION

If female, when was the start of your last menstrual period (be as precise as possible)?
Date of period: _____ or about _____ days ago.

CURRENT SLEEP HABITS

How much sleep did you get last night? _____

In the past two weeks, how much do you typically sleep on weeknights (Sun-Thur)? _____

In the past two weeks, how much do you typically sleep on weekend nights (Fri-Sat)? _____

In the past two weeks, at what time do you normally go to bed at night on:
week nights (Sun-Thur)? _____ AM PM (midnight = 12 AM; noon = 12 PM)
weekends (Fri-Sat)? _____ AM PM

In the past two weeks, what time do you typically awaken on:
weekdays (Mon-Fri)? _____ AM PM
weekends (Sat-Sun)? _____ AM PM

In the past two weeks, how long does it typically take you to fall asleep at night?
on week nights (Sun-Thur)? _____ MIN HRS
on weekends (Fri-Sat)? _____ MIN HRS

In the past two weeks, at what time of day do you feel sleepest? _____ AM PM
At what time of day do you feel most alert? _____ AM PM

In the past two weeks, how many hours do you need to sleep to feel your best? _____

"In the past two weeks..."

"If I get less than _____ hours of sleep, I notice an impairment in my ability to function at work."

"If I get more than _____ hours of sleep, I notice an impairment in my ability to function at work."

In the past two weeks:

Is daytime sleepiness currently a problem for you?**YES NO**

Are you currently doing shift work, that is, working early morning, evening, or night shifts?...**YES NO**

Do you ever have trouble falling asleep?**YES NO**
If yes, how often? _____ times per WEEK MONTH YEAR (circle one)

Do you ever have trouble staying asleep?**YES NO**
If yes, how often? _____ times per WEEK MONTH YEAR (circle one)

Do you take more than two daytime naps per month? **YES NO**
 If yes, about how many times per week do you nap?
 At what time of day do you normally take your nap? ____:____ AM/PM to ____:____ AM/PM
 Do you consider yourself a light, normal, or heavy sleeper?**LIGHT NORMAL HEAVY**
 Have you been told or do you think that you snore excessively? **YES NO**
 Have you ever been diagnosed or treated for sleep apnea or sleep disordered breathing? **YES NO**

I yawn often
 Never **1 2 3 4 5 6 7 8 9 10** Always yawning

When I see or hear someone else yawn, I will yawn too
 Never **1 2 3 4 5 6 7 8 9 10** Every time

RECENT RISK OF DOZING OFF (ESS)

How likely are to doze off or fall asleep in the following situations, in contrast to feeling just tired? This refers to your **usual way of life in the last two weeks**. Even if you have not done some of these things recently try to work out how they would have affected you. Use the following scale to choose the most appropriate number for each situation:

- 0 = would never doze
- 1 = slight chance of dozing
- 2 = moderate chance of dozing
- 3 = high chance of dozing

SITUATION	CHANCE OF DOZING (0-3)			
Sitting and reading	0	1	2	3
Watching TV	0	1	2	3
Sitting, inactive in a public place (e.g. a theatre or meeting)	0	1	2	3
As a passenger in a car for an hour without a break	0	1	2	3
Lying down to rest in the afternoon when circumstances permit	0	1	2	3
Sitting and talking to someone	0	1	2	3
Sitting quietly after a lunch without alcohol	0	1	2	3
In a car, while stopped for a few minutes in the traffic	0	1	2	3

MEQ

SUBJECT: _____ DATE: ____/____/____

1. Considering only your own “feeling best” rhythm, at what time would you get up if you were entirely free to plan your day?
☐ 5:00 - 6:30 AM
☐ 6:30 - 7:45 AM
☐ 7:45 - 9:45 AM
☐ 9:45 - 11:00 AM
☐ 11:00 AM - 12:00 PM
2. Considering only your own “feeling best” rhythm, at what time would you go to bed if you were entirely free to plan your evening?
☐ 8:00 - 9:00 PM
☐ 9:00 - 10:15 PM
☐ 10:15 PM - 12:30 AM
☐ 12:30 - 1:45 AM
☐ 1:45 - 3:00 AM
3. If there is a specific time at which you have to get up in the morning, to what extent are you dependent on being woken up by an alarm clock?
☐ not at all dependent
☐ slightly dependent
☐ fairly dependent
☐ very dependent
4. Assuming adequate environmental conditions, how easy do you find getting up in the mornings?
☐ not at all easy
☐ not very easy
☐ fairly easy
☐ very easy
5. How alert do you feel during the first half hour after having woken in the mornings?
☐ not at all alert
☐ slightly alert
☐ fairly alert
☐ very alert
6. How is your appetite during the first half-hour after having woken in the mornings?
☐ very poor
☐ fairly poor
☐ fairly good
☐ very good
7. During the first half-hour after having woken in the morning, how tired do you feel?
☐ very tired
☐ fairly tired
☐ fairly refreshed
☐ very refreshed

8. When you have no commitments the next day, at what time do you go to bed compared to your usual bedtime?

- ☐ seldom or never later
- ☐ less than one hour later
- ☐ 1-2 hours later
- ☐ more than two hours later

9. You have decided to engage in some physical exercise. A friend suggests that you do this one hour twice a week and the best time for him is between 7:00-8:00 AM. Bearing in mind nothing else but your own “feeling best” rhythm how do you think you would perform?

- ☐ would be in good form
- ☐ would be in reasonable for
- ☐ would find it difficult
- ☐ would find it very difficult

10. At what time in the evening do you feel tired and as a result in need of sleep?

- ☐ 8:00 - 9:00 PM
- ☐ 9:00 - 10:15 PM
- ☐ 10:15 PM - 12:45 AM
- ☐ 12:45 - 2:00 AM
- ☐ 2:00 - 3:00 AM

11. You wish to be at your peak performance for a test which you know is going to be mentally exhausting and lasting for two hours. You are entirely free to plan your day and considering only your own “feeling best” rhythm which ONE of the four testing times would you choose?

- ☐ 8:00 - 10:00 AM
- ☐ 11:00 AM - 1:00 PM
- ☐ 3:00 - 5:00 PM
- ☐ 7:00 - 9:00 PM

12. If you went to bed at 11:00 PM at what level of tiredness would you be?

- ☐ not at all tired
- ☐ a little tired
- ☐ fairly tired
- ☐ very tired

13. For some reason you have gone to bed several hours later than usual, but there is no need to get up at any particular time the next morning. Which ONE of the following events are you most likely to experience?

- ☐ will wake up at usual time and will NOT fall asleep
- ☐ will wake up at usual time and will doze thereafter
- ☐ will wake up at usual time but will fall asleep again
- ☐ will NOT wake up until later than usual

14. One night you have to remain awake between 4:00 - 6:00 AM in order to carry out a night watch. You have no commitments the next day. Which ONE of the following alternatives will suit you best?

- ☐ would NOT go to bed until watch was over
- ☐ would take a nap before and sleep after
- ☐ would take a good sleep before and nap after
- ☐ would take ALL sleep before watch

15. You have to do two hours of hard physical work. You are entirely free to plan your day and considering only your own “feeling best” rhythm which ONE of the following times would you choose?
- ☐ 8:00 - 10:00 AM
 - ☐ 11:00 AM - 1:00 PM
 - ☐ 3:00 - 5:00 PM
 - ☐ 7:00 - 9:00 PM
16. You have decided to engage in hard physical exercise. A friend suggests that you do this for one hour twice a week and the best time for him is between 10:00 - 11:00 PM. Bearing in mind nothing else but your own “feeling best” rhythm how well do you think you would perform?
- ☐ would be in good form
 - ☐ would be in reasonable form
 - ☐ would find it difficult
 - ☐ would find it very difficult
17. Suppose that you can choose your own work hours. Assume that you worked a FIVE-hour day (including breaks) and that your job was interesting and paid by results. During which time period would you want that five consecutive hours to END?
- ☐ 12:00 - 4:00 AM
 - ☐ 4:00 - 8:00 AM
 - ☐ 8:00 - 9:00 AM
 - ☐ 9:00 AM - 2:00 PM
 - ☐ 2:00 - 5:00 PM
 - ☐ 5:00 PM - 12:00 AM
18. At what time of the day do you think that you reach your “feeling best” peak?
- ☐ 12:00 - 5:00 AM
 - ☐ 5:00 - 8:00 AM
 - ☐ 8:00 - 10:00 AM
 - ☐ 10:00 AM - 5:00 PM
 - ☐ 5:00 - 10:00 PM
 - ☐ 10:00 PM - 12:00 AM
19. One hears about “morning” and “evening” types of people. Which ONE of these types do you consider yourself to be?
- ☐ definitely a “morning” person
 - ☐ rather more a “morning” than an “evening” type
 - ☐ rather more an “evening” than a “morning” type
 - ☐ definitely an “evening” type

FOSQ

Study ID _____

Date _____

Some people have difficulty performing everyday activities when they feel tired or sleepy. The purpose of this questionnaire is to find out if you generally have difficulty carrying out certain activities because you are too sleepy or tired. In this questionnaire, when the words “sleepy” or “tired” are used, it means the feeling that you can’t keep your eyes open, your head is droopy, that you want to “nod off”, or that you feel the urge to take a nap. These words do not refer to the tired or fatigued feeling you may have after you have exercised.

Please circle one answer for each question. Please try to be as accurate as possible.

0 – I don’t do this activity for other reasons

1 – No difficulty

2 – Yes, a little difficulty

3 – Yes, Moderate difficulty

4 – Yes, Extreme difficulty

- | | | | | | |
|---|---|---|---|---|---|
| 1. Do you generally have difficulty concentrating on things you do because you are sleepy or tired? | 0 | 1 | 2 | 3 | 4 |
| 2. Do you generally have difficulty remembering things because you are sleepy or tired? | 0 | 1 | 2 | 3 | 4 |
| 3. Do you have difficulty finishing a meal because you become sleepy or tired? | 0 | 1 | 2 | 3 | 4 |
| 4. Do you have difficulty working on a hobby (for example: sewing, collecting, gardening) because you are sleepy or tired? | 0 | 1 | 2 | 3 | 4 |
| 5. Do you have difficulty doing work around the house (for example: cleaning house, doing laundry, taking out the trash, repair work) because you are sleepy or tired? | 0 | 1 | 2 | 3 | 4 |
| 6. Do you have difficulty operating a motor vehicle for short distances (less than 100 miles) because you become sleepy or tired? | 0 | 1 | 2 | 3 | 4 |
| 7. Do you have difficulty operating a motor vehicle for long distances (greater than 100 miles) because you become sleepy or tired? | 0 | 1 | 2 | 3 | 4 |
| 8. Do you have difficulty getting things done because you are too sleepy or tired to drive or take public transportation? | 0 | 1 | 2 | 3 | 4 |
| 9. Do you have difficulty take care of financial affairs and doing paperwork (for example: writing checks, paying bills, keeping financial records, filling out tax forms, etc.) because you are sleepy or tired? | 0 | 1 | 2 | 3 | 4 |
| 10. Do you have difficulty performing employed or volunteer work because you are sleepy or tired? | 0 | 1 | 2 | 3 | 4 |
| 11. Do you have difficulty maintaining a telephone conversation because you become sleepy or tired? | 0 | 1 | 2 | 3 | 4 |

0 – I don’t do this activity for other reasons

- 1 – No difficulty**
2 – Yes, a little difficulty
3 – Yes, Moderate difficulty
4 – Yes, Extreme difficulty

	0	1	2	3	4
12. Do you have difficulty visiting with your family or friends in your home because you become sleepy or tired?					
13. Do you have difficulty visiting with your family or friends in their homes because you become sleepy or tired?	0	1	2	3	4
14. Do you have difficulty doing things for your family or friends because you become sleepy or tired?	0	1	2	3	4
15. Has your relationship with family, friends or work colleagues been affected because you are sleepy or tired?		1	2	3	4
16. Do you have difficulty exercising or participating in a sporting activity because you are too sleepy or tired?	0	1	2	3	4
17. Do you have difficulty watching a movie or videotape because you become sleepy or tired?	0	1	2	3	4
18. Do you have difficulty enjoying the theater or a lecture because you become sleepy or tired?	0	1	2	3	4
19. Do you have difficulty enjoying a concert because you become sleepy or tired?	0	1	2	3	4
20. Do you have difficulty watching television because you are sleepy or tired?	0	1	2	3	4
21. Do you have difficulty participating in religious services, meetings or a group club because you are sleepy or tired?	0	1	2	3	4
22. Do you have difficulty being as active as you want to be in the evening because you are sleepy or tired?	0	1	2	3	4
23. Do you have difficulty being as active as you want to be in the morning because you are sleepy or tired?	0	1	2	3	4
24. Do you have difficulty being as active as you want to be in the afternoon because you are sleepy or tired?	0	1	2	3	4
25. Do you have difficulty keeping a pace with others your own age because you are sleepy or tired?	0	1	2	3	4
26. How would you rate yourself in your general level of activity?		1	2	3	4
		1= Very low; 2= Low; 3= Medium; 4= High			
27. Has your intimate or sexual relationship been affected because you are sleepy or tired?	0	1	2	3	4
28. Has your desire for intimacy or sex been affected because you are sleepy or tired?	0	1	2	3	4
29. Has your ability to become sexually aroused been affected because you are sleepy or tired?	0	1	2	3	4
30. Has your ability to have an orgasm been affected because you are sleepy or tired?	0	1	2	3	4

Faced with a potentially dangerous event

I take my time ○○○○○○○○○○○○○○○○ I instantly react

Seeing a person who is drowning, I first

dive in ○○○○○○○○○○○○○○○○○○○○○○ call for help

I prefer work that is

well planned ○○○○○○○○○○○○○○○○○○○○○○○○○○ not planned

I am right

all the time ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ never

I emphasize

precision ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ speed

I like to drive

very fast ○○○○○○○○○○○○○○○○○○○ very slow

I like to listen to music with a tempo that is

very slow ○○○○○○○○○○○○○○○○○○○○○○ very fast

I like to take risks

not at all ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ a lot

THANK YOU FOR COMPLETING THIS SURVEY!

Please provide any additional comments below or on the back of the survey, if needed.

PATIENT HEALTH QUESTIONNAIRE (PHQ-9)

NAME: _____

DATE: _____

Over the last 2 weeks, how often have you been
bothered by any of the following problems?
(use "✓" to indicate your answer)

	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things	0	1	2	3
2. Feeling down, depressed, or hopeless	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	3
4. Feeling tired or having little energy	0	1	2	3
5. Poor appetite or overeating	0	1	2	3
6. Feeling bad about yourself—or that you are a failure or have let yourself or your family down	0	1	2	3
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed. Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual	0	1	2	3
9. Thoughts that you would be better off dead, or of hurting yourself	0	1	2	3

add columns

	+		+	
--	---	--	---	--

(Healthcare professional: For interpretation of TOTAL, TOTAL: _____
please refer to accompanying scoring card).

10. If you checked off *any problems*, how *difficult*
have these problems made it for you to do
your work, take care of things at home, or get
along with other people?

Not difficult at all _____
Somewhat difficult _____
Very difficult _____
Extremely difficult _____

Session (1 or 2) _____ ID# _____ Date _____ Time _____ AM
PM

PITTSBURGH SLEEP QUALITY INDEX

INSTRUCTIONS:

The following questions relate to your usual sleep habits during the past month only. Your answers should indicate the most accurate reply for the majority of days and nights in the past month. Please answer all questions.

1. During the past month, what time have you usually gone to bed at night?

BED TIME _____

2. During the past month, how long (in minutes) has it usually taken you to fall asleep each night?

NUMBER OF MINUTES _____

3. During the past month, what time have you usually gotten up in the morning?

GETTING UP TIME _____

4. During the past month, how many hours of actual sleep did you get at night? (This may be different than the number of hours you spent in bed.)

HOURS OF SLEEP PER NIGHT _____

For each of the remaining questions, check the one best response. Please answer all questions.

5. During the past month, how often have you had trouble sleeping because you . . .

- a) Cannot get to sleep within 30 minutes

Not during the past month _____	Less than once a week _____	Once or twice a week _____	Three or more times a week _____
------------------------------------	--------------------------------	-------------------------------	-------------------------------------

- b) Wake up in the middle of the night or early morning

Not during the past month _____	Less than once a week _____	Once or twice a week _____	Three or more times a week _____
------------------------------------	--------------------------------	-------------------------------	-------------------------------------

- c) Have to get up to use the bathroom

Not during the past month _____	Less than once a week _____	Once or twice a week _____	Three or more times a week _____
------------------------------------	--------------------------------	-------------------------------	-------------------------------------

d) Cannot breathe comfortably

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

e) Cough or snore loudly

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

f) Feel too cold

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

g) Feel too hot

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

h) Had bad dreams

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

i) Have pain

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

j) Other reason(s), please describe_____

How often during the past month have you had trouble sleeping because of this?

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

6. During the past month, how would you rate your sleep quality overall?

Very good _____

Fairly good _____

Fairly bad _____

Very bad _____

7. During the past month, how often have you taken medicine to help you sleep (prescribed or "over the counter")?

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

8. During the past month, how often have you had trouble staying awake while driving, eating meals, or engaging in social activity?

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

9. During the past month, how much of a problem has it been for you to keep up enough enthusiasm to get things done?

No problem at all	_____
Only a very slight problem	_____
Somewhat of a problem	_____
A very big problem	_____

10. Do you have a bed partner or room mate?

No bed partner or room mate	_____
Partner/room mate in other room	_____
Partner in same room, but not same bed	_____
Partner in same bed	_____

If you have a room mate or bed partner, ask him/her how often in the past month you have had . . .

- a) Loud snoring

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

- b) Long pauses between breaths while asleep

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

- c) Legs twitching or jerking while you sleep

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

d) Episodes of disorientation or confusion during sleep

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

e) Other restlessness while you sleep; please describe_____

Not during the past month_____	Less than once a week_____	Once or twice a week_____	Three or more times a week_____
-----------------------------------	-------------------------------	------------------------------	------------------------------------

Rivermead Post Concussion Symptoms Questionnaire

Modified (Rpq-3 And Rpq-13)⁴² Printed With Permission: Modified Scoring System From Eyres 2005 ²⁸

Name:

Date:

After a head injury or accident some people experience symptoms that can cause worry or nuisance. We would like to know if you now suffer any of the symptoms given below. Because many of these symptoms occur normally, we would like you to compare yourself now with before the accident. For each symptom listed below please circle the number that most closely represents your answer.

0 = not experienced at all
1 = no more of a problem
2 = a mild problem
3 = a moderate problem
4 = a severe problem

Compared with **before** the accident, do you **now** (i.e., over the last 24 hours) suffer from:

	not experienced	no more of a problem	mild problem	moderate problem	severe problem
Headaches	0	1	2	3	4
Feelings of dizziness	0	1	2	3	4
Nausea and/or vomiting	0	1	2	3	4
Noise sensitivity (easily upset by loud noise)	0	1	2	3	4
Sleep disturbance	0	1	2	3	4
Fatigue, tiring more easily	0	1	2	3	4
Being irritable, easily angered	0	1	2	3	4
Feeling depressed or tearful	0	1	2	3	4
Feeling frustrated or impatient	0	1	2	3	4
Forgetfulness, poor memory	0	1	2	3	4
Poor concentration	0	1	2	3	4
Taking longer to think	0	1	2	3	4
Blurred vision	0	1	2	3	4
Light sensitivity (easily upset by bright light)	0	1	2	3	4
Double vision	0	1	2	3	4
Restlessness	0	1	2	3	4

Are you experiencing any other difficulties? Please specify, and rate as above.

1.	0	1	2	3	4
2.	0	1	2	3	4

Administration only:

RPQ-3 (total for first three items)	
RPQ-13 (total for next 13 items)	

Rivermead Post Concussion Symptoms Questionnaire (cont.)

Modified (Rpq-3 And Rpq-13)⁴² Printed With Permission: Modified Scoring System From Eyres 2005²⁸

Administration only

Individual item scores reflect the presence and severity of post concussive symptoms. Post concussive symptoms, as measured by the RPQ, may arise for different reasons subsequent to (although not necessarily directly because of) a traumatic brain injury. The symptoms overlap with broader conditions, such as pain, fatigue and mental health conditions such as depression⁷².

The questionnaire can be repeated to monitor a patient's progress over time. There may be changes in the severity of symptoms, or the range of symptoms. Typical recovery is reflected in a reduction of symptoms and their severity within three months.

Scoring

The scoring system has been modified from Eyres, 2005²⁴.

The items are scored in two groups. The first group (RPQ-3) consists of the first three items (headaches, feelings of dizziness and nausea) and the second group (RPQ-13) comprises the next 13 items. The total score for RPQ-3 items is potentially 0–12 and is associated with early symptom clusters of post concussive symptoms. If there is a higher score on the RPQ-3, earlier reassessment and closer monitoring is recommended.

The RPQ-13 score is potentially 0–52, where higher scores reflect greater severity of post concussive symptoms. The RPQ-13 items are associated with a later cluster of symptoms, although the RPQ-3 symptoms of headaches, dizziness and nausea may also be present. The later cluster of symptoms is associated with having a greater impact on participation, psychosocial functioning and lifestyle. Symptoms are likely to resolve within three months. A gradual resumption of usual activities is recommended during this period, appropriate to symptoms. If the symptoms do not resolve within three months, consideration of referral for specialist assessment or treatment services is recommended.

References:

Eyres, S., Carey, A., Gilworth, G., Neumann, V., Tennant, A. (2005). Construct validity and reliability of the Rivermead Post Concussion Symptoms Questionnaire. *Clinical Rehabilitation*, 19, 878-887.

King, N. S., Crawford, S., Wenden, F.J., Moss, N.E.G. Wade, D.T. (1995). The Rivermead Post Concussion Symptoms Questionnaire: a measure of symptoms commonly experienced after head injury and its reliability *Journal of Neurology*, 242, 587-592.

Potter, S., Leigh, E., Wade, D., Fleminger, S. (2006). The Rivermead Post Concussion Symptoms Questionnaire *Journal of Neurology*, October 1-12.

BDI

SUBJECT ID#: _____ DATE: ____/____/____

INSTRUCTIONS: On this questionnaire are groups of statements. Please read each group of statements carefully. Then pick out the one statement in each group which best describes the way you have been feeling in the **PAST WEEK, INCLUDING TODAY!** Circle the number beside the statement you picked. If several statements in the group seem to apply equally well, circle each one. **Be sure to read all the statements in each group before making your choice.**

1. 0 I do not feel sad.
 1 I feel sad.
 2 I am sad all the time and I can't snap out of it.
 3 I am so sad or unhappy that I can't stand it.

2. 0 I am not particularly discouraged about the future.
 1 I feel discouraged about the future.
 2 I feel I have nothing to look forward to.
 3 I feel that the future is hopeless and that things cannot improve.

3. 0 I do not feel like a failure.
 1 I feel I have failed more than the average person.
 2 As I look back on my life, all I can see is a lot of failures.
 3 I feel I am a complete failure as a person.

4. 0 I get as much satisfaction out of things as I used to.
 1 I don't enjoy things the way I used to.
 2 I don't get real satisfaction out of anything anymore.
 3 I am dissatisfied or bored with everything.

5. 0 I don't feel particularly guilty.
 1 I feel guilty a good part of the time.
 2 I feel quite guilty most of the time.
 3 I feel guilty all of the time.

6. 0 I don't feel I am being punished.
 1 I feel I may be punished.
 2 I expect to be punished.
 3 I feel I am being punished.

7. 0 I don't feel disappointed in myself.
 1 I am disappointed in myself.
 2 I am disgusted with myself.
 3 I hate myself.

8. 0 I don't feel I am any worse than anybody else.
 1 I am critical of myself for my weaknesses or mistakes.
 2 I blame myself all the time for my faults.
 3 I blame myself for everything bad that happens.


9. 0 I don't have any thoughts of killing myself.
 1 I have thoughts of killing myself, but I would not carry them out.
 2 I would like to kill myself.
 3 I would kill myself if I had the chance.

10. 0 I don't cry any more than usual.
 1 I cry more now than I used to.
 2 I cry all the time now.
 3 I used to be able to cry, but now I can't cry even though I want to.
11. 0 I am no more irritated now than I ever am.
 1 I get annoyed or irritated more easily than I used to.
 2 I feel irritated all the time now.
 3 I don't get irritated at all by the things that used to irritate me.
12. 0 I have not lost interest in other people.
 1 I am less interested in other people than I used to be.
 2 I have lost most of my interest in other people.
 3 I have lost all of my interest in other people.
13. 0 I make decisions about as well as ever.
 1 I put off making decisions more than I used to.
 2 I have greater difficulty in making decisions than before.
 3 I can't make any decisions at all anymore.
14. 0 I don't feel I look any worse than I used to.
 1 I am worried that I am looking old or unattractive.
 2 I feel that there are permanent changes in my appearance that make me look unattractive.
 3 I believe that I look ugly.
15. 0 I can work about as well as before.
 1 It takes extra effort to get started at doing something.
 2 I have to push myself very hard to do anything.
 3 I can't do any work at all.
16. 0 I can sleep as well as usual.
 1 I don't sleep as well as I used to.
 2 I wake up 1-2 hours earlier than usual and find it hard to get back to sleep.
 3 I wake up several hours earlier than I used to and cannot get back to sleep.
17. 0 I don't get more tired than usual.
 1 I get tired more easily than I used to.
 2 I get tired from doing almost anything.
 3 I am too tired to do anything.
18. 0 My appetite is no worse than usual.
 1 My appetite is not as good as it used to be.
 2 My appetite is much worse now.
 3 I have no appetite at all anymore.
19. 0 I haven't lost much weight, if any, lately.
 1 I have lost more than 5 pounds.
 2 I have lost more than 10 pounds.
 3 I have lost more than 15 pounds.
 I am purposely trying to lose weight by eating less YES ____ NO ____
20. 0 I am no more worried about my health than usual.
 1 I am worried about physical problems such as aches and pains, or upset stomach, or constipation.
 2 I am very worried about physical problems and it's hard to think of much else.
 3 I am so worried about my physical problems that I cannot think about anything else.

21. 0 I have not noticed any recent change in my interest in sex.
 1 I am less interested in sex than I used to be.
 2 I am much less interested in sex now.
 3 I have lost interest in sex completely.


Balloon Analog Risk Task

Inflate Balloon by Pressing Key




- The BART presents participants with 30 virtual balloons.
- Each balloon can be inflated one increment for each key press.

Balloon Grows in Size and \$\$\$ Value




- With each key press the size of the balloon increases.
- Each increment also increases the potential value of the balloon by 5 cents.
- The balloon can be “cashed in” at any time and the total accumulated value retained.

If Balloon Explodes, All \$\$\$ is Lost



- Each balloon can explode at any time.
- If a balloon explodes, all of the potential money accumulated *for that balloon* will be lost.

Goal: Earn as Much Money as Possible



- The goal is to maximize winnings.
- Only 30 balloons are presented

STAI Form S

Name: _____ Date: _____

DIRECTIONS: A number of statements which people have used to describe themselves are given below. Read each statement and then circle the appropriate number to the right of the statement to indicate how you feel right now, THAT IS, at this moment.

There are no right or wrong answers.
Do not spend too much time on any one statement but give the answer which seems to describe your present feelings best.

	Not at all	Somewhat	Moderately so	Very much so
1. I feel calm.	1	2	3	4
2. I feel secure.	1	2	3	4
3. I am tense	1	2	3	4
4. I feel regretful	1	2	3	4
5. I feel at ease	1	2	3	4
6. I feel upset	1	2	3	4
7. I am presently worrying over possible misfortunes.	1	2	3	4
8. I feel rested.	1	2	3	4
9. I feel anxious	1	2	3	4
10. I feel comfortable	1	2	3	4
11. I feel self-confident.	1	2	3	4
12. I feel nervous	1	2	3	4
13. I am jittery	1	2	3	4
14. I feel "high strung"	1	2	3	4
15. I am relaxed	1	2	3	4
16. I feel content	1	2	3	4
17. I am worried	1	2	3	4
18. I feel over-excited and "rattled".	1	2	3	4
19. I feel joyful.	1	2	3	4
20. I feel pleasant.	1	2	3	4

STAI Form T

NAME _____ DATE _____

DIRECTIONS: A number of statements which people have used to describe themselves are given below. Read each statement and then circle the appropriate number to the right of the statement to indicate how you generally feel.


There are no right or wrong answers.

Do not spend too much time on any one statement but give the answer which seems to describe how you generally feel.


	Almost never	Sometimes	Often	Almost always
21. I feel pleasant	1	2	3	4
22. I tire quickly	1	2	3	4
23. I feel like crying	1	2	3	4
24. I wish I could be as happy as others seem to be	1	2	3	4
25. I am losing out on things because I can't make up my mind soon enough	1	2	3	4
26. I feel rested	1	2	3	4
27. I am "calm, cool, and collected"	1	2	3	4
28. I feel that difficulties are piling up so that I cannot overcome them	1	2	3	4
29. I worry too much over something that really doesn't matter	1	2	3	4
30. I am happy	1	2	3	4
31. I am inclined to take things hard	1	2	3	4
32. I lack self-confidence	1	2	3	4
33. I feel secure	1	2	3	4
34. I try to avoid facing a crises or difficulty	1	2	3	4
35. I feel blue	1	2	3	4
36. I am content	1	2	3	4
37. Some unimportant thought runs through my mind and bothers me	1	2	3	4
38. I take disappointments so keenly that I can't put them out of my mind	1	2	3	4
39. I am a steady person	1	2	3	4
40. I get in a state of tension or turmoil as I think over my recent concerns and interests	1	2	3	4

Tower of London Task

Your Tower



Goal



Daily Sleep Diary

Use this sleep diary **every day** to help you track the quantity and quality of your sleep. Reflecting on the previous day, please fill out this diary during your exposure to the lightbox. If you have any questions or concerns, please call **(617)-855-2239**.

Date:	Light box start time:
Bed time last night ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM Wake time this morning ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM It took me ____ (hr) ____ (min) to fall asleep I woke up ____ times during the night I took a nap from ____:____ to ____:____. <input type="checkbox"/> N/A Number of caffeinated beverages: ____	I woke up this morning feeling <input type="checkbox"/> refreshed <input type="checkbox"/> somewhat refreshed <input type="checkbox"/> fatigued I consumed caffeine yesterday: <input type="checkbox"/> morning <input type="checkbox"/> afternoon <input type="checkbox"/> evening
Most of the day yesterday, I felt: Very sleepy 1 2 3 4 5 6 7 Very alert	Yesterday my mood was: Very poor 1 2 3 4 5 6 7 Very good
Yesterday I had problems with headache pain: Not at all 1 2 3 4 5 6 7 Very severe	Yesterday I ate more than I intended to: Disagree 1 2 3 4 5 6 7 Agree

Date:	Light box start time:
Bed time last night ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM Wake time this morning ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM It took me ____ (hr) ____ (min) to fall asleep I woke up ____ times during the night I took a nap from ____:____ to ____:____. <input type="checkbox"/> N/A Number of caffeinated beverages: ____	I woke up this morning feeling <input type="checkbox"/> refreshed <input type="checkbox"/> somewhat refreshed <input type="checkbox"/> fatigued I consumed caffeine yesterday <input type="checkbox"/> morning <input type="checkbox"/> afternoon <input type="checkbox"/> evening
Most of the day yesterday, I felt: Very sleepy 1 2 3 4 5 6 7 Very alert	Yesterday my mood was: Very poor 1 2 3 4 5 6 7 Very good
Yesterday I had problems with headache pain: Not at all 1 2 3 4 5 6 7 Very severe	Yesterday I ate more than I intended to: Disagree 1 2 3 4 5 6 7 Agree

Date:	Light box start time:
Bed time last night ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM Wake time this morning ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM It took me ____ (hr) ____ (min) to fall asleep I woke up ____ times during the night I took a nap from ____:____ to ____:____. <input type="checkbox"/> N/A Number of caffeinated beverages: ____	I woke up this morning feeling <input type="checkbox"/> refreshed <input type="checkbox"/> somewhat refreshed <input type="checkbox"/> fatigued I consumed caffeine yesterday <input type="checkbox"/> morning <input type="checkbox"/> afternoon <input type="checkbox"/> evening
Most of the day yesterday, I felt: Very sleepy 1 2 3 4 5 6 7 Very alert	Yesterday my mood was: Very poor 1 2 3 4 5 6 7 Very good
Yesterday I had problems with headache pain: Not at all 1 2 3 4 5 6 7 Very severe	Yesterday I ate more than I intended to: Disagree 1 2 3 4 5 6 7 Agree

Date:	Light box start time:
Bed time last night ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM Wake time this morning ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM It took me ____ (hr) ____ (min) to fall asleep I woke up ____ times during the night I took a nap from ____:____ to ____:____. <input type="checkbox"/> N/A Number of caffeinated beverages: ____	I woke up this morning feeling <input type="checkbox"/> refreshed <input type="checkbox"/> somewhat refreshed <input type="checkbox"/> fatigued I consumed caffeine yesterday <input type="checkbox"/> morning <input type="checkbox"/> afternoon <input type="checkbox"/> evening
Most of the day yesterday, I felt: Very sleepy 1 2 3 4 5 6 7 Very alert	Yesterday my mood was: Very poor 1 2 3 4 5 6 7 Very good
Yesterday I had problems with headache pain: Not at all 1 2 3 4 5 6 7 Very severe	Yesterday I ate more than I intended to: Disagree 1 2 3 4 5 6 7 Agree

Date:		Light box start time:	
Bed time last night ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM Wake time this morning ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM It took me ____ (hr) ____ (min) to fall asleep I woke up ____ times during the night I took a nap from ____:____ to ____:____. <input type="checkbox"/> N/A Number of caffeinated beverages: ____		I woke up this morning feeling <input type="checkbox"/> refreshed <input type="checkbox"/> somewhat refreshed <input type="checkbox"/> fatigued I consumed caffeine yesterday <input type="checkbox"/> morning <input type="checkbox"/> afternoon <input type="checkbox"/> evening	
Most of the day yesterday, I felt: Very sleepy 1 2 3 4 5 6 7 Very alert		Yesterday my mood was: Very poor 1 2 3 4 5 6 7 Very good	
Yesterday I had problems with headache pain: Not at all 1 2 3 4 5 6 7 Very severe		Yesterday I ate more than I intended to: Disagree 1 2 3 4 5 6 7 Agree	

Date:		Light box start time:	
Bed time last night ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM Wake time this morning ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM It took me ____ (hr) ____ (min) to fall asleep I woke up ____ times during the night I took a nap from ____:____ to ____:____. <input type="checkbox"/> N/A Number of caffeinated beverages: ____		I woke up this morning feeling <input type="checkbox"/> refreshed <input type="checkbox"/> somewhat refreshed <input type="checkbox"/> fatigued I consumed caffeine yesterday <input type="checkbox"/> morning <input type="checkbox"/> afternoon <input type="checkbox"/> evening	
Most of the day yesterday, I felt: Very sleepy 1 2 3 4 5 6 7 Very alert		Yesterday my mood was: Very poor 1 2 3 4 5 6 7 Very good	
Yesterday I had problems with headache pain: Not at all 1 2 3 4 5 6 7 Very severe		Yesterday I ate more than I intended to: Disagree 1 2 3 4 5 6 7 Agree	

Date:		Light box start time:	
Bed time last night ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM Wake time this morning ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM It took me ____ (hr) ____ (min) to fall asleep I woke up ____ times during the night I took a nap from ____:____ to ____:____. <input type="checkbox"/> N/A Number of caffeinated beverages: ____		I woke up this morning feeling <input type="checkbox"/> refreshed <input type="checkbox"/> somewhat refreshed <input type="checkbox"/> fatigued I consumed caffeine yesterday <input type="checkbox"/> morning <input type="checkbox"/> afternoon <input type="checkbox"/> evening	
Most of the day yesterday, I felt: Very sleepy 1 2 3 4 5 6 7 Very alert		Yesterday my mood was: Very poor 1 2 3 4 5 6 7 Very good	
Yesterday I had problems with headache pain: Not at all 1 2 3 4 5 6 7 Very severe		Yesterday I ate more than I intended to: Disagree 1 2 3 4 5 6 7 Agree	

Date:		Light box start time:	
Bed time last night ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM Wake time this morning ____:____ <input type="checkbox"/> AM <input type="checkbox"/> PM It took me ____ (hr) ____ (min) to fall asleep I woke up ____ times during the night I took a nap from ____:____ to ____:____. <input type="checkbox"/> N/A Number of caffeinated beverages: ____		I woke up this morning feeling <input type="checkbox"/> refreshed <input type="checkbox"/> somewhat refreshed <input type="checkbox"/> fatigued I consumed caffeine yesterday <input type="checkbox"/> morning <input type="checkbox"/> afternoon <input type="checkbox"/> evening	
Most of the day yesterday, I felt: Very sleepy 1 2 3 4 5 6 7 Very alert		Yesterday my mood was: Very poor 1 2 3 4 5 6 7 Very good	
Yesterday I had problems with headache pain: Not at all 1 2 3 4 5 6 7 Very severe		Yesterday I ate more than I intended to: Disagree 1 2 3 4 5 6 7 Agree	

Curriculum Vitae

Date Prepared: January 29, 2014

Name: WILLIAM DALE (SCOTT) KILLGORE

Office Address: Neuroimaging Center
McLean Hospital
115 Mill Street
Belmont, MA 02478 United States

Work Phone: (617) 855-3166

Work Email: killgore@mclean.harvard.edu

Work FAX: (617) 855-2770

Place of Birth: Anchorage, AK

Education

1985 A.A. (Liberal Arts), San Antonio College
1985 A.A.S (Radio-TV-Film), San Antonio College
1990 B.A. (Psychology), Summa cum laude with Distinction, University of New Mexico
1992 M.A. (Clinical Psychology), Texas Tech University
1996 PH.D. (Clinical Psychology), Texas Tech University

Postdoctoral Training

08/95-07/96 Predoctoral Fellow, Clinical Psychology, Yale School of Medicine
08/96-07/97 Postdoctoral Fellow, Clinical Neuropsychology, University of OK Health Sciences Center
08/97-07/99 Postdoctoral Fellow, Clinical Neuropsychology, University of Pennsylvania Medical School
07/99-09/00 Research Fellow, Neuroimaging, McLean Hospital/ Harvard Medical School

Faculty Academic Appointments

10/00-08/02 Instructor in Psychology in the Department of Psychiatry
Harvard Medical School, Boston, MA
09/02-07/07 Clinical Instructor in Psychology in the Department of Psychiatry
Harvard Medical School, Boston, MA
08/07-10/10 Instructor in Psychology in the Department of Psychiatry
Harvard Medical School, Boston, MA
04/08- Faculty Affiliate, Division of Sleep Medicine
Harvard Medical School, Boston, MA
10/10-10/12 Assistant Professor of Psychology in the Department of Psychiatry
Harvard Medical School, Boston, MA
10/12- Associate Professor of Psychology in the Department of Psychiatry

Harvard Medical School

Appointments at Hospitals/Affiliated Institutions

10/00-08/02 Assistant Research Psychologist, McLean Hospital, Belmont, MA
08/02-07/04 Research Psychologist, Department of Behavioral Biology, Walter Reed Army Institute of Research, Silver Spring, MD
09/02-04/05 Special Volunteer, National Institute on Deafness and Other Communication Disorders (NIDCD), National Institutes of Health (NIH), Bethesda, MD
09/02-07/07 Consultant in Psychology, McLean Hospital, Belmont, MA
08/07- Research Psychologist, McLean Hospital, Belmont, MA

Other Professional Positions

11/01-08/02 First Lieutenant, Medical Service Corps, United States Army Reserve (USAR)
08/02-07/05 Captain, Medical Service Corps, United States Army
08/05-10/07 Major, Medical Service Corps, United States Army
10/07-07/12 Major, Medical Service Corps, United States Army Reserve (USAR)
10/07-3/10 Chief Psychologist, GovSource, Inc., U.S. Department of Defense Government Contractor
08/08- Consulting Psychologist, The Brain Institute, University of Utah
07/12- Lieutenant Colonel, Medical Service Corps, United States Army Reserve (USAR)

Major Administrative Leadership Positions

Local

1988-1989 Undergraduate Teaching Assistant-Introduction to Psychology 102, University of New Mexico

1990-1991 Graduate Teaching Assistant-General Psychology 1300, Texas Tech University

1991-1992 Graduate Teaching Assistant-Psychology of Learning Laboratory 3317, Texas Tech University

2004-2007 Chief, Neurocognitive Performance Branch, Walter Reed Army Institute of Research, Silver Spring, MD

2005-2006 Neuropsychology Postdoctoral Program Training Supervisor, Walter Reed Hospital, Washington, DC

2011- Co-Director, Social, Cognitive, and Affective Neuroscience Laboratory, McLean Hospital, Belmont, MA

Committee Service

Local

2003 Scientific Review Committee, Walter Reed Army Institute of Research (WRAIR), Silver Spring, MD
2005 Scientific Review Committee, Walter Reed Army Institute of Research (WRAIR), Silver

	Spring, MD
2012-	McLean Hospital Research Committee, McLean Hospital, Belmont, MA
Regional	
2005-2006	Undergraduate Honors Thesis Committee, Jessica Richards [Chairperson], University of Maryland, Baltimore County
2011	Scientific Review Committee, U.S. Army Institute of Environmental Medicine (USARIEM), Natick, MA
National	
2011-	National Network of Depression Centers, Military Task Group
International	
2005-2006	Doctoral Thesis Committee, Belinda J. Liddell, University of Sydney, Australia

Professional Societies

1995-1997	American Psychological Association, Member
1998-2000	National Academy of Neuropsychology, Member
2012-	American Academy of Sleep Medicine, Member

Grant Review Activities

National

2004	University of Alabama, Clinical Nutrition Research Center (UAB CNRC) Pilot/Feasibility Study Program Review Committee
2006	U.S. Small Business Administration, Small Business Technology Transfer (STTR) Program Review Committee
2006	Cognitive Performance Assessment Program Area Steering Committee, U.S. Army Military Operational Medicine Research Program Funding Panel
2007	Cognitive Performance Assessment Program Area Steering Committee, U.S. Army Military Operational Medicine Research Program Funding Panel
2008	United States Army Medical Research and Materiel Command (USAMRMC) Congressionally Directed Medical Research Programs (CDMRP) Extramural Grant Review Panel
2009	NIH-CSR Brain Disorders and Clinical Neuroscience N02 Member Study Conflict Section Review Panel
2009	Sleep Physiology and Fatigue Interventions Program Area Steering Committee, U.S. Army Military Operational Medicine Research Program
2011	National Science Foundation (NSF) Grant Reviewer
2012	National Science Foundation (NSF) Grant Reviewer

International

2009	Scotland, UK, Biomedical and Therapeutic Research Committee, Grant Reviewer
2010	Canada, Social Sciences and Humanities Research Council of Canada, Grant Reviewer
2011	Israel, Israel Science Foundation (ISF), Grant Reviewer
2013	Israel, Israel Science Foundation (ISF), Grant Reviewer

Editorial Activities

2001-2012	Reviewer, Psychological Reports
2001-2012	Reviewer, Perceptual and Motor Skills
2002	Reviewer, American Journal of Psychiatry
2002-2013	Reviewer, Biological Psychiatry
2003	Reviewer, Clinical Neurology and Neurosurgery
2004, 2013	Reviewer, NeuroImage
2004-2006	Reviewer, Neuropsychologia
2004	Reviewer, Journal of Neuroscience
2004	Reviewer, Consciousness and Cognition
2005	Reviewer, Experimental Brain Research
2005	Reviewer, Schizophrenia Research
2005-2012	Reviewer, Archives of General Psychiatry
2005	Reviewer, Behavioral Brain Research
2005-2009	Reviewer, Human Brain Mapping
2005-2013	Reviewer, Psychiatry Research: Neuroimaging
2006	Reviewer, Journal of Abnormal Psychology
2006	Reviewer, Psychopharmacology
2006	Reviewer, Developmental Science
2006	Reviewer, Acta Psychologica
2006	Reviewer, Neuroscience Letters
2006-2014	Reviewer, Journal of Sleep Research
2006-2013	Reviewer, Physiology and Behavior
2006-2014	Reviewer, SLEEP
2007	Reviewer, Journal of Clinical and Experimental Neuropsychology
2008	Reviewer, European Journal of Child and Adolescent Psychiatry
2008	Reviewer, Judgment and Decision Making
2008-2010	Reviewer, Aviation, Space, & Environmental Medicine
2008	Reviewer, Journal of Psychophysiology
2008	Reviewer, Brazilian Journal of Medical and Biological Research
2008	Reviewer, The Harvard Undergraduate Research Journal
2008	Reviewer, Bipolar Disorders
2008-2013	Reviewer, Chronobiology International
2008	Reviewer, International Journal of Obesity
2009	Reviewer, European Journal of Neuroscience
2009-2013	Reviewer, International Journal of Eating Disorders
2009	Reviewer, Psychophysiology
2009	Reviewer, Traumatology
2009	Reviewer, Clinical Medicine: Therapeutics
2009	Reviewer, Acta Pharmacologica Sinica
2009	Reviewer, Collegium Antropologicum
2009	Reviewer, Journal of Psychopharmacology
2009-2010	Reviewer, Obesity
2009	Reviewer, Scientific Research and Essays
2009	Reviewer, Child Development Perspectives
2009-2010	Reviewer, Personality and Individual Differences
2009-2010	Reviewer, Noise and Health
2009-2010	Reviewer, Sleep Medicine

2010	Reviewer, Nature and Science of Sleep
2010	Reviewer, Psychiatry and Clinical Neurosciences
2010	Reviewer, Learning and Individual Differences
2010	Reviewer, Cognitive, Affective, and Behavioral Neuroscience
2010	Reviewer, BMC Medical Research Methodology
2010-2011	Reviewer, Journal of Adolescence
2010-2012	Reviewer, Brain Research
2011	Reviewer, Brain
2011	Reviewer, Social Cognitive and Affective Neuroscience
2011	Reviewer, Journal of Traumatic Stress
2011	Reviewer, Social Neuroscience
2011	Reviewer, Brain and Cognition
2011	Reviewer, Frontiers in Neuroscience
2011-2012	Reviewer, Sleep Medicine Reviews
2012	Reviewer, Journal of Experimental Psychology: General
2012	Reviewer, Ergonomics
2012	Reviewer, Behavioral Sleep Medicine
2012	Reviewer, Neuropsychology
2012	Reviewer, Emotion
2012	Reviewer, JAMA
2012	Reviewer, BMC Neuroscience
2012	Reviewer, Cognition and Emotion
2012	Reviewer, Journal of Behavioral Decision Making
2012	Reviewer, Psychosomatic Medicine
2012-2013	Reviewer, PLoS One
2012	Reviewer, American Journal of Critical Care
2013	Reviewer, Experimental Psychology
2013	Reviewer, Clinical Interventions in Aging
2013	Reviewer, Frontiers in Psychology
2013	Reviewer, Brain Structure and Function
2013	Reviewer, Appetite
2013	Reviewer, JAMA Psychiatry

Other Editorial Roles

2009-	Editorial Board Member	International Journal of Eating Disorders
2012-	Editor	Datasets in Neuroscience
2012-	Editor	Datasets in Medicine
2012-	Editor	Journal of Sleep Disorders: Treatment and Care

Honors and Prizes

1990	Outstanding Senior Honors Thesis in Psychology, University of New Mexico
1990-1995	Maxey Scholarship in Psychology, Texas Tech University
2001	Rennick Research Award, Co-Author Paper, International Neuropsychological Society
2002	Honor Graduate, AMEDD Officer Basic Course, U.S. Army Medical Department Center and School

2002	Lynch Leadership Award Nominee, AMEDD Officer Basic Course, U.S. Army Medical Department Center and School
2003	Outstanding Research Presentation Award, 2003 Force Health Protection Conference, U.S. Army Center for Health Promotion and Preventive Medicine
2005	Edward L. Buescher Award for Excellence in Research by a Young Scientist, Walter Reed Army Institute of Research (WRAIR) Association
2009	Merit Poster Award, International Neuropsychological Society
2009	Outstanding Research Presentation Award, 2009 Force Health Protection Conference, U.S. Army Center for Health Promotion and Preventive Medicine
2010	Best Paper Award, Neuroscience, 27 th U.S. Army Science Conference
2011	Published paper included in <i>Best of Sleep Medicine 2011</i>
2011	Blue Ribbon Finalist, 2011 Top Poster Award in Clinical and Translational Research, Society of Biological Psychiatry
2012	Defense Advance Research Projects Agency (DARPA) Young Faculty Award in Neuroscience

Report of Funded and Unfunded Projects

Funding Information

Past

2001-2003	fMRI of Unconscious Affect Processing in Adolescence. N.I.H., 1R03HD41542-01 P.I.: Killgore (\$79,000.)
2003-2006	The Effects of Sleep-Loss and Stimulant Countermeasures on Judgment and Decision Making. U.S. Army Medical Research and Materiel Command (USAMRMC) Competitive Medical Research Proposal Program (CMRP), P.I.: Killgore (Total Award: \$1,345,000.)
2004-2005	Sleep/wake Schedules in 3ID Aviation Brigade Soldiers. Defense Advanced Research Projects Agency (DARPA) P.I.: Killgore (Total Award: \$60,000.)
2005-2006	Functional Neuroimaging Studies of Neural Processing Changes with Sleep and Sleep Deprivation. U.S. Army Medical Research and Materiel Command (USAMRMC) Task Area C (Warfighter Judgment and Decision Making) Program Funding P.I.: Killgore (Total Award: \$219,400.)
2006-2007	Establishing Normative Data Sets for a Series of Tasks to Measure the Cognitive Effects of Operationally Relevant Stressors. U.S. Army Medical Research and Materiel Command (USAMRMC) Task Area C (Warfighter Judgment and Decision Making) Program Funding, P.I.: Killgore (Total Award: \$154,000.)

2006-2007 Military Operational Medicine Research Program (MOM-RP), Development of the Sleep History and Readiness Predictor (SHARP).
U.S. Army Medical Research and Materiel Command (USAMRMC)
P.I.: Killgore (Total Award:\$291,000.)

Current

- 2009-2014 The Neurobiological Basis and Potential Modification of Emotional Intelligence through Affective Behavioral Training.
U.S. Army Medical Research and Materiel Command (USAMRMC),
P.I.: Killgore (Total Award: \$551,961.)
Major Goal: To identify the neurobiological basis of cognitive and emotional intelligence using functional and structural magnetic resonance imaging.
- 2011-2014 Effects of Bright Light Therapy on Sleep, Cognition, and Brain Function following Mild Traumatic Brain Injury.
U.S. Army Medical Research and Materiel Command (USAMRMC),
P.I.: Killgore (Total Award: \$941,924)
Major Goal: To evaluate the effectiveness of morning exposure to bright light as a treatment for improving in sleep patterns among individuals with post-concussive syndrome. Effects of improved sleep on recovery due to this treatment will be evaluated using neurocognitive testing as well as functional and structural neuroimaging.
- 2012-2015 Internet Based Cognitive Behavioral Therapy Effects on Depressive Cognitions and Brain function.
U.S. Army Medical Research and Materiel Command (USAMRMC),
Co-PI: Killgore (Total Award: \$1,646,045)
Major Goal: To evaluate the effectiveness of an internet-based cognitive behavioral therapy treatment program on improving depressive symptoms, coping and resilience skills, cognitive processing and functional brain activation patterns within the prefrontal cortex.
- 2012-2014 Multimodal Neuroimaging to Predict Cognitive Resilience Against Sleep Loss
Defense Advance Research Projects Agency (DARPA) Young Faculty Award in Neuroscience
P.I.: Killgore (Total Award: \$445,531)
Major Goal: To combine several neuroimaging techniques, including functional and structural magnetic resonance imaging, diffusion tensor imaging, and magnetic resonance spectroscopy to predict individual resilience to 24 hours of sleep deprivation.
- 2012-2016 A Model for Predicting Cognitive and Emotional Health from Structural and Functional Neurocircuitry following Traumatic Brain Injury
Congressionally Directed Medical Research Program (CDMRP), Psychological Health/Traumatic Brain Injury (PH/TBI) Research Program: Applied Neurotrauma Research Award.
P.I.: Killgore (Total Award: \$2,272,098)
Major Goal: To evaluate the relation between axonal damage and neurocognitive performance in patients with traumatic brain injury at multiple points over the recovery trajectory, in order to predict recovery.
- 2012-2014 Neural Mechanisms of Fear Extinction Across Anxiety Disorders

NIH NIMH

Site Subcontract PI: Killgore (Subcontract Award: \$505,065)

Major Goal: To examine the neurocircuitry involved in fear conditioning, extinction, and extinction recall across several major anxiety disorders.

- 2014-2017 Bright Light Therapy for Treatment of Sleep Problems following Mild TBI.
Psychological Health and Traumatic Brain Injury Research Program (PH/TBI RP) Traumatic Brain Injury Research Award-Clinical Trial.
P.I.: Killgore (Total Award: \$1,853,921)
Major Goal: To verify the effectiveness of morning exposure to bright light as a treatment for improving in sleep patterns, neurocognitive performance, brain function, and brain structure among individuals with a recent mild traumatic brain injury.

Report of Local Teaching and Training

Laboratory and Other Research Supervisory and Training Responsibilities

- 2005-2006 1 Fellow for 250 hrs/year, Neuropsychology Postdoctoral Research Training Program Supervisor, Walter Reed Hospital
- 2011- 2 Fellows for 2080 hrs/year, Harvard Research Fellow Supervisor, McLean Hospital

Formally Supervised Trainees

- 1997-1999 David Glahn, Ph.D. Associate Professor, Yale University School of Medicine
Provided mentorship in clinical neuropsychological assessment and research at the University of Pennsylvania Hospital, which resulted in the development of a new psychometric test, 1 co-authored published conference abstract, and 1 co-authored published journal article.
- 1997-1999 Daniel Casasanto, Ph.D. Senior Scientist/Lecturer, Max Plank Institute for Psycholinguistics
Supervised this trainee while at the University of Pennsylvania Hospital, which resulted in the development of a new psychometric test, 9 co-authored published conference abstracts, and 5 co-authored published journal articles.
- 2002-2005 Alexander Vo, Ph.D. Associate Professor, UTMB; Vice President, Electronically Mediated Services, Colorado Access
Served as one of his research mentors at the Walter Reed Army Institute of Research, which resulted in 3 co-authored published conference abstracts, and 3 co-authored published journal articles.
- 2002-2007 Rebecca Reichardt, M.A. Human Subjects Protection Scientist, USAMRMC
Supervised her research training in my lab at the Walter Reed Army Institute of Research, which resulted in 10 co-authored published conference abstracts, and 2 co-authored published journal articles.
- 2003-2004 Stan Liu, M.D. Medical Intern, Johns Hopkins Medical School
Supervised his research training in my lab at the Walter Reed Army Institute of Research, which primarily involved training in neuropsychological assessment and sleep research methods.
- 2003-2004 Neil Arora, B.A. Student, Yale University
Supervised his research project in my lab at the Walter Reed Army Institute of Research

and NIH, which primarily involved training in brain imaging analysis and led to 2 co-authored published conference abstracts.

- 2003-2005 Nancy Grugle, Ph.D. Assistant Professor, Cleveland State University
Supervised her Doctoral Dissertation research project in my lab at the Walter Reed Army Institute of Research, which resulted in 23 co-authored published conference abstracts, and 10 co-authored published journal articles.
- 2003-2005 Joshua Bailey, B.A. Seminary Student
Supervised his computer programming development and research in my lab at the Walter Reed Army Institute of Research, which resulted in 1 co-authored published conference abstract, and 1 co-authored computer analysis package submitted for U.S. patent.
- 2003-2006 Athena Kendall, M.A. Lab Manager, Walter Reed Army Medical Center
Supervised part of her masters degree research project and other research work in my lab at the Walter Reed Army Institute of Research, which resulted in 4 co-authored published conference abstracts, and 4 co-authored published journal articles.
- 2003-2006 Lisa Day, M.S.W. Clinical Social Worker, Washington D.C.
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 3 co-authored published conference abstracts, and 1 co-authored published journal article.
- 2004-2005 Merica Shepherd, B.A. Laboratory Coordinator
Supervised her research training in my lab at the Walter Reed Army Institute of Research, which primarily involved training in neuropsychological assessment and sleep research methods.
- 2004-2005 Cynthia Hawes, B.A. Research Program Coordinator
Supervised her research training in my lab at the Walter Reed Army Institute of Research, which primarily involved training in neuropsychological assessment and sleep research methods.
- 2004-2006 Christopher Li, B.A. Graduate Student
Supervised his research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 3 co-authored published conference abstracts, and 1 co-authored published journal article.
- 2004-2007 Jessica Richards, M.S. Ph.D. Student, University of Maryland College Park
Served as Chair of her Senior Honors Thesis Committee and supervised her research work in my lab at the Walter Reed Army Institute of Research, which resulted in 8 co-authored published conference abstracts, a senior honors thesis, and 2 co-authored published journal articles.
- 2004-2007 Erica Lipizzi, M.A. Graduate Student, Emory University
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 16 co-authored published conference abstracts, and 12 co-authored published journal articles.
- 2004-2007 Brian Leavitt, B.S. Research Technician, Walter Reed Army Institute of Research
Supervised his research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 4 co-authored published conference abstracts, and 1 co-authored published journal article.
- 2004-2007 Rachel Newman, M.S. Senior Laboratory Manager, Walter Reed
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 6 co-authored published conference abstracts, and 1 co-authored published journal article.

- 2004-2007 Alexandra Krugler, B.S. Medical Student, Louisiana State University
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 5 co-authored published conference abstracts, and 1 co-authored published journal article.
- 2005 Amy Conrad, PH.D. Clinical Psychologist, Washington D.C.
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 4 co-authored published conference abstracts, and 1 co-authored published journal article.
- 2005-2006 Nathan Huck, PH.D. Clinical Neuropsychologist, Walter Reed Army Institute of Research
Served as his post-doctoral research training supervisor at the Walter Reed Army Institute of Research, which resulted in 1 co-authored published conference abstract and 1 co-authored published journal article.
- 2005-2006 Ellen Kahn-Greene, Ph.D. Post-Doctoral Fellow, Boston VA
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 7 co-authored published conference abstracts and 5 co-authored published journal articles.
- 2005-2006 Alison Muckle, B.A. Research Technician
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 1 co-authored published conference abstract and 1 co-authored published journal article.
- 2005-2006 Christina Murray, B.S. Medical Student, Drexel University
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 2 co-authored published conference abstracts.
- 2005-2007 Gautham Ganesan, M.D. Medical Student, UC Irvine
Supervised his research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 1 co-authored published conference abstract and 1 co-authored published journal article.
- 2005-2007 Dante Picchioni, Ph.D. Research Psychologist, Walter Reed Army Institute of Research
Supervised part of his post-doctoral brain imaging research training at the Walter Reed Army Institute of Research, which resulted in 1 co-authored published conference abstract and 1 co-authored published journal article.
- 2006-2007 Tracy Rupp, Ph.D. Research Psychologist, Walter Reed Army Institute of Research
Supervised part of her post-doctoral sleep research training at the Walter Reed Army Institute of Research, which resulted in 17 co-authored conference abstracts and 2 co-authored published journal articles.
- 2006-2007 Kacie Smith, B.A. Study Manager, Walter Reed Army Institute of Research
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 7 co-authored published conference abstracts.
- 2006-2007 Shane Smith, B.S. Medical Student, University of the West Indies
Served as his research mentor at the Walter Reed Army Institute of Research, which primarily involved training in neuropsychological assessment and sleep research methods.
- 2006-2007 Shanelle McNair Research Technician, Walter Reed Army Institute of Research
Supervised her research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 1 co-authored published article.

2006-2007	George Watlington	Research Technician, Walter Reed Army Institute of Research <i>Supervised his research training and work in my lab at the Walter Reed Army Institute of Research, which resulted in 1 co-authored published article.</i>
2008	Grady O'Brien	Undergraduate Student <i>Served as his summer volunteer research mentor at McLean Hospital, which resulted in 1 oral research presentation</i>
2008-2009	Alex Post	Undergraduate Student, Carnegie Mellon University <i>Served as his summer volunteer research mentor at McLean Hospital, which resulted in 2 oral research presentations and 1 co-authored published abstract.</i>
2008-2009	Lauren Price, B.A.	Senior Clinical Research Assistant, McLean Hospital <i>Supervised her research training and work in my lab at the McLean Hospital, which resulted in 11 co-authored published conference abstracts and 4 co-authored published articles.</i>
2009-2013	Zachary Schwab, B.S.	Medical Student, University of Kansas <i>Supervised his research training and work in my lab at the McLean Hospital, which resulted in 79 co-authored published conference abstracts and 15 co-authored published articles.</i>
2009-2011	Melissa Weiner, B.S.	Graduate Student, Yale School of Public Health <i>Supervised her research training and work in my lab at the McLean Hospital, which resulted in 35 co-authored published conference abstracts and 7 co-authored published articles.</i>
2010-2011	Norah Simpson, Ph.D.	Post-Doctoral Fellow, Beth Israel Deaconess/Harvard Medical School <i>Served as a research mentor on her federal K-Award grant application.</i>
2010-2012	Vincent Capaldi, M.D.	Medical Resident, Walter Reed Army Medical Ctr. <i>Served as his post-doctoral research mentor, which resulted in 1 co-authored published conference abstract and 2 co-authored published articles.</i>
2010-2011	Christina Song	Undergraduate Student, Smith College <i>Served as her summer volunteer research mentor at McLean Hospital, which resulted in 1 co-authored published abstract.</i>
2011	Jill Kizielewicz	Undergraduate Student, Hamilton College <i>Served as her summer volunteer research mentor at McLean Hospital, which resulted in 1 co-authored published abstract.</i>
2011-2013	Sophie DelDonno, B.A.	Doctoral Student, University of Illinois, Chicago <i>Supervised her research training and work in my lab at the McLean Hospital, which resulted in 34 co-authored published conference abstracts and 9 co-authored published articles.</i>
2011-	Maia Kipman, B.A.	Research Assistant, McLean Hospital <i>Supervised her research training and work in my lab at the McLean Hospital, which resulted in 42 co-authored published conference abstracts and 10 co-authored published articles.</i>
2011	Michael Covell, B.A.	Graduate Student, Baruch College <i>Served as one of his research mentors at McLean Hospital, which resulted in 4 co-authored published conference abstracts, and 1 co-authored published article.</i>
2011-	Mareen Weber, Ph.D.	Instructor, Harvard Medical School <i>Supervised her post-doctoral research training and work in my lab at the McLean Hospital, which has resulted in 49 co-authored published conference abstracts, 15 co-authored</i>

published articles, 1 co-authored book chapter, 1 travel award, five federal grant submissions, and 2 successfully funded grants.

- 2012- Julia Cohen, Ph.D. Post-Doctoral Fellow, Harvard Medical School
Served as one of her research mentors at McLean Hospital, which resulted in 6 co-authored published conference abstracts and 1 peer-reviewed publication.
- 2012- Christian Webb, Ph.D. Post-Doctoral Fellow, Harvard Medical School
Currently supervising his post-doctoral research training and work in my lab at the McLean Hospital, which has resulted in 9 co-authored published conference abstracts and 6 peer-reviewed publications.
- 2012- Hannah Gogel, B.S. Research Assistant, McLean Hospital
Supervised her research training and work in my lab at the McLean Hospital, which resulted in 21 co-authored published conference abstracts and 4 co-authored published articles.
- 2012- Olga Tkachenko, A.B. Research Assistant, McLean Hospital
Supervised her research training and work in my lab at the McLean Hospital, which resulted in 23 co-authored published conference abstracts and 4 co-authored published articles.
- 2012- Lilly Preer, B.A. Research Assistant, McLean Hospital
Supervised her research training and work in my lab at the McLean Hospital, which resulted in 22 co-authored published conference abstracts and 3 co-authored published articles.
- 2012-2013 Elizabeth Mundy, Ph.D. Postdoctoral Fellow, Harvard Medical School
Supervised her post-doctoral research training and work in my lab at the McLean Hospital, which resulted in 3 co-authored published conference abstracts and 2 co-authored published articles.
- 2012- John S. Bark, B.A. Lab Volunteer, McLean Hospital
Supervised his research training and work in my lab at the McLean Hospital, which resulted in 5 co-authored published conference abstracts, and 2 co-authored published articles.
- 2013- Shreya Divatia, B.S. Research Assistant, McLean Hospital
Supervised her research training and work in my lab at the McLean Hospital, which resulted in 9 co-authored published conference abstracts.
- 2013- Lauren Demers, B.A. Research Assistant, McLean Hospital
Supervised her research training and work in my lab at the McLean Hospital, which resulted in 10 co-authored published conference abstracts.
- 2013- Jiaolong Cui, Ph.D. Postdoctoral Fellow, Harvard Medical School
Supervised his post-doctoral research training and work in my lab at the McLean Hospital, which resulted in 9 co-authored published conference abstracts.
- 2013- Allison Jorgensen Lab Volunteer, McLean Hospital
Supervised her research training and work in my lab at the McLean Hospital, which resulted in 2 co-authored published conference abstracts.

Local Invited Presentations

- 2000 The Neurobiology of Emotion in Children, McLean Hospital
Lecturer: 30 participants, 2 hours contact time per year, 10 hours prep time per year.
[Invited Lecture]

- 2001 The Neurobiology of Emotion in Children and Adolescents, McLean Hospital
Lecturer: 60 participants, 2 hours contact time per year, 10 hours prep time per year.
[Invited Lecture]
- 2001 Using Functional MRI to Study the Developing Brain, Judge Baker Children's Center
Lecturer: 8 participants, 2 hours contact time per year, 10 hours prep time per year *[Invited Seminar]*
- 2005 Briefing to the Chairman of the Congressional Committee on Strategies to Protect the Health of Deployed U.S. Forces, John H. Moxley, on the Optimization of Judgment and Decision Making Capacities in Soldiers Following Sleep Deprivation, Walter Reed Army Institute of Research, Washington, DC *[Invited Lecture]*
- 2005 Lecture on Functional Neuroimaging, Cognitive Assessment, and the Enhancement of Soldier Performance, Walter Reed Army Institute of Research, Washington, DC *[Invited Lecture]*
- 2006 Lecture on Optimization of Judgment and Decision Making Capacities in Soldiers Following Sleep Deprivation, Brain Imaging Center, McLean Hospital, Belmont MA *[Invited Lecture]*
- 2006 Briefing to the Chairman of the Cognitive Performance Assessment Program Area Steering Committee, U.S. Army Military Operational Medicine Research Program, entitled Optimization of Judgment and Decision Making Capacities in Soldiers Following Sleep Deprivation, Walter Reed Army Institute of Research *[Invited Lecture]*
- 2010 Lecture on Patterns of Cortico-Limbic Activation Across Anxiety Disorders, Center for Anxiety, Depression, and Stress, McLean Hospital, Belmont, MA *[Invited Lecture]*
- 2010 Lecture on Cortico-Limbic Activation Among Anxiety Disorders, Neuroimaging Center, McLean Hospital, Belmont, MA *[Invited Lecture]*
- 2011 Lecture on Shared and Differential Patterns of Cortico-Limbic Activation Across Anxiety Disorders, McLean Research Day Brief Communications, McLean Hospital, Belmont, MA *[Invited Lecture]*
- 2012 Briefing to GEN (Ret) George Casey Jr., former Chief of Staff of the U.S. Army, entitled Research for the Soldier. McLean Hospital, Belmont, MA. *[Invited Lecture]*

Report of Regional, National and International Invited Teaching and Presentations

[Invited Presentations and Courses](#)

Regional

- 2002 Cortico-Limbic Activation in Adolescence and Adulthood, Youth Advocacy Project, Cape Cod, MA

Lecturer: 45 participants, 2 hours contact time per year, 10 hours prep time per year
[Invited Lecture]

- 2006 Lecture on Norming a Battery of Tasks to Measure the Cognitive Effects of Operationally Relevant Stressors, Cognitive Performance Assessment Program Area Steering Committee, U.S. Army Military Operational Medicine Research Program, Washington, DC*[Invited Lecture]*
- 2007 Lecture on Cerebral Responses During Visual Processing of Food, U.S. Army Institute of Environmental Medicine, Natick, MA*[Invited Lecture]*
- 2007 Briefing on the Measurement of Sleep-Wake Cycles and Cognitive Performance in Combat Aviators, U.S. Department of Defense, Defense Advanced Research Projects Agency (DARPA), Washington, DC
- 2008 Lecture on Sleep Deprivation, Executive Function, and Resilience to Sleep Loss; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2008 Lecture on the Role of Research Psychology in the Army; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA*[Invited Lecture]*
- 2008 Lecture on Combat Stress Control: Basic Battlemind Training; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA*[Invited Lecture]*
- 2009 Lecture entitled Evaluate a Casualty, Prevent Shock, and Prevent Cold Weather injuries; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA*[Invited Lecture]*
- 2009 Lecture on Combat Exposure and Sleep Deprivation Effects on Risky Decision-Making; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2009 Lecture on the Sleep History and Readiness Predictor (SHARP); 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2009 Lecture on The Use of Actigraphy for Measuring Sleep in Combat and Military Training; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2010 Lecture entitled Casualty Evaluation; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2010 Lecture entitled Combat Stress and Risk-Taking Behavior Following Deployment; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2010 Lecture entitled Historical Perspectives on Combat Medicine at the Battle of Gettysburg; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2010 Lecture entitled Sleep Loss, Stimulants, and Decision-Making; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*

- 2010 Lecture entitled PTSD: New Insights from Brain Imaging; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2011 Lecture entitled Effects of bright light therapy on sleep, cognition and brain function after mild traumatic brain injury; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2011 Lecture entitled Laboratory Sciences and Research Psychology in the Army; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2011 Lecture entitled Tools for Assessing Sleep in Military Settings; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2011 Lecture entitled The Brain Basis of Emotional Trauma and Practical Issues in Supporting Victims of Trauma, U.S. Department of Justice, United States Attorneys Office, Serving Victims of Crime Training Program, Holyoke, MA *[Invited Lecture]*
- 2011 Lecture entitled The Brain Altering Effects of Traumatic Experiences; 105th Reinforcement Training Unit (RTU), U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2012 Lecture entitled Sleep Loss, Caffeine, and Military Performance; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2012 Lecture entitled Using Light Therapy to Treat Sleep Disturbance Following Concussion; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2013 Lecture entitled Brain Responses to Food: What you See Could Make you Fat; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- 2013 Lecture entitled Predicting Resilience Against Sleep Loss; 105th IMA Detachment, U.S. Army Reserve Center, Boston, MA *[Invited Lecture]*
- National**
- 2000 Lecture on the Neurobiology of Emotional Development in Children, 9th Annual Parents as Teachers Born to Learn Conference, St. Louis, MO *[Invited Lecture]*
- 2002 Lecture on the Changes in the Lateralized Structure and Function of the Brain during Adolescent Development, Walter Reed Army Institute of Research, Washington, DC *[Invited Lecture]*
- 2004 Lecture on Sleep Deprivation, Cognition, and Stimulant Countermeasures: Seminar Presented at the Bi-Annual 71F Research Psychology Short Course, Ft. Detrick, MD, U.S. Army Medical Research and Materiel Command *[Invited Lecture]*
- 2004 Lecture on the Regional Cerebral Blood Flow Correlates of Electroencephalographic Activity During Stage 2 and Slow Wave Sleep: An H215O PET Study: Presented at the Bi-Annual 71F Research Psychology Short Course, Ft. Detrick, MD, U.S. Army Medical

Research and Materiel Command*[Invited Lecture]*

- 2004 Oral Platform Presentation: Regional cerebral metabolic correlates of electroencephalographic activity during stage-2 and slow-wave sleep: An H215O PET Study, 18th Associated Professional Sleep Societies Annual Meeting, Philadelphia, PA.
- 2005 Lecture on The Sleep History and Readiness Predictor: Presented to the Medical Research and Materiel Command, Ft. Detrick, MD,*[Invited Lecture]*
- 2006 Lecture on The Sleep History and Readiness Predictor: Presented at the Bi-Annual 71F Research Psychology Short Course, Ft. Rucker, AL, U.S. Army Medical Research and Materiel Command*[Invited Lecture]*
- 2007 Lecture on the Effects of Fatigue and Pharmacological Countermeasures on Judgment and Decision-Making, U.S. Army Aeromedical Research Laboratory, Fort Rucker, AL *[Invited Lecture]*
- 2008 Lecture on the Validation of Actigraphy and the SHARP as Methods of Measuring Sleep and Performance in Soldiers, U.S. Army Aeromedical Research Laboratory, Fort Rucker, AL*[Seminar]*
- 2009 Lecture on Sleep Deprivation, Executive Function, and Resilience to Sleep Loss: Walter Reed Army Institute of Research AIBS Review, Washington DC*[Invited Lecture]*
- 2009 Lecture Entitled: Influences of Combat Exposure and Sleep Deprivation on Risky Decision-Making, Evans U.S. Army Hospital, Fort Carson, CO*[Invited Lecture]*
- 2009 Lecture on Making Bad Choices: The Effects of Combat Exposure and Sleep Deprivation on Risky Decision-Making, 4th Army, Division West, Quarterly Safety Briefing to the Commanding General and Staff, Fort Carson, CO*[Invited Lecture]*
- 2009 Symposium on Sleep Deprivation, Judgment, and Decision-Making, 23rd Annual Meeting of the Associated Professional Sleep Societies, Seattle, WA*[Invited Lecture]*
- 2009 Symposium Session Moderator: Workshop on Components of Cognition and Fatigue: From Laboratory Experiments to Mathematical Modeling and Operational Applications, Washington State University, Spokane, WA*[Invited Speaker]*
- 2009 Lecture on Comparative Studies of Stimulant Action as Countermeasures for Higher Order Cognition and Executive Function Impairment that Results from Disrupted Sleep Patterns, Presented at the NIDA-ODS Symposium entitled: Caffeine: Is the Next Problem Already Brewing, Rockville, MD *[Invited Lecture]*
- 2010 Oral Platform Presentation: Sleep deprivation selectively impairs emotional

aspects of cognitive functioning, 27th Army Science Conference, Orlando, FL.

- 2010 Oral Platform Presentation: Exaggerated amygdala responses to masked fearful faces are specific to PTSD versus simple phobia, 27th Army Science Conference, Orlando, FL.
- 2011 Lecture Entitled: The effects of emotional intelligence on judgment and decision making, Military Operational Medicine Research Program Task Area C, R & A Briefing, Walter Reed Army Institute of Research, Silver Spring, MD [*Invited Lecture*]
- 2011 Lecture Entitled: Effects of bright light therapy on sleep, cognition, brain function, and neurochemistry following mild traumatic brain injury, Military Operational Medicine Research Program Task Area C, R & A Briefing, Walter Reed Army Institute of Research, Silver Spring, MD [*Invited Lecture*]
- 2012 Oral Symposium Presentation: Shared and distinctive patterns of cortico-limbic activation across anxiety disorders, 32nd Annual Conference of the Anxiety Disorders Association of America, Arlington, VA.
- 2012 Lecture Entitled: Effects of bright light therapy on sleep, cognition, brain function, and neurochemistry following mild traumatic brain injury, Military Operational Medicine Research Program In Progress Review (IPR) Briefing, U.S. Army Medical Research and Materiel Command, Fort Detrick, MD [*Invited Lecture*]
- 2013 Lecture entitled Brain responses to visual images of food: Could your eyes be the gateway to excess? Presented to the NIH Nutrition Coordinating Committee and the Assistant Surgeon General of the United States, Bethesda, MD [*Invited Lecture*]
- 2013 Lecture Entitled: Update on the Effects of Bright light therapy on sleep, cognition, brain function, and neurochemistry following mild traumatic brain injury, Military Operational Medicine Research Program In Progress Review (IPR) Briefing, U.S. Army Medical Research and Materiel Command, Fort Detrick, MD [*Invited Lecture*]
- 2013 Lecture Entitled: Internet Based Cognitive Behavioral Therapy: Effects on Depressive Cognitions and Brain Function, Military Operational Medicine Research Program In Progress Review (IPR) Briefing, U.S. Army Medical Research and Materiel Command, Fort Detrick, MD [*Invited Lecture*]
- 2013 Symposium Entitled: Predicting Resilience Against Sleep Loss, United States Military Academy at West Point, West Point, NY [*Invited Symposium*].
- International**
- 1999 Oral Platform Presentation: Functional MRI lateralization during memory encoding

predicts seizure outcome following anterior temporal lobectomy, 27th Annual Meeting of the International Neuropsychological Society, Boston, MA.

- 2001 Oral Platform Presentation: Sex differences in functional activation of the amygdala during the perception of happy faces, 29th Annual Meeting of the International Neuropsychological Society, Chicago, IL.
- 2002 Oral Platform Presentation: Developmental changes in the lateralized activation of the prefrontal cortex and amygdala during the processing of facial affect, 30th Annual Meeting of the International Neuropsychological Society, Toronto, Ontario, Canada.
- 2002 Oral Platform Presentation: Gray and white matter volume during adolescence correlates with cognitive performance: A morphometric MRI study, 30th Annual Meeting of the International Neuropsychological Society, Toronto, Ontario, Canada.
- 2007 Symposium on Cortical and Limbic Activation in Response to Visual Images of Low and High-Caloric Foods, 6th Annual Meeting of the International Society for Behavioral Nutrition and Physical Activity (ISBNPA), Oslo, Norway [*Invited Lecture*]
- 2008 Lecture on Sleep Deprivation, Executive Function, & Resilience to Sleep Loss, First Franco-American Workshop on War Traumatism, IMN SSA, Toulon, France [*Invited Lecture*]
- 2012 Oral Platform Presentation: Shared and unique patterns of cortico-limbic activation across anxiety disorders. 40th Meeting of the International Neuropsychological Society, Montreal, Canada.

Report of Clinical Activities and Innovations

Current Licensure and Certification

2001- Clinical Psychologist, New Hampshire

Practice Activities

- 1991- Psychology, Clinical, Psychology Clinic, Texas Tech University, Lubbock, TX
- 1995 Clinical Activity Description: Provided psychotherapy and other supervised psychological services for a broad spectrum of client problems. Duties included regular therapy contacts with four to eight clients per week for approximately four years. Clients ranged in age from preschool through middle age. Clinical responsibilities included intake evaluations, formal testing and assessment, case formulation and treatment plan development, and delivery of a wide range of psychotherapy services including crisis intervention, behavior modification, short-term cognitive restructuring, and long-term psychotherapy.
Patient Load: 6/week
- 1993- Psychology, Neuropsychology, Methodist Hospital Rehabilitation Institute, Lubbock, TX
- 1995 Clinical Activity Description: A two year placement consisting of two days per week within a

large rehabilitation unit of a major regional medical center. Responsibilities included administration, scoring, and writing of neuropsychological assessments/reports, primarily emphasizing the Halstead-Reitan Neuropsychological Battery. Assessment services were provided on both inpatient and outpatient basis.

Patient Load: 2/week

- 1995- Psychology, Neuropsychology, Yale University School of Medicine, Connecticut Mental Health
1996 Center

Clinical Activity Description: Neuropsychological and psychodiagnostic assessment of chronic and severe mentally ill patients. Duties included patient interviewing, test administration, scoring, interpretation, and report writing. Assessment and consultation services were provided for both the inpatient and outpatient units.

Patient Load: 2/week

- 1995- Psychology, Clinical, Yale University School of Medicine, West Haven Mental Health Clinic
1996 Clinical Activity Description: Provided short-term, long-term, and group psychotherapy services, consultation, and psychological assessments for adults, children, and families. Duties also included co-leading a regular outpatient group devoted to treatment of moderate to severe personality disorders.

Patient Load: 12/week

- 1996- Psychology, Neuropsychology, University of Oklahoma Health Sciences Center
1997 Clinical Activity Description: Full-time placement in the Neuropsychological Assessment Laboratory, which meets INS/Division 40 guidelines for post-doctoral training in clinical neuropsychology. Responsibilities included comprehensive neuropsychological assessment and consultation services, including test administration, scoring, interpretation, and report writing. Regular outpatient psychotherapy was also provided for approximately two patients per week.

Patient Load: 4/week

- 1997- Psychology, Neuropsychology, University of Pennsylvania Medical Center
1999 Clinical Activity Description: Full-time two-year placement in the Department of Neurology, which meets INS/Division 40 guidelines for post-doctoral training in clinical neuropsychology. Responsibilities included neuropsychological assessment, consultation, and psychotherapy services for the Departments of Neurology and Neurosurgery.

Patient Load: 3/week

Report of Education of Patients and Service to the Community

Recognition

- 2003-2007 Who's Who in America, Marquis Who's Who
2004-2005 Who's Who in Medicine and Healthcare, Marquis Who's Who

Report of Scholarship

Publications

Peer reviewed publications in print or other media

A) Research Investigations:

1. **Killgore WD.** The Affect Grid: a moderately valid, nonspecific measure of pleasure and arousal. Psychol Rep. 83(2):639-42, 1998.
2. **Killgore WD.** Empirically derived factor indices for the Beck Depression Inventory. Psychol Rep. 84(3 Pt 1):1005-13, 1999.
3. **Killgore WD.** Affective valence and arousal in self-rated depression and anxiety. Percept Mot Skills. 89(1):301-4, 1999.
4. **Killgore WD, Adams RL.** Prediction of Boston Naming Test performance from vocabulary scores: preliminary guidelines for interpretation. Percept Mot Skills. 89(1):327-37, 1999.
5. **Killgore WD, Gangestad SW.** Sex differences in asymmetrically perceiving the intensity of facial expressions. Percept Mot Skills. 89(1):311-4, 1999.
6. **Killgore WD.** The visual analogue mood scale: can a single-item scale accurately classify depressive mood state? Psychol Rep. 85(3 Pt 2):1238-43, 1999.
7. **Killgore WD, DellaPietra L, Casasanto DJ.** Hemispheric laterality and self-rated personality traits. Percept Mot Skills. 89(3 Pt 1):994-6, 1999.
8. **Killgore WD, Glosser G, Casasanto DJ, French JA, Alsop DC, Detre JA.** Functional MRI and the Wada test provide complementary information for predicting post-operative seizure control. Seizure. 8(8):450-5, 1999.
9. **Killgore WD.** Evidence for a third factor on the Positive and Negative Affect Schedule in a college student sample. Percept Mot Skills. 90(1):147-52, 2000.
10. **Killgore WD, Dellapietra L.** Item response biases on the logical memory delayed recognition subtest of the Wechsler Memory Scale-III. Psychol Rep. 86(3 Pt 1):851-7, 2000.
11. **Killgore WD, Casasanto DJ, Yurgelun-Todd DA, Maldjian JA, Detre JA.** Functional activation of the left amygdala and hippocampus during associative encoding. Neuroreport. 11(10):2259-63, 2000.
12. Yurgelun-Todd DA, Gruber SA, Kanayama G, **Killgore WD**, Baird AA, Young AD. fMRI during affect discrimination in bipolar affective disorder. Bipolar Disord. 2(3 Pt 2):237-48, 2000.
13. **Killgore WD.** Sex differences in identifying the facial affect of normal and mirror-reversed

faces. *Percept Mot Skills*. 91(2):525-30, 2000.

14. **Killgore WD**, DellaPietra L. Using the WMS-III to detect malingering: empirical validation of the rarely missed index (RMI). *J Clin Exp Neuropsychol*. 22(6):761-71, 2000.
15. Maldjian JA, Detre JA, **Killgore WD**, Judy K, Alsop D, Grossman M, Glosser G. Neuropsychologic performance after resection of an activation cluster involved in cognitive memory function. *AJR Am J Roentgenol*. 176(2):541-4, 2001.
16. **Killgore WD**, Oki M, Yurgelun-Todd DA. Sex-specific developmental changes in amygdala responses to affective faces. *Neuroreport*. 12(2):427-33, 2001.
17. **Killgore WD**, Yurgelun-Todd DA. Sex differences in amygdala activation during the perception of facial affect. *Neuroreport*. 12(11):2543-7, 2001.
18. Casasanto DJ, **Killgore WD**, Maldjian JA, Glosser G, Alsop DC, Cooke AM, Grossman M, Detre JA. Neural correlates of successful and unsuccessful verbal memory encoding. *Brain Lang*. 80(3):287-95, 2002.
19. **Killgore WD**. Laterality of lesions and trait-anxiety on working memory performance. *Percept Mot Skills*. 94(2):551-8, 2002.
20. **Killgore WD**, Cupp DW. Mood and sex of participant in perception of happy faces. *Percept Mot Skills*. 95(1):279-88, 2002.
21. Yurgelun-Todd DA, **Killgore WD**, Young AD. Sex differences in cerebral tissue volume and cognitive performance during adolescence. *Psychol Rep*. 91(3 Pt 1):743-57, 2002.
22. Yurgelun-Todd DA, **Killgore WD**, Cintron CB. Cognitive correlates of medial temporal lobe development across adolescence: a magnetic resonance imaging study. *Percept Mot Skills*. 96(1):3-17, 2003.
23. **Killgore WD**, Young AD, Femia LA, Bogorodzki P, Rogowska J, Yurgelun-Todd DA. Cortical and limbic activation during viewing of high- versus low-calorie foods. *Neuroimage*. 19(4):1381-94, 2003.
24. **Killgore WD**, Yurgelun-Todd DA. Activation of the amygdala and anterior cingulate during nonconscious processing of sad versus happy faces. *Neuroimage*. 21(4):1215-23, 2004.
25. **Killgore WD**, Yurgelun-Todd DA. Sex-related developmental differences in the lateralized activation of the prefrontal cortex and amygdala during perception of facial affect. *Percept Mot Skills*. 99(2):371-91, 2004.
26. **Killgore WD**, Glahn DC, Casasanto DJ. Development and Validation of the Design Organization Test (DOT): a rapid screening instrument for assessing visuospatial ability. *J Clin Exp Neuropsychol*. 27(4):449-59, 2005.
27. **Killgore WD**, Yurgelun-Todd DA. Body mass predicts orbitofrontal activity during visual

presentations of high-calorie foods. *Neuroreport*. 16(8):859-63, 2005.

28. Wesensten NJ, **Killgore WD**, Balkin TJ. Performance and alertness effects of caffeine, dextroamphetamine, and modafinil during sleep deprivation. *J Sleep Res*. 14(3):255-66, 2005.
29. **Killgore WD**, Yurgelun-Todd DA. Social anxiety predicts amygdala activation in adolescents viewing fearful faces. *Neuroreport*. 16(15):1671-5, 2005.
30. **Killgore WD**, Yurgelun-Todd DA. Developmental changes in the functional brain responses of adolescents to images of high and low-calorie foods. *Dev Psychobiol*. 47(4):377-97, 2005.
31. Kahn-Greene ET, Lipizzi EL, Conrad AK, Kamimori GH, **Killgore WD**. Sleep deprivation adversely affects interpersonal responses to frustration. *Pers Individ Dif*. 41(8):1433-1443, 2006.
32. McBride SA, Balkin TJ, Kamimori GH, **Killgore WD**. Olfactory decrements as a function of two nights of sleep deprivation. *J Sens Stud*. 24(4):456-63, 2006.
33. **Killgore WD**, Yurgelun-Todd DA. Ventromedial prefrontal activity correlates with depressed mood in adolescent children. *Neuroreport*. 17(2):167-71, 2006.
34. **Killgore WD**, Vo AH, Castro CA, Hoge CW. Assessing risk propensity in American soldiers: preliminary reliability and validity of the Evaluation of Risks (EVAR) scale--English version. *Mil Med*. 171(3):233-9, 2006.
35. **Killgore WD**, Balkin TJ, Wesensten NJ. Impaired decision making following 49 h of sleep deprivation. *J Sleep Res*. 15(1):7-13, 2006.
36. **Killgore WD**, Stetz MC, Castro CA, Hoge CW. The effects of prior combat experience on the expression of somatic and affective symptoms in deploying soldiers. *J Psychosom Res*. 60(4):379-85, 2006.
37. **Killgore WD**, McBride SA, Killgore DB, Balkin TJ. The effects of caffeine, dextroamphetamine, and modafinil on humor appreciation during sleep deprivation. *Sleep*. 29(6):841-7, 2006.
38. **Killgore WD**, McBride SA. Odor identification accuracy declines following 24 h of sleep deprivation. *J Sleep Res*. 15(2):111-6, 2006.
39. **Killgore WD**, Yurgelun-Todd DA. Affect modulates appetite-related brain activity to images of food. *Int J Eat Disord*. 39(5):357-63, 2006.
40. Kendall AP, Kautz MA, Russo MB, **Killgore WD**. Effects of sleep deprivation on lateral visual attention. *Int J Neurosci*. 116(10):1125-38, 2006.
41. Yurgelun-Todd DA, **Killgore WD**. Fear-related activity in the prefrontal cortex increases with age during adolescence: a preliminary fMRI study. *Neurosci Lett*. 406(3):194-9, 2006.

42. **Killgore WD**, Killgore DB, Ganesan G, Krugler AL, Kamimori GH. Trait-anger enhances effects of caffeine on psychomotor vigilance performance. *Percept Mot Skills*. 103(3):883-6, 2006.
43. **Killgore WD**, Yurgelun-Todd DA. Unconscious processing of facial affect in children and adolescents. *Soc Neurosci*. 2(1):28-47, 2007.
44. **Killgore WD**, Yurgelun-Todd DA. The right-hemisphere and valence hypotheses: could they both be right (and sometimes left)?. *Soc Cogn Affect Neurosci*. 2(3):240-50, 2007.
45. **Killgore WD**, Killgore DB. Morningness-eveningness correlates with verbal ability in women but not men. *Percept Mot Skills*. 104(1):335-8, 2007.
46. **Killgore WD**, Killgore DB, Day LM, Li C, Kamimori GH, Balkin TJ. The effects of 53 hours of sleep deprivation on moral judgment. *Sleep*. 30(3):345-52, 2007.
47. Rosso IM, **Killgore WD**, Cintron CM, Gruber SA, Tohen M, Yurgelun-Todd DA. Reduced amygdala volumes in first-episode bipolar disorder and correlation with cerebral white matter. *Biol Psychiatry*. 61(6):743-9, 2007.
48. Kahn-Greene ET, Killgore DB, Kamimori GH, Balkin TJ, **Killgore WD**. The effects of sleep deprivation on symptoms of psychopathology in healthy adults. *Sleep Med*. 8(3):215-21, 2007.
49. **Killgore WD**. Effects of sleep deprivation and morningness-eveningness traits on risk-taking. *Psychol Rep*. 100(2):613-26, 2007.
50. **Killgore WD**, Gruber SA, Yurgelun-Todd DA. Depressed mood and lateralized prefrontal activity during a Stroop task in adolescent children. *Neurosci Lett*. 416(1):43-8, 2007.
51. **Killgore WD**, Yurgelun-Todd DA. Positive affect modulates activity in the visual cortex to images of high calorie foods. *Int J Neurosci*. 117(5):643-53, 2007.
52. Vo AH, Satori R, Jabbari B, Green J, **Killgore WD**, Labutta R, Campbell WW. Botulinum toxin type-a in the prevention of migraine: a double-blind controlled trial. *Aviat Space Environ Med*. 78(5 Suppl):B113-8, 2007.
53. **Killgore WD**, Yurgelun-Todd DA. Neural correlates of emotional intelligence in adolescent children. *Cogn Affect Behav Neurosci*. 7(2):140-51, 2007.
54. **Killgore WD**, Kendall AP, Richards JM, McBride SA. Lack of degradation in visuospatial perception of line orientation after one night of sleep loss. *Percept Mot Skills*. 105(1):276-86, 2007.
55. **Killgore WD**, Lipizzi EL, Kamimori GH, Balkin TJ. Caffeine effects on risky decision making after 75 hours of sleep deprivation. *Aviat Space Environ Med*. 78(10):957-62, 2007.
56. **Killgore WD**, Richards JM, Killgore DB, Kamimori GH, Balkin TJ. The trait of Introversion-

Extraversion predicts vulnerability to sleep deprivation. *J Sleep Res.* 16(4):354-63, 2007.

57. **Killgore WD**, Kahn-Green ET, Killgore DB, Kamimori GH, Balkin TJ. Effects of acute caffeine withdrawal on Short Category Test performance in sleep-deprived individuals. *Percept Mot Skills.* 105(3 pt.2):1265-74, 2007.
58. **Killgore WD**, Killgore DB, McBride SA, Kamimori GH, Balkin TJ. Odor identification ability predicts changes in symptoms of psychopathology following 56 hours of sleep deprivation. *J Sensory Stud.* 23(1):35-51, 2008.
59. **Killgore WD**, Rupp TL, Grugle NL, Reichardt RM, Lipizzi EL, Balkin TJ. Effects of dextroamphetamine, caffeine and modafinil on psychomotor vigilance test performance after 44 h of continuous wakefulness. *J Sleep Res.* 17(3):309-21, 2008.
60. Huck NO, McBride SA, Kendall AP, Grugle NL, **Killgore WD**. The effects of modafinil, caffeine, and dextroamphetamine on judgments of simple versus complex emotional expressions following sleep deprivation. *Int. J Neuroscience.* 118(4):487-502, 2008.
61. **Killgore WD**, Kahn-Greene ET, Lipizzi EL, Newman RA, Kamimori GH, Balkin TJ. Sleep deprivation reduces perceived emotional intelligence and constructive thinking skills. *Sleep Med.* 9(5):517-26, 2008
62. **Killgore WD**, Grugle NL, Killgore DB, Leavitt BP, Watlington GI, McNair S, Balkin TJ. Restoration of risk-propensity during sleep deprivation: caffeine, dextroamphetamine, and modafinil. *Aviat Space Environ Med.* 79(9):867-74, 2008.
63. **Killgore WD**, Muckle AE, Grugle NL, Killgore DB, Balkin TJ. Sex differences in cognitive estimation during sleep deprivation: effects of stimulant countermeasures. *Int J Neurosci.* 118(11):1547-57, 2008.
64. **Killgore WD**, Cotting DI, Thomas JL, Cox AL, McGurk D, Vo AH, Castro CA, Hoge CW. Post-combat invincibility: violent combat experiences are associated with increased risk-taking propensity following deployment. *J Psychiatr Res.* 42(13):1112-21, 2008.
65. **Killgore WD**, Gruber SA, Yurgelun-Todd DA. Abnormal corticostriatal activity during fear perception in bipolar disorder. *Neuroreport.* 19(15):1523-7, 2008.
66. **Killgore WD**, McBride SA, Killgore DB, Balkin TJ, Kamimori GH. Baseline odor identification ability predicts degradation of psychomotor vigilance during 77 hours of sleep deprivation. *Int. J Neurosci.* 118(9):1207-1225, 2008.
67. **Killgore WD**, Rosso HM, Gruber SA, Yurgelun-Todd DA. Amygdala volume and verbal memory performance in schizophrenia and bipolar disorder. *Cogn Behav Neur.* 22(1):28-37, 2009.
68. **Killgore WD**, Kahn-Greene ET, Grugle NL, Killgore DB, Balkin TJ. Sustaining executive functions during sleep deprivation: A comparison of caffeine, dextroamphetamine, and modafinil. *Sleep.* 32(2):205-16, 2009.

69. **Killgore WD**, Grugle NL, Reichardt RM, Killgore DB, Balkin TJ. Executive functions and the ability to sustain vigilance during sleep loss. *Aviat Space Environ Med.* 80(2):81-7, 2009.
70. Picchioni, D, **Killgore, WD**, Braun, AR, & Balkin, TJ. Positron emission tomography correlates of EEG microarchitecture waveforms during non-REM sleep. *Int J Neurosci.* 119: 2074-2099, 2009.
71. **Killgore, WD**, Lipizzi, EL, Grugle, NL, Killgore, DB, & Balkin, TJ. Handedness correlates with actigraphically measured sleep in a controlled environment. *Percept Mot Skills.* 109: 395-400, 2009.
72. **Killgore, WD**, Killgore, DB, Grugle, NL, & Balkin, TJ. Odor identification predicts executive function deficits during sleep deprivation. *Int J Neurosci*, 120: 328-334, 2010.
73. **Killgore, WD**, Ross, AJ, Kamiya, T, Kawada, Y, Renshaw, PF, & Yurgelun-Todd, DA. Citicoline affects appetite and cortico-limbic responses to images of high calorie foods. *Int J Eat Disord.* 43: 6-13, 2010.
74. **Killgore, WD**, & Yurgelun-Todd, DA. Cerebral correlates of amygdala responses during non-conscious perception of facial affect in adolescent and pre-adolescent children. *Cogn Neurosci*, 1: 33-43, 2010.
75. **Killgore, WD**, & Yurgelun-Todd, DA. Sex differences in cerebral responses to images of high vs low calorie food. *Neuroreport*, 21: 354-358, 2010.
76. **Killgore, WD**, Grugle, NL, Killgore, DB, & Balkin, TJ. Sex differences in self-reported risk-taking propensity on the Evaluation of Risks scale. *Percept Mot Skills*, 106: 693-700, 2010.
77. **Killgore, WD**, Kelley, AM, & Balkin, TJ. So you think you're bulletproof: Development and validation of the Invincibility Belief Index. *Mil Med*, 175: 499-508, 2010.
78. **Killgore, WD**, Castro, CA, & Hoge, CW. Preliminary Normative Data for the Evaluation of Risks Scale—Bubble Sheet Version (EVAR-B) for Large Scale Surveys of Returning Combat Veterans. *Mil Med*, 175: 725-731, 2010.
79. Britton, JC, Rauch, SL, Rosso, IM, **Killgore, WD**, Price, LM, Ragan, J, Chosak, A, Hezel, D, Pine, DS, Leibenluft, E, Pauls, DL, Jenike, MA, Stewart, SE. Cognitive inflexibility and frontal cortical activation in pediatric obsessive-compulsive disorder. *J Am Acad Child Adolesc Psychiatry*, 49: 944-953, 2010.
80. Britton, JC, Stewart, SE, **Killgore, WD**, Rosso, IM, Price, LM, Gold, AL, Pine, DS, Wilhelm, S, Jenike, MA, & Rauch, SL. Amygdala activation in response to facial expressions in pediatric obsessive-compulsive disorder. *Depress Anxiety*, 27: 643-651, 2010.
81. Rupp, TL, **Killgore, WD**, & Balkin, TJ. Socializing by day may affect performance by night: Vulnerability to sleep deprivation is differentially mediated by social exposure in extraverts vs. introverts. *Sleep*, 33: 1475-1485, 2010.

82. Rosso, IM, Makris, N, Britton, JC, Price, LM, Gold, AL, Zai, D, Bruyere, J, Deckersbach, T, **Killgore, WD**, & Rauch, SL. Anxiety sensitivity correlates with two indices of right anterior insula structure in specific animal phobia. *Depress Anxiety*, 27: 1104-1110, 2010.
83. **Killgore, WD**, Britton, JC, Price, LM, Gold, AL, Deckersbach, T, & Rauch, SL. Neural correlates of anxiety sensitivity during masked presentation of affective faces. *Depress Anxiety*, 28: 243-249, 2011.
84. **Killgore, WD**, Kamimori, GH, & Balkin, TJ. Caffeine protects against increased risk-taking propensity during severe sleep deprivation. *J Sleep Res* 20: 395-403, 2011.
85. Capaldi, VF, Guerrero, ML, & **Killgore, WD**. Sleep disruption among returning combat veterans from Iraq and Afghanistan. *Mil Med*, 176: 879-888, 2011.
86. **Killgore, WD**, Grugle, NL, & Balkin, TJ. Gambling when sleep deprived: Don't bet on stimulants. *Chronobiol Int*, 29: 43-54, 2012
87. Gruber, SA, Dahlgren, MK, Sagar, KA, Gonenc, A, & **Killgore, WD**. Age of onset of marijuana use impacts inhibitory processing. *Neurosci Lett* 511(2):89-94, 2012.
88. **Killgore, WD**, Capaldi, VF, & Guerrero, ML. Nocturnal polysomnographic correlates of daytime sleepiness. *Psychol Rep*, 110(10), 63-72, 2012.
89. **Killgore, WD**, Weber, M, Schwab, ZJ, DelDonno, SR, Kipman, M, Weiner, MR, & Rauch, SL. Grey matter correlates of trait and ability models of emotional intelligence. *Neuroreport* 23, 551-555, 2012.
90. **Killgore, WD**, Schwab, ZJ, Kipman, M, DelDonno, SR, Weber, M. Voxel-based morphometric grey matter correlates of daytime sleepiness. *Neurosci Lett*, 518(1), 10-13, 2012.
91. **Killgore, WD**, Schwab, ZJ, & Weiner, MR. Self-reported nocturnal sleep duration is associated with next-day resting state functional connectivity. *Neuroreport*, 23, 741-745, 2012.
92. **Killgore, WD**, & Schwab, ZJ. Sex differences in the association between physical exercise and cognitive ability. *Perceptual and Motor Skills*, 115, 605-617, 2012.
93. Kipman, M, Weber, M, Schwab, ZJ, DelDonno, SR, & **Killgore, WD**. A funny thing happened on the way to the scanner: Humor detection correlates with gray matter volume. *Neuroreport*, 23, 1059-1064, 2012.
94. **Killgore, WD**, Schwab, ZJ, Weber, M, Kipman, M, DelDonno, SR, Weiner, MR, & Rauch, SL. Daytime sleepiness affects prefrontal regulation of food intake. *NeuroImage*, 71, 216-223, 2013.
95. **Killgore, WD**, Schwab, ZJ, Kipman, M, DelDonno, SR, & Weber, M. Insomnia-related

complaints correlate with functional connectivity between sensory-motor regions. *Neuroreport*, 24, 233-240, 2013.

96. Webb, CA, Schwab, ZJ, Weber, M, DelDonno, SR, Kipman M, Weiner, MR, & **Killgore WD**. Convergent and divergent validity of integrative versus mixed model measures of emotional intelligence. *Intelligence*, 41, 149-156, 2013.
97. Weber, M, Webb, CA, DelDonno, SR, Kipman, M, Schwab, ZJ, Weiner, MR, & **Killgore, WD**. Habitual 'Sleep Credit' is associated with greater gray matter volume of the medial prefrontal cortex, higher emotional intelligence, and better mental health. *Journal of Sleep Research*, 22, 527-534, 2013.
98. Weber, M., **Killgore, WD**, Rosso, IM, Britton, JC, Schwab, ZJ, Weiner, MR, Simon, NM, Pollack, MH, & Rauch, SL. Voxel-based morphometric gray matter correlates of posttraumatic stress disorder. *Journal of Anxiety Disorders*, 27, 413-419, 2013.
99. **Killgore, WD**, Schwab, ZJ, Tkachenko, O, Webb, CA, DelDonno, SR, Kipman M, Rauch SL, and Weber M. Emotional intelligence correlates with functional responses to dynamic changes in facial trustworthiness. *Social Neuroscience*, 8, 334-346, 2013.
100. **Killgore, WD**. Self-reported sleep correlates with prefrontal-amygdala functional connectivity and emotional functioning. *Sleep*, 36, 1597-1608, 2013.
101. **Killgore, WD**, Kipman, M, Schwab, ZJ, Tkachenko, O, Preer, L, Gogel, H, Bark, JS, Mundy, EA, Olson, EA, & Weber, M. Physical exercise and brain responses to images of high calorie food. *Neuroreport*, 24, 962-967, 2013.
102. **Killgore, WD**, Weber, M, Schwab, ZJ, Kipman, M, DelDonno, SR, Webb, CA, & Rauch, SL. Cortico-limbic responsiveness to high-calorie food images predicts weight status among women. *International Journal of Obesity*, 37, 1435-1442, 2013.
103. **Killgore WD**, & Gogel, H. The Design Organization Test (DOT): Further Demonstration of Reliability and Validity as a Brief Measure of Visuospatial Ability. *Applied Neuropsychology: Adult* (in press).
104. **Killgore, WD**, Britton, JC, Schwab, ZJ, Price, LM, Weiner, MR, Gold, AL, Rosso, IM, Simon, NM, Pollack, MH, & Rauch, SL. Cortico-Limbic Responses to Masked Affective Faces Across PTSD, Panic Disorder, and Specific Phobia. *Depression & Anxiety* (in press).
105. Cohen-Gilbert, JE, **Killgore, WD**, White, CN, Schwab, ZJ, Crowley, DJ, Covell, MJ, Sneider, JT, & Silveri, MM. Differential influence of safe versus threatening facial expressions on decision-making during an inhibitory control task in adolescence and adulthood. *Developmental Science* (in press).
106. Preer, L, Tkachenko, O, Gogel, H., Bark, JS, & **Killgore, WD**. Personality traits associated with sleep initiation problems. *Journal of Sleep Disorders: Treatment and Care* (in press).
107. **Killgore, WD**, Olson, EA, & Weber, M. Physical exercise habits correlate with gray matter

volume of the hippocampus in healthy humans. *Scientific Reports* (in press).

108. Tkachenko, O, Olson, EA, Weber, M, Preer, LA, Gogel, H, & **Killgore, WD**. Sleep difficulties are associated with elevated symptoms of psychopathology. *Experimental Brain Research* (in press).
109. Webb, CA, Weber, M, Mundy, EA, & **Killgore, WD**. Reduced gray matter volume in the anterior cingulate, orbitofrontal cortex and thalamus as a function of mild depressive symptoms: A voxel-based morphometric analysis. *Psychological Medicine* (in press).

B) Other Peer Reviewed Publications

110. **Killgore WD**. Academic and research interest in several approaches to psychotherapy: a computerized search of literature in the past 16 years. *Psychol Rep.* 87(3 Pt 1):717-20, 2000.
111. Thomas, JJ, Hartman, AS, & **Killgore, WD**. Non-fat-phobic eating disorders: Why we need to investigate implicit associations and neural correlates. *International Journal of Eating Disorders*, 46, 416-419, 2013.
112. Weber, M, Webb, CA, & **Killgore, WD**. A brief and selective review of treatment approaches for sleep disturbance following traumatic brain injury. *Journal of Sleep Disorders and Therapy*, 2 (2), 1-5, 2013.
113. Dillon, DG, Rosso, IM, Pechtel, P, **Killgore, WD**, Rauch, SL, & Pizzagalli, DA. Peril and pleasure: An RDoC-inspired examination of threat responses and reward processing in anxiety and depression. *Depression and Anxiety* (in press).

Non-peer reviewed scientific or medical publications/materials in print or other media

Reviews/Chapters/Editorials

1. **Killgore, WD**. Cortical and limbic activation during visual perception of food. In Dube, L, Bechara, A, Dagher, A, Drewnowski, A, Lebel, J, James, P, & Yada, R. (Eds), *Obesity Prevention: The Role of Brain and Society on Individual Behavior*. Elsevier, Boston, 2010, pp. 57-71.
2. **Killgore, WD**. Asleep at the trigger: Warfighter judgment and decision-making during prolonged wakefulness. In Bartone, P. (Ed), *Applying Research Psychology to Improve Performance and Policy*. 2010, pp. 59-77.
3. **Killgore, WD**. Effects of Sleep Deprivation on Cognition. In Kerkhof, G. & Van Dongen, H. *Progress in Brain Research: Sleep and Cognition*. Elsevier, B.V. New York, 2010, pp. 105-129.
4. **Killgore, WD**. Caffeine and other alerting agents. In Thorpy, M. & Billiard, M. (Eds), *Sleepiness: Causes, Consequences, Disorders and Treatment*. Cambridge University Press, UK, 2011, pp. 430-443.

5. **Killgore WD.** Priorities and challenges for caffeine research: Energy drinks, PTSD, and withdrawal reversal. The Experts Speak Column, J Caffeine Res, 1, 11-12, 2011.
6. **Killgore, WD.** Odor identification ability predicts executive function deficits following sleep deprivation. In Lee-Chiong, T (Ed), Best of Sleep Medicine 2011. National Jewish Health, Denver CO, 2011, pp. 31-33.
7. **Killgore, WD.** Socio-emotional and neurocognitive effects of sleep loss. In Matthews, G. (Ed), Handbook of Operator Fatigue. Ashgate, London UK, 2012, pp. 227-243.
8. **Killgore, WD.** Sleepless nights and bulging waistlines (Editorial). Journal of Sleep Disorders: Treatment and Care, 1(1), doi: [10.4172/jsdtc.1000e101](https://doi.org/10.4172/jsdtc.1000e101), 2012.
9. **Killgore, WD, & Penetar, DM.** Sleep and Military Operational Effectiveness. In Kushida, CA (Ed), The Encyclopedia of Sleep, 2013, vol. 1, pp. 311-319. Academic Press, Waltham, MA.
10. **Killgore, WD, Weiner, MR, & Schwab, ZJ.** Sleep deprivation, personality, and psychopathic changes. In Kushida, CA (Ed), The Encyclopedia of Sleep, 2013, vol. 1, pp. 264-271. Academic Press, Waltham, MA.
11. Schoenberg, MR, & **Killgore, WD.** Psychologic and Psychiatric Assessment. In Kushida, CA (Ed), The Encyclopedia of Sleep, 2013, vol. 2, pp. 23-26. Academic Press, Waltham, MA.
12. **Killgore, WD.** Sleep loss and performance. In Moore, BA, & Barnett, JE (Eds), Military Psychologists' Desk Reference, 2013, pp. 241-246. Oxford University Press, New York.
13. **Killgore WD & Weber, M.** Sleep deprivation and cognitive performance. In Bianchi, M (Ed), Sleep Deprivation and Disease: Effects on the Body, Brain and Behavior. Springer, New York. (in press).
14. Weber, M., & **Killgore, WD.** What are the emerging therapeutic uses of bright light therapy for neurological disorders? (Editorial). Future Neurology (in press).

Published U.S. Government Technical Reports

1. **Killgore, WD, Estrada, A, Rouse, T, Wildzunas, RM, Balkin, TJ.** Sleep and performance measures in soldiers undergoing military relevant training. USAARL Report No. 2009-13. June, 2009.
2. Kelley, AM, **Killgore, WD, Athy, JR, Dretsch, M.** Risk propensity, risk perception, and sensation seeking in U.S. Army Soldiers: A preliminary study of a risk assessment battery. USAARL Report No. 2010-02. DTIC #: ADA511524. October, 2009.

Professional educational materials or reports, in print or other media

1. **Killgore, WD, & Bailey, JD.** Sleep History And Readiness Predictor (SHARP). Silver Spring, MD: Walter Reed Army Institute of Research; 2006. Computer program for predicting cognitive status based on actigraphically recorded sleep history. Patent Pending.

Thesis

1. **Killgore, WD.** Senior Honors Thesis: Perceived intensity of lateral facial asymmetry of spontaneous vs. posed emotional expressions. Albuquerque, NM: University of New Mexico;1990. **(Outstanding Psychology Senior Honors Thesis, UNM-1990).*
2. **Killgore, WD.** Masters Thesis: Interaction of visual field and lateral facial asymmetry on the perceived intensity of emotional expressions in depressed and non-depressed subjects. Lubbock, TX: Texas Tech University;1992.
3. **Killgore, WD.** Dissertation: Development and validation of a new instrument for the measurement of transient mood states: The facial analogue mood scale (FAMS). Lubbock, TX: Texas Tech University;1995.

Abstracts, Poster Presentations and Exhibits Presented at Professional Meetings

1. **Killgore, WD.** Development and validation of a new instrument for the measurement of transient mood states: The facial analogue mood scale (FAMS) [Abstract]. Dissertation Abstracts International: Section B: The Sciences & Engineering 1995; 56 (6-B): 3500.
2. **Killgore, WDS, & Locke, B.** A nonverbal instrument for the measurement of transient mood states: The Facial Analogue Mood Scale (FAMS) [Abstract]. Proceedings of the Annual Conference of the Oklahoma Center for Neurosciences 1996, Oklahoma City, OK.
3. **Killgore, WDS, Scott, JG, Oommen, KJ, & Jones, H.** Lateralization of seizure focus and performance on the MMPI-2 [Abstract]. Proceedings of the Annual Conference of the Oklahoma Center for Neurosciences 1996, Oklahoma City, OK.
4. **Killgore, WDS, & Adams, RL.** Vocabulary ability and Boston Naming Test performance: Preliminary guidelines for interpretation [Abstract]. Archives of Clinical Neuropsychology 1997; 13(1).
5. **Killgore, WDS, Glosser, G, Cooke, AN, Grossman, M, Maldjian, J, Judy, K, Baltuch, G, King, D, Alsop, D, & Detre, JA.** Functional activation during verbal memory encoding in patients with lateralized focal lesions [Abstract]. Epilepsia 1998; 39(Suppl. 6): 99.
6. **Killgore, WDS.** A new method for assessing subtle cognitive deficits: The Clock Trail Making Test [Abstract]. Archives of Clinical Neuropsychology 1998; 14(1): 92.
7. **Killgore, WDS, & DellaPietra, L.** Item response biases on the WMS-III Auditory Delayed Recognition Subtests [Abstract]. Archives of Clinical Neuropsychology 1998; 14(1): 92.

8. **Killgore, WDS**, Glosser, G, Alsop, DC, Cooke, AN, McSorley, C, Grossman, M, & Detre, JA. Functional activation during material specific memory encoding [Abstract]. *NeuroImage* 1998; 7: 811.
9. **Killgore, WDS**, & DellaPietra, L. Using the WMS-III to detect malingering: Empirical development of the Rarely Missed Index. [Abstract]. *Journal of the International Neuropsychological Society* 1999; 5(2).
10. **Killgore, WDS**, Glosser, G, & Detre, JA. Prediction of seizure outcome following anterior temporal lobectomy: fMRI vs. IAT [Abstract]. *Archives of Clinical Neuropsychology* 1999; 14(1): 143.
11. **Killgore, WDS**, Glosser, G, King, D, French, JA, Baltuch, G, & Detre, JA. Functional MRI lateralization during memory encoding predicts seizure outcome following anterior temporal lobectomy [Abstract]. *Journal of the International Neuropsychological Society* 1999; 5(2): 122.
12. **Killgore, WDS**, Casasanto, DJ, Maldjian, JA, Alsop, DC, Glosser, G, French, J, & Detre, J. A. Functional activation of mesial temporal lobe during nonverbal encoding [abstract]. *Epilepsia*, 1999; 40 (Supplement 7): 188.
13. **Killgore, WDS**, Casasanto, DJ, Maldjian, JA, Gonzales-Atavales, J, & Detre, JA. Associative memory for faces preferentially activates the left amygdala and hippocampus [abstract]. *Journal of the International Neuropsychological Society*, 2000; 6: 157.
14. Casasanto, DJ, **Killgore, WDS**, Maldjian, JA, Gonzales-Atavales, J, Glosser, G, & Detre, JA. Task-dependent and task-invariant activation in mesial temporal lobe structures during fMRI explicit encoding tasks [abstract]. *Journal of the International Neuropsychological Society*, 2000; 6: 134. [**Winner of Rennick Research Award*].
15. **Killgore, WDS**, Glahn, D, & Casasanto, DJ. Development and validation of the Design Organization Test (DOT): A rapid screening instrument for assessing for visuospatial ability [abstract]. *Journal of the International Neuropsychological Society*, 2000; 6: 147.
16. Casasanto DJ, **Killgore, WDS**, Glosser, G, Maldjian, JA, & Detre, JA. Hemispheric specialization during episodic memory encoding in the human hippocampus and MTL. *Proceedings of the Society for Cognitive Science* 2000: Philadelphia, PA.
17. Casasanto, DJ, Glosser, G, **Killgore, WDS**, Siddiqi, F, Falk, M, Maldjian, J, Lev-Reis, I, & Detre, JA. FMRI evidence for the functional reserve model of post-ATL neuropsychological outcome prediction. Poster Presented at the David Mahoney Institute of Neurological Sciences 17th Annual Neuroscience Retreat, University of Pennsylvania, April 17, 2000.
18. Casasanto, DJ, **Killgore, WDS**, Maldjian, JA, Glosser, G, Grossman, M, Alsop, D. C, & Detre, JA. Neural Correlates of Successful and Unsuccessful Verbal Encoding [abstract]. *Neuroimage*, 2000 11: S381.

19. Siddiqui, F, Casasanto, DJ, **Killgore, WDS**, Detre, JA, Glosser, G, Alsop, DC, & Maldjian, JA. Hemispheric effects of frontal lobe tumors on mesial temporal lobe activation during scene encoding [abstract]. *Neuroimage*, 2000 11: S448.
20. Oki, M, Gruber, SA, **Killgore, WDS**, Yurgelun-Todd, DA. Bilateral thalamic activation occurs during lexical but not semantic processing [abstract]. *Neuroimage*, 2000 11: S353.
21. Yurgelun-Todd, DA, Gruber, SA, **Killgore, WDS**, & Tohen, M. Neuropsychological performance in first-episode bipolar disorder [Abstract]. *Collegium Internationale Neuro-Psychopharmacologicum*. Brussels, Belgium. July, 2000.
22. **Killgore, WDS**, & DellaPietra, L. Detecting malingering with the WMS-III: A revision of the Rarely Missed Index (RMI) [abstract]. *Journal of the International Neuropsychological Society*, 2001; 7 (2): 143-144.
23. Casasanto, DJ, Glosser, G, **Killgore, WDS**, Siddiqui, F, Falk, M, Roc, A, Maldjian, JA, Levy-Reis, I, Baltuch, G, & Detre, JA. Presurgical fMRI predicts memory outcome following anterior temporal lobectomy [abstract]. *Journal of the International Neuropsychological Society*, 2001; 7 (2): 183.
24. **Killgore, WDS**, & Yurgelun-Todd, DA. Amygdala but not hippocampal size predicts verbal memory performance in bipolar disorder [abstract]. *Journal of the International Neuropsychological Society*, 2001; 7 (2): 250-251.
25. **Killgore, WDS**, Kanayama, G, & Yurgelun-Todd, DA. Sex differences in functional activation of the amygdala during the perception of happy faces [abstract]. *Journal of the International Neuropsychological Society*, 2001; 7 (2): 198.
26. **Killgore, WDS**, Gruber, SA, Oki, M, & Yurgelun-Todd, DA. Amygdalar volume and verbal memory in schizophrenia and bipolar disorder: A correlative MRI study [abstract]. Meeting of the International Congress on Schizophrenia Research. Whistler, British Columbia. April 2001.
27. Kanayama, G, **Killgore, WDS**, Gruber, SA, & Yurgelun-Todd, DA. FMRI BOLD activation of the supramarginal gyrus in schizophrenia [abstract]. Meeting of the International Congress on Schizophrenia Research. Whistler, British Columbia. April 2001.
28. Gruber, SA, **Killgore, WDS**, Renshaw, PF, Pope, HG. Jr, Yurgelun-Todd, DA. Gender differences in cerebral blood volume after a 28-day washout period in chronic marijuana smokers [abstract]. Meeting of the International Congress on Schizophrenia Research. Whistler, British Columbia. April 2001.
29. Rohan, ML, **Killgore, WDS**, Eskesen, JG, Renshaw, PF, & Yurgelun-Todd, DA. Match-warped EPI anatomic images and the amygdala: Imaging in hard places. *Proceedings of the International Society for Magnetic Resonance in Medicine*, 2001; 9: 1237.
30. **Killgore, WDS** & Yurgelun-Todd, DA. Developmental changes in the lateralized activation of the prefrontal cortex and amygdala during the processing of facial affect [Abstract]. Oral

platform paper presented at the 30th Annual Meeting of the International Neuropsychological Society, Toronto, Ontario, Canada, February 13-16, 2002.

31. Yurgelun-Todd, DA. & **Killgore, WDS**. Gray and white matter volume during adolescence correlates with cognitive performance: A morphometric MRI study [Abstract]. Oral platform paper presented at the 30th Annual Meeting of the International Neuropsychological Society, Toronto, Ontario, Canada, February 13-16, 2002.
32. **Killgore, WDS**, Reichardt, R. Kautz, M, Belenky, G, Balkin, T, & Wesensten, N. Daytime melatonin-zolpidem cocktail: III. Effects on salivary melatonin and performance [abstract]. Poster presented at the 17th Annual Meeting of the Associated Professional Sleep Societies, Chicago, Illinois, June 3-8, 2003.
33. **Killgore, WDS**, Young, AD, Femia, LA, Bogorodzki, P, Rogowska, J, & Yurgelun-Todd, DA. Cortical and limbic activation during viewing of high- versus low-calorie foods [abstract]. Poster Presented at the Organization for Human Brain Mapping Annual Meeting, New York, NY, June 18-22, 2003.
34. **Killgore, WDS**, & Yurgelun-Todd, DA. Amygdala activation during masked presentations of sad and happy faces [abstract]. Poster presented at the Organization for Human Brain Mapping Annual Meeting, New York, NY, June 18-22, 2003.
35. **Killgore, WDS**, Stetz, MC, Castro, CA, & Hoge, CW. Somatic and emotional stress symptom expression prior to deployment by soldiers with and without previous combat experience [abstract]. Poster presented at the 6th Annual Force Health Protection Conference, Albuquerque, NM, August, 11-17, 2003. [**Best Paper Award*]
36. Wesensten, NJ, Balkin, TJ, Thorne, D, **Killgore, WDS**, Reichardt, R, & Belenky, G. Caffeine, dextroamphetamine, and modafinil during 85 hours of sleep deprivation: I. Performance and alertness effects [abstract]. Poster presented at the 75th Annual Meeting of the Aerospace Medical Association, Anchorage, AK, May 2-6 2004.
37. **Killgore, WDS**, Braun, AR, Belenky, G, Wesensten, NJ, & Balkin, TJ. Regional cerebral metabolic correlates of electroencephalographic activity during stage-2 and slow-wave sleep: An H215O PET Study [abstract]. Oral platform presentation at the 18th Associated Professional Sleep Societies Annual Meeting, Philadelphia, PA, June 5-10, 2004.
38. **Killgore, WDS**, Arora, NS, Braun, AR, Belenky, G, Wesensten, NJ, & Balkin, TJ. Sleep strengthens the effective connectivity among cortical and subcortical regions: Evidence for the restorative effects of sleep using H215O PET [abstract]. Poster presented at the 17th Congress of the European Sleep Research Society, Prague, Czech Republic, October 5-9, 2004.
39. **Killgore, WDS**, Arora, NS, Braun, AR, Belenky, G, Wesensten, NJ, & Balkin, TJ. An H215O PET study of regional cerebral activation during stage 2 sleep [abstract]. Poster presented at the 17th Congress of the European Sleep Research Society, Prague, Czech Republic, October 5-9, 2004.

40. Wesensten, N, **Killgore, WDS**, Belenky, G, Reichardt, R, Thorne, D, & Balkin, T. Caffeine, dextroamphetamine, and modafinil during 85 H of sleep deprivation. II. Effects of tasks of executive function [abstract]. Poster presented at the 17th Congress of the European Sleep Research Society, Prague, Czech Republic, October 5-9, 2004.
41. Balkin, T, Reichardt, R, Thorne, D, **Killgore, WDS**, Belenky, G, & Wesensten, N. Caffeine, dextroamphetamine, and modafinil during 85 hours of sleep deprivation. I. Psychomotor vigilance and objective alertness effects [abstract]. Oral paper presentation at the 17th Congress of the European Sleep Research Society, Prague, Czech Republic, October 5-9, 2004.
42. Belenky, G, Reichardt, R, Thorne, D, **Killgore, WDS**, Balkin, T, & Wesensten, N. Caffeine, dextroamphetamine, and modafinil during 85 hours of sleep deprivation. III. Effect on recovery sleep and post-recovery sleep performance [abstract]. Oral paper presentation at the 17th Congress of the European Sleep Research Society, Prague, Czech Republic, October 5-9, 2004.
43. Vo, A, Green, J, Campbell, W, **Killgore, WDS**, Labutta, R, & Redmond, D. The quantification of disrupted sleep in migraine via actigraphy: A pilot study [abstract]. Abstract presented at the Associated Professional Sleep Societies 19th Annual Meeting, Denver, CO, June 18-23, 2005. SLEEP, 28 (Supplement), A281.
44. Kendall, AP, **Killgore, WDS**, Kautz, M, & Russo, MB. Left-visual field deficits in attentional processing after 40 hours of sleep deprivation [abstract]. Abstract presented at the Associated Professional Sleep Societies 19th Annual Meeting, Denver, CO, June 18-23, 2005. SLEEP, 28 (Supplement), A143.
45. Reichardt, RM, Grugle, NL, Balkin, TJ, & **Killgore, WDS**. Stimulant countermeasures, risk propensity, and IQ across 2 nights of sleep deprivation [abstract]. Abstract presented at the Associated Professional Sleep Societies 19th Annual Meeting, Denver, CO, June 18-23, 2005. SLEEP, 28 (Supplement), A145.
46. Killgore, DB, McBride, SA, Balkin, TJ, & **Killgore, WDS**. Post-stimulant hangover: The effects of caffeine, modafinil, and dextroamphetamine on sustained verbal fluency following sleep deprivation and recovery sleep [abstract]. Abstract presented at the Associated Professional Sleep Societies 19th Annual Meeting, Denver, CO, June 18-23, 2005. SLEEP, 28 (Supplement), A137.
47. **Killgore, WDS**, Balkin, TJ, & Wesensten, NJ. Impaired decision-making following 49 hours of sleep deprivation [abstract]. Abstract presented at the Associated Professional Sleep Societies 19th Annual Meeting, Denver, CO, June 18-23, 2005. SLEEP, 28 (Supplement), A138.
48. **Killgore, WDS**, McBride, SA, Killgore, DB, & Balkin, TJ. Stimulant countermeasures and risk propensity across 2 nights of sleep deprivation [abstract]. Abstract presented at the Associated Professional Sleep Societies 19th Annual Meeting, Denver, CO, June 18-23, 2005. SLEEP, 28 (Supplement), A136.

49. McBride, SA, Balkin, TJ, & **Killgore, WDS**. The effects of 24 hours of sleep deprivation on odor identification accuracy [abstract]. Abstract presented at the Associated Professional Sleep Societies 19th Annual Meeting, Denver, CO, June 18-23, 2005. *SLEEP*, 28 (Supplement), A137.
50. Picchioni, D, **Killgore, WDS**, Braun, AR, & Balkin, TJ. PET correlates of EEG activity during non-REM sleep. Poster presentation at the annual UCLA/Websciences Sleep Training Workshop, Lake Arrowhead, CA, September, 2005.
51. **Killgore, WDS**, Killgore, DB, McBride, SA, & Balkin, TJ. Sustained verbal fluency following sleep deprivation and recovery sleep: The effects of caffeine, modafinil, and dextroamphetamine. Poster presented at the 34th Meeting of the International Neuropsychological Society, Boston, MA, February 1-4, 2006.
52. **Killgore, WDS**, Balkin, TJ, & Wesensten, NJ. Decision-making is impaired following 2-days of sleep deprivation. Poster presented at the 34th Meeting of the International Neuropsychological Society, Boston, MA, February 1-4, 2006.
53. **Killgore, WDS**, & Yurgelun-Todd, DA. Neural correlates of emotional intelligence in adolescent children. Poster presented at the 34th Meeting of the International Neuropsychological Society, Boston, MA, February 1-4, 2006.
54. **Killgore, WDS**, & Yurgelun-Todd, DA. Social anxiety predicts amygdala activation in adolescents viewing fearful faces. Poster presented at the 34th Meeting of the International Neuropsychological Society, Boston, MA, February 1-4, 2006.
55. McBride, SA & **Killgore, WDS**. Sleepy people smell worse: Olfactory deficits following extended wakefulness. Paper presented at the Workshop on Trace Gas Detection Using Artificial, Biological, and Computational Olfaction. Monell Chemical Senses Center, Philadelphia, PA, March 29-31, 2006.
56. **Killgore, WDS**, Day LM, Li, C, Kamimori, GH, Balkin, TJ, & Killgore DB. Moral reasoning is affected by sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. *SLEEP*, 29 (Supplement), A137.
57. **Killgore, WDS**, Killgore DB, Kahn-Green, E, Conrad, A, Balkin, TJ, & Kamimori, G. H. Introversion-Extroversion predicts resilience to sleep loss [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. *SLEEP*, 29 (Supplement), A137.
58. Newman, R, Kamimori, GH, **Killgore, WDS**. Sleep deprivation diminishes constructive thinking [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. *SLEEP*, 29 (Supplement), A136-137.
59. Huck, NO, Kendall, AP, McBride, SA, **Killgore, WDS**. The perception of facial emotion is enhanced by psychostimulants following two nights of sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City,

UT, June 17-22, 2006. SLEEP, 29 (Supplement), A136.

60. O'Sullivan, M, Reichardt, RM, Krugler, AL, Killgore, DB, & **Killgore, WDS**. Premorbid intelligence correlates with duration and quality of recovery sleep following sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A372.
61. McBride, SA, **Killgore, WDS**, Kahn-Green, E, Conrad, A, & Kamimori, GH. Caffeine administered to maintain overnight alertness does not disrupt performance during the daytime withdrawal period [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A136.
62. McBride, SA, Killgore DB, Balkin, TJ, Kamimori, GH, & **Killgore, WDS**. Sleepy people smell worse: Olfactory decrements as a function of sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A135.
63. Day, LM, Li, C, Killgore, DB, Kamimori, GH, & **Killgore, WDS**. Emotional intelligence moderates the effect of sleep deprivation on moral reasoning [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A135.
64. Murray, CJ, Killgore, DB, Kamimori, GH, & **Killgore, WDS**. Individual differences in stress management capacity predict responsiveness to caffeine during sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A43.
65. Murray, CJ, Newman, R, O'Sullivan, M, Killgore, DB, Balkin, TJ, & **Killgore, WDS**. Caffeine, dextroamphetamine, and modafinil fail to restore Stroop performance during sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A370-371.
66. Richards, J, Killgore, DB, & **Killgore, WDS**. The effect of 44 hours of sleep deprivation on mood using the Visual Analog Mood Scales [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A132.
67. Richards, J, & **Killgore, WDS**. The effect of caffeine, dextroamphetamine, and modafinil on alertness and mood during sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A43.
68. Lipizzi, EL, Leavitt, BP, Killgore, DB, Kamimori, GH, & **Killgore, WDS**. Decision making capabilities decline with increasing duration of wakefulness [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A131.

69. Lipizzi, EL, Killgore, DB, Kahn-Green, E, Kamimori, GH, & **Killgore, WDS**. Emotional intelligence scores decline during sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A131.
70. Kahn-Green, E, Day, L, Conrad, A, Leavitt, BP, Killgore, DB, & **Killgore, WDS**. Short-term vs. long-term planning abilities: Differential effects of stimulants on executive function in sleep deprived individuals [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A370.
71. Kahn-Green, E, Conrad, A, Killgore, DB, Kamimori, GH, & **Killgore, WDS**. Tired and frustrated: Using a projective technique for assessing responses to stress during sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A130.
72. Killgore, DB, Kahn-Green, E, Balkin, TJ, Kamimori, GH, & **Killgore, WDS**. 56 hours of wakefulness is associated with a sub-clinical increase in symptoms of psychopathology [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A130.
73. Killgore, DB, McBride, SA, Balkin, TJ, Leavitt, BP, & **Killgore, WDS**. Modafinil improves humor appreciation during sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A42.
74. Reichardt, RM, Killgore, DB, Lipizzi, EL, Li, CJ, Krugler, AL, & **Killgore, WDS**. The effects of stimulants on recovery sleep and post-recovery verbal performance following 61-hours of sleep deprivation [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A42.
75. Bailey, JD, Richards, J, & **Killgore, WDS**. Prediction of mood fluctuations during sleep deprivation with the SAFTE Model [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A60.
76. Kendall, AP, McBride, S. A, & **Killgore, WDS**. Visuospatial perception of line orientation is resistant to one night of sleep loss [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A369.
77. Kendall, AP, McBride, SA, Kamimori, GH, & **Killgore, WDS**. The interaction of coping skills and stimulants on sustaining vigilance: Poor coping may keep you up at night [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A129.
78. Muckle, A, Killgore, DB, & **Killgore, WDS**. Gender differences in the effects of stimulant

medications on the ability to estimate unknown quantities when sleep deprived [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A369.

79. Krugler, AL, **Killgore, WDS**, & Kamimori, G. H. Trait anger predicts resistance to sleep loss [abstract]. Abstract presented at the 20th Meeting of the Associated Professional Sleep Societies, Salt Lake City, UT, June 17-22, 2006. SLEEP, 29 (Supplement), A129.
80. **Killgore, WDS**, Cotting, DI, Vo, A. H, Castro, CA, & Hoge, CW. The invincibility syndrome: Combat experiences predict risk-taking propensity following redeployment [abstract]. Abstract presented at the 9th Annual Force Health Protection Conference, Albuquerque, NM, August 6-11, 2006.
81. **Killgore, WDS**, Wesensten, NJ, & Balkin, TJ. Stimulants improve tactical but not strategic planning during prolonged wakefulness [abstract]. Abstract presented at the 9th Annual Force Health Protection Conference, Albuquerque, NM, August 6-11, 2006.
82. **Killgore, WDS**, Balkin, TJ, Wesensten, NJ, & Kamimori, G. H. The effects of sleep loss and caffeine on decision-making [abstract]. Abstract presented at the 9th Annual Force Health Protection Conference, Albuquerque, NM, August 6-11, 2006.
83. **Killgore, WDS**, Balkin, TJ, & Kamimori, GH. Sleep loss can impair moral judgment [abstract]. Abstract presented at the 9th Annual Force Health Protection Conference, Albuquerque, NM, August 6-11, 2006.
84. **Killgore, WDS**, Lipizzi, EL, Reichardt, RM, Kamimori, GH, & Balkin, TJ. Can stimulants reverse the effects of sleep deprivation on risky decision-making [abstract]? Abstract presented at the 25th Army Science Conference, Orlando, FL, November 27-30, 2006.
85. **Killgore, WDS**, Killgore, DB, Kamimori, GH, & Balkin, TJ. Sleep deprivation impairs the emotional intelligence and moral judgment capacities of Soldiers [abstract]. Abstract presented at the 25th Army Science Conference, Orlando, FL, November 27-30, 2006.
86. **Killgore, WDS**, Cotting, DI, Vo, AH, Castro, C.A, & Hoge, CW. The post-combat invincibility syndrome: Combat experiences increase risk-taking propensity following deployment [abstract]. Abstract presented at the 25th Army Science Conference, Orlando, FL, November 27-30, 2006.
87. Adam, GE, Szelenyi, ER, **Killgore, WD**, & Lieberman, HR. A double-blind study of two days of caloric deprivation: Effects on judgment and decision-making. Oral paper presentation at the Annual Scientific Meeting of the Aerospace Medical Association, New Orleans, LA, May, 2007.
88. Killgore, DB, Kahn-Greene, ET, Kamimori, GH, & **Killgore, WD**. The effects of acute caffeine withdrawal on short category test performance in sleep deprived individuals [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A43.
89. Richards, JM, Lipizzi, EL, Kamimori, GH, & **Killgore, WD**. Extroversion predicts change in

attentional lapses during sleep deprivation [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A137.

90. Lipizzi, EL, Richards, JM, Balkin, TJ, Grugle, NL, & **Killgore, WD**. Morningness-Eveningness and Intelligence [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A345.
91. Lipizzi, EL, Richards, Balkin, TJ, Grugle, NL, & **Killgore WD**. Morningness-Eveningness affects risk-taking propensity during sleep deprivation [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A136.
92. McBride, SA, Ganesan, G, Kamimori, GH, & **Killgore, WD**. Odor identification ability predicts vulnerability to attentional lapses during 77 hours of sleep deprivation [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A135.
93. Smith, KL, McBride, S. A, Kamimori, GH, & **Killgore, WD**. Individual differences in odor discrimination predict mood dysregulation following 56 hours of sleep deprivation [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A136.
94. McBride, SA, Leavitt, BP, Kamimori, GH, & **Killgore, WD**. Odor identification accuracy predicts resistance to sleep loss. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A137.
95. Killgore, DB, McBride, SA, Balkin, TJ, Grugle, NL. & **Killgore, WD**. Changes in odor discrimination predict executive function deficits following 45 hours of wakefulness [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A136.
96. Rupp, TL, Killgore, DB, Balkin, TJ, Grugle, NL, & **Killgore, WD**. The effects of modafinil, dextroamphetamine, and caffeine on verbal and nonverbal fluency in sleep deprived individuals [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A43.
97. Newman, RA, Krugler, AL, Kamimori, GH, & **Killgore, WD**. Changes in state and trait anger following 56 hours of sleep deprivation [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A138.
98. Rupp, TL, Grugle, NL, Krugler, AL, Balkin, TJ, & **Killgore, WD**. Caffeine, dextroamphetamine, and modafinil improve PVT performance after sleep deprivation and recovery sleep [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement),

A44.

99. **Killgore, WD**, Lipizzi, EL, Balkin, TJ, Grugle, NL, & Killgore, DB. The effects of sleep deprivation and stimulants on self-reported sensation seeking propensity [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A42.
100. **Killgore, WD**, Richards, JM, Balkin, TJ, Grugle, NL, & Killgore DB. The effects of sleep deprivation and stimulants on risky behavior [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A41.
101. Newman, RA, Smith, KL, Balkin, TJ, Grugle, NL, & **Killgore, WD**. The effects of caffeine, dextroamphetamine, and modafinil on executive functioning following 45 hours of sleep deprivation [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A45.
102. Richards, JM, Lipizzi, EL, Balkin, TJ, Grugle, NL, & **Killgore, WD**. Objective alertness predicts mood changes during 44 hours of sleep deprivation [abstract]. Abstract presented at the 21st Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 9-14, 2007. SLEEP, 30 (Supplement), A56.
103. **Killgore, WD**, & Yurgelun-Todd, DA. Cortical and Limbic Activation in Response to Visual Images of Low and High-Caloric Food [abstract]. Oral symposium presented at the 6th Annual Conference of the Society of Behavioral Nutrition and Physical Activity (ISBNPA), Oslo, Norway, June 20-23, 2007. Proceedings of the ISBNPA, 2007, 75.
104. Estrada, A, **Killgore, WD**, Rouse, T, Balkin, TJ, & Wildzun, RM. Total sleep time measured by actigraphy predicts academic performance during military training [abstract]. Abstract presented at the 22nd Meeting of the Associated Professional Sleep Societies, Baltimore, MD, June 7-12, 2008. SLEEP, 31 (Supplement), A134.
105. **Killgore, WD**, Lipizzi, EL, Smith, KL, Killgore, DB, Rupp, TL, Kamimori, GH, & Balkin, T. J. Nonverbal intelligence is inversely related to the ability to resist sleep loss [abstract]. Abstract presented at the 22nd Meeting of the Associated Professional Sleep Societies, Baltimore, MD, June 7-12, 2008. SLEEP, 31 (Supplement), A134.
106. **Killgore, WD**, Lipizzi, EL, Killgore, DB, Rupp, TL, Kamimori, GH, & Balkin, TJ. Emotional intelligence predicts declines in emotion-based decision-making following sleep deprivation [abstract]. Abstract presented at the 22nd Meeting of the Associated Professional Sleep Societies, Baltimore, MD, June 7-12, 2008. SLEEP, 31 (Supplement), A134.
107. Reid, CT, Smith, K, **Killgore, WD**, Rupp, TL, & Balkin, TJ. Higher intelligence is associated with less subjective sleepiness during sleep restriction [abstract]. Abstract presented at the 22nd Meeting of the Associated Professional Sleep Societies, Baltimore, MD, June 7-12, 2008. SLEEP, 31 (Supplement), A375.
108. Newman, R, **Killgore, WD**, Rupp, T. L, & Balkin, TJ. Better baseline olfactory

discrimination is associated with worse PVT and MWT performance with sleep restriction and recovery [abstract]. Abstract presented at the 22nd Meeting of the Associated Professional Sleep Societies, Baltimore, MD, June 7-12, 2008. SLEEP, 31 (Supplement), A375.

109. Smith, KL, Reid, CT, **Killgore, WD**, Rupp, TL, & Balkin, TJ. Personality factors associated with performance and sleepiness during sleep restriction and recovery [abstract]. Abstract presented at the 22nd Meeting of the Associated Professional Sleep Societies, Baltimore, MD, June 7-12, 2008. SLEEP, 31 (Supplement), A376.
110. Lipizzi, EL, **Killgore, WD**, Rupp, TL, & Balkin, TJ. Risk-taking behavior is elevated during recovery from sleep restriction [abstract]. Abstract presented at the 22nd Meeting of the Associated Professional Sleep Societies, Baltimore, MD, June 7-12, 2008. SLEEP, 31 (Supplement), A376.
111. Lipizzi, EL, Rupp, TL, **Killgore, WD**, & Balkin, TJ. Sleep restriction increases risk-taking behavior [abstract]. Poster presented at the 11th Annual Force Health Protection Conference, Albuquerque, NM, August, 9-15, 2008.
112. **Killgore, WD**, Estrada, A, Balkin, TJ, & Wildzunas, RM. Sleep duration during army training predicts course performance [abstract]. Poster presented at the 6th Annual Force Health Protection Conference, Albuquerque, NM, August, 11-17, 2008.
113. **Killgore, WD**, Lipizzi, EL, Smith, KL, Killgore, DB, Rupp, TL, Kamimori, GH, & Balkin, TJ. Higher cognitive ability is associated with reduced relative resistance to sleep loss [abstract]. Poster presented at the 6th Annual Force Health Protection Conference, Albuquerque, NM, August, 11-17, 2008.
114. **Killgore, WD**, Rupp, TL, Grugle, NL, Lipizzi, EL, & Balkin, TJ. Maintaining alertness during sustained operations: Which stimulant is most effective after 44 hours without sleep [abstract]? Poster presented at the 6th Annual Force Health Protection Conference, Albuquerque, NM, August, 11-17, 2008.
115. **Killgore, WD**, Newman, RA, Lipizzi, EL, Kamimori, GH, & Balkin, TJ. Sleep deprivation increases feelings of anger but reduces verbal and physical aggression in Soldiers [abstract]. Poster presented at the 6th Annual Force Health Protection Conference, Albuquerque, NM, August, 11-17, 2008.
116. Kelley, AM, Dretsch, M, **Killgore, WD**, & Athy, JR. Risky behaviors and attitudes about risk in Soldiers. Abstract presented at the 29th Annual Meeting of the Society for Judgment and Decision Making, Chicago, IL, November, 2008.
117. **Killgore, WD**, Ross, AJ, Silveri, MM, Gruber, SA, Kamiya, T, Kawada, Y, Renshaw, PF, & Yurgelun-Todd, DA. Citicoline affects appetite and cortico-limbic responses to images of high calorie foods. Abstract presented at the Society for Neuroscience, Washington DC, November 19, 2008.
118. Britton, JC, Stewart, SE, Price, LM, **Killgore, WD**, Gold, AL, Jenike, MA, & Rauch, SL. Reduced amygdalar activation in response to emotional faces in pediatric Obsessive-

Compulsive Disorder. Abstract presented at the Annual meeting of the American College of Neuropsychopharmacology, Scottsdale, AZ, December 7-11, 2008.

119. **Killgore, WD**, Balkin, TJ, Estrada, A, & Wildzunas, RM. Sleep and performance measures in soldiers undergoing military relevant training. Abstract presented at the 26th Army Science Conference, Orlando, FL, December 1-4, 2008.
120. **Killgore, WD** & Yurgelun-Todd, DA. Cerebral correlates of amygdala responses during non-conscious perception of affective faces in adolescent children. Abstract presented at the 37th Annual Meeting of the International Neuropsychological Society, Atlanta, GA, February 11-14, 2009.
121. **Killgore, WD**, Killgore, DB, Grugle, NL, & Balkin, TJ. Odor identification ability predicts executive function deficits following sleep deprivation. Abstract presented the 37th Annual Meeting of the International Neuropsychological Society, Atlanta, GA, February 11-14, 2009.
122. **Killgore, WD**, Rupp, TL, Killgore, DB, Grugle, NL, and Balkin, TJ. Differential effects of stimulant medications on verbal and nonverbal fluency during sleep deprivation. Abstract presented the 37th Annual Meeting of the International Neuropsychological Society, Atlanta, GA, February 11-14, 2009.
123. **Killgore, WD**, Killgore, DB, Kamimori, GH, & Balkin, TJ. When being smart is a liability: More intelligent individuals may be less resistant to sleep deprivation. Abstract presented the 37th Annual Meeting of the International Neuropsychological Society, Atlanta, GA, February 11-14, 2009.
124. **Killgore, WD**, Britton, JC, Price, LM, Gold, AL, Deckersbach, T, & Rauch, SL. Introversion is associated with greater amygdala and insula activation during viewing of masked affective stimuli. Abstract presented the 37th Annual Meeting of the International Neuropsychological Society, Atlanta, GA, February 11-14, 2009.
125. **Killgore, WD**, Britton, JC, Price, LM, Gold, AL, Deckersbach, T, & Rauch, SL. Amygdala responses of specific animal phobics do not differ from healthy controls during masked fearful face perception. Abstract presented the 37th Annual Meeting of the International Neuropsychological Society, Atlanta, GA, February 11-14, 2009.
126. **Killgore, WD**, Britton, JC, Price, LM, Gold, AL, Deckersbach, T, & Rauch, SL. Small animal phobics show sustained amygdala activation in response to masked happy facial expressions. Abstract presented the 37th Annual Meeting of the International Neuropsychological Society, Atlanta, GA, February 11-14, 2009. [**Merit Poster Award*]
127. Price, LM, **Killgore, WD**, Britton, JC, Kaufman, ML, Gold, AL, Deckersbach, T, & Rauch, SL. Anxiety sensitivity correlates with insula activation in response to masked fearful faces in specific animal phobics and healthy subjects. Abstract presented at the Annual Conference of the Anxiety Disorders Association of America, Santa Ana Pueblo, New Mexico, March 12-15, 2009.
128. **Killgore, WD**, Britton, JC, Price, LM, Gold, AL, Deckersbach, T, & Rauch, SL. Neuroticism

is inversely correlated with amygdala and insula activation during masked presentations of affective stimuli. Abstract presented at the Annual Conference of the Anxiety Disorders Association of America, Santa Ana Pueblo, New Mexico, March 12-15, 2009.

129. **Killgore, WD**, Kelley, AM, & Balkin, TJ. Development and validation of a scale to measure the perception of invincibility. Abstract presented at the Annual Conference of the Anxiety Disorders Association of America, Santa Ana Pueblo, New Mexico, March 12-15, 2009.
130. Kelly, AM, **Killgore WD**, Athy, J, & Dretsch, M. Risk propensity, risk perception, risk aversion, and sensation seeking in U.S. Army soldiers. Abstract presented at the 80th Annual Scientific Meeting of the Aerospace Medical Association, Los Angeles, CA, May 3-7, 2009.
131. Britton, JC, Stewart, SE, Price, LM, **Killgore, WD**, Jenike, MA, & Rauch, SL. The neural correlates of negative priming in pediatric obsessive-compulsive disorder (OCD). Abstract presented at the 64th Annual Scientific Meeting of the Society of Biological Psychiatry, Vancouver, Canada, May 14-16, 2009.
132. **Killgore, WD**, Killgore, DB, Kamimori, GH, & Balkin, TJ. Caffeine protects against increased risk-taking behavior during severe sleep deprivation. Abstract presented at the 23rd Annual Meeting of the Associated Professional Sleep Societies, Seattle, Washington, June 7-12, 2009.
133. Killgore, DB, **Killgore, WD**, Grugle, NL, & Balkin, TJ. Executive functions predict the ability to sustain psychomotor vigilance during sleep loss. Abstract presented at the 23rd Annual Meeting of the Associated Professional Sleep Societies, Seattle, Washington, June 7-12, 2009.
134. **Killgore, WD**, & Yurgelun-Todd, DA. Trouble falling asleep is associated with reduced activation of dorsolateral prefrontal cortex during a simple attention task. Abstract presented at the 23rd Annual Meeting of the Associated Professional Sleep Societies, Seattle, Washington, June 7-12, 2009.
135. **Killgore, WD**, Kelley, AM, & Balkin, TJ. A new scale for measuring the perception of invincibility. Abstract presented at the 12th Annual Force Health Protection Conference, Albuquerque, New Mexico, August 14-21, 2009.
136. **Killgore, WD**, Killgore, DB, Grugle, NL, & Balkin, TJ. Executive functions contribute to the ability to resist sleep loss. Abstract presented at the 12th Annual Force Health Protection Conference, Albuquerque, New Mexico, August 14-21, 2009.
137. **Killgore, WD**, Killgore, DB, Kamimori, GH, & Balkin, TJ. Caffeine reduces risk-taking behavior during severe sleep deprivation. Abstract presented at the 12th Annual Force Health Protection Conference, Albuquerque, New Mexico, August 14-21, 2009. [****Best Paper: Research***]
138. **Killgore, WD**, Castro, CA, & Hoge, CW. Normative data for the Evaluation of Risks Scale—Bubble Sheet Version (EVAR-B) for large scale surveys of returning combat veterans. Abstract presented at the 12th Annual Force Health Protection Conference,

Albuquerque, New Mexico, August 14-21, 2009.

139. **Killgore, WD**, Castro, CA, & Hoge, CW. Combat exposure and post-deployment risky behavior. Abstract presented at the 12th Annual Force Health Protection Conference, Albuquerque, New Mexico, August 14-21, 2009.
140. **Killgore, WD**, Price, LM, Britton, JC, Simon, N, Pollack, MH, Weiner, MR, Schwab, ZJ, Rosso, IM, & Rauch, SL. Paralimbic responses to masked emotional faces in PTSD: Disorder and valence specificity. Abstract presented at the Annual McLean Hospital Research Day, January 29, 2010.
141. **Killgore, WD**, Killgore, DB, Kamimori, GH, & Balkin, TJ. Caffeine minimizes behavioral risk-taking during 75 hours of sleep deprivation. Abstract presented at the 38th Annual Meeting of the International Neuropsychological Society, Acapulco, Mexico, February 3-6, 2010.
142. **Killgore, WD** & Balkin, TJ. Vulnerability to sleep loss is affected by baseline executive function capacity. Abstract presented at the 38th Annual Meeting of the International Neuropsychological Society, Acapulco, Mexico, February 3-6, 2010.
143. **Killgore, WD**, Smith, KL, Reichardt, RM., Killgore, DB, & Balkin, TJ. Intellectual capacity is related to REM sleep following sleep deprivation. Abstract presented at the 38th Annual Meeting of the International Neuropsychological Society, Acapulco, Mexico, February 3-6, 2010.
144. **Killgore, WD** & Yurgelun-Todd, DA. Cerebral correlates of amygdala responses to masked fear, anger, and happiness in adolescent and pre-adolescent children. Abstract presented at the 38th Annual Meeting of the International Neuropsychological Society, Acapulco, Mexico, February 3-6, 2010.
145. **Killgore, WD**, Post, A, & Yurgelun-Todd, DA. Sex differences in cortico-limbic responses to images of high calorie food. Abstract presented at the 38th Annual Meeting of the International Neuropsychological Society, Acapulco, Mexico, February 3-6, 2010.
146. **Killgore, WD** & Yurgelun-Todd, DA. Self-reported insomnia is associated with increased activation within the default-mode network during a simple attention task. Abstract presented at the 38th Annual Meeting of the International Neuropsychological Society, Acapulco, Mexico, February 3-6, 2010.
147. **Killgore, WD**, Price, LM, Britton, JC, Gold, AL, Deckersbach, T, & Rauch, SL. Neural correlates of anxiety sensitivity factors during presentation of masked fearful faces. Abstract presented at the 38th Annual Meeting of the International Neuropsychological Society, Acapulco, Mexico, February 3-6, 2010.
148. **Killgore, WD**, Grugle, NL, Conrad, TA, & Balkin, TJ. Baseline executive function abilities predict risky behavior following sleep deprivation. Abstract presented at the 24th Annual Meeting of the Associated Professional Sleep Societies, San Antonio, Texas, June 5-9, 2010.

149. **Killgore, WD**, Grugle, NL, & Balkin, TJ. Judgment of objective vigilance performance is affected by sleep deprivation and stimulants. Abstract presented at the 24th Annual Meeting of the Associated Professional Sleep Societies, San Antonio, Texas, June 5-9, 2010.
150. Killgore, DB, **Killgore, WD**, Grugle, NL, & Balkin, TJ. Resistance to sleep loss and its relationship to decision making during sleep deprivation. Abstract presented at the 24th Annual Meeting of the Associated Professional Sleep Societies, San Antonio, Texas, June 5-9, 2010.
151. Killgore DB, **Killgore, WD**, Grugle, NL, & Balkin, TJ. Subjective sleepiness and objective performance: Differential effects of stimulants during sleep deprivation. Abstract presented at the 24th Annual Meeting of the Associated Professional Sleep Societies, San Antonio, Texas, June 5-9, 2010.
152. Rupp, TL, **Killgore, WD**, & Balkin, TJ. Vulnerability to sleep deprivation is differentially mediated by social exposure in extraverts vs. introverts. Oral presentation at the “Data Blitz” section at the 24th Annual Meeting of the Associated Professional Sleep Societies, San Antonio, Texas, June 5-9, 2010.
153. Rupp, TL, **Killgore, WD**, & Balkin, TJ. Extraverts may be more vulnerable than introverts to sleep deprivation on some measures of risk-taking and executive functioning. Abstract presented at the 24th Annual Meeting of the Associated Professional Sleep Societies, San Antonio, Texas, June 5-9, 2010.
154. Rupp, TL, **Killgore, WD**, & Balkin, TJ. Vulnerability to sleep deprivation is differentially mediated by social exposure in extraverts vs. introverts. Abstract presented at the 24th Annual Meeting of the Associated Professional Sleep Societies, San Antonio, Texas, June 5-9, 2010.
155. Capaldi, VF, Guerrero, ML, & **Killgore, WD**. Sleep disorders among OIF and OEF Soldiers. Abstract presented at the 24th Annual Meeting of the Associated Professional Sleep Societies, San Antonio, Texas, June 5-9, 2010.
156. **Killgore, WD**, Killgore, DB, Kamimori, GH, & Balkin, TJ. Caffeine reduces behavioral risk-taking during sleep deprivation. Abstract presented at the 65th Annual Meeting of the Society for Biological Psychiatry, New Orleans, Louisiana, May 20-22, 2010.
157. **Killgore, WD**, Price, LM, Britton, JC, Simon, N, Pollack, MH, Weiner, MR, Schwab, ZJ, Rosso, IM, & Rauch, SL. Paralimbic responses to masked emotional faces in PTSD: Disorder and valence specificity. Abstract presented at the 65th Annual Meeting of the Society for Biological Psychiatry, New Orleans, Louisiana, May 20-22, 2010.
158. Rosso, IM, Makris, N, Britton, JC, Price, LM, Gold, AL, Deckersbach, T, **Killgore, WD**, & Rauch SL. Anxiety sensitivity correlates with insular cortex volume and thickness in specific animal phobia. Abstract presented at the 65th Annual Meeting of the Society for Biological Psychiatry, New Orleans, Louisiana, May 20-22, 2010.
159. Rupp, TL, **Killgore, WD**, & Balkin, TJ. Vulnerability to sleep deprivation is mediated by

social exposure in extraverts versus introverts. Oral platform presentation at the 20th Congress of the European Sleep Research Society, Lisbon, Portugal, September 14-18, 2010.

160. **Killgore, WD**, Estrada, A, & Balkin, TJ. A tool for monitoring soldier fatigue and predicting cognitive readiness: The Sleep History and Readiness Predictor (SHARP). Abstract presented at the 27th Army Science Conference, Orlando, FL, November 29-December 2, 2010.
161. **Killgore, WD**, Kamimori, GH, & Balkin, TJ. Caffeinated gum minimizes risk-taking in soldiers during prolonged sleep deprivation. Abstract presented at the 27th Army Science Conference, Orlando, FL, November 29-December 2, 2010.
162. **Killgore, WD**, Britton, JC, Schwab, ZJ, Weiner, MR, Rosso, IM, & Rauch, SL. Exaggerated amygdala responses to masked fearful faces are specific to PTSD versus simple phobia. Oral platform presentation at the 27th Army Science Conference, Orlando, FL, November 29-December 2, 2010. [***Winner Best Paper in Neuroscience***]
163. **Killgore, WD**, Kamimori, GH, & Balkin, TJ. Sleep deprivation selectively impairs emotional aspects of cognitive functioning. Oral platform presentation at the 27th Army Science Conference, Orlando, FL, November 29-December 2, 2010.
164. Rupp, TL, **Killgore, WD**, & Balkin, TJ. Evaluation of personality and social exposure as individual difference factors influencing response to sleep deprivation. Oral platform presentation at the 27th Army Science Conference, Orlando, FL, November 29-December 2, 2010.
165. **Killgore, WD**, Britton, JC, Rosso, IM, Schwab, ZJ, Weiner, MR, & Rauch, SL. Shared and differential patterns of amygdalo-cortical activation across anxiety disorders. Abstract presented at the 49th Annual Meeting of the American College of Neuropsychopharmacology, Miami Beach, FL, December 5-9, 2010.
166. Rosso, IM, **Killgore, WD**, Britton, JC, Weiner, MR, Schwab, ZJ, & Rauch, SL. Neural correlates of PTSD symptom dimensions during emotional processing: A functional magnetic resonance imaging study. Abstract presented at the 49th Annual Meeting of the American College of Neuropsychopharmacology, Miami Beach, FL, December 5-9, 2010.
167. **Killgore, WD**, Rosso, IM, Britton, JC, Schwab, ZJ, Weiner, MR, & Rauch, SL. Cortico-limbic activation differentiates among anxiety disorders with and without a generalized threat response. Abstract presented at the McLean Hospital Research Day, January 13, 2011.
168. Weiner, MR, Schwab, ZJ, Rauch, SL, & **Killgore WD**. Personality factors predict brain responses to images of high-calorie foods. Abstract presented at the McLean Hospital Research Day, January 13, 2011.
169. Schwab, ZJ, Weiner, MR, Rauch, SL, & **Killgore, WD**. Emotional and cognitive intelligence: Support for the neural efficiency hypothesis. Abstract presented at the McLean Hospital Research Day, January 13, 2011.
170. Crowley, DJ, Covell, MJ, **Killgore, WD**, Schwab, ZJ, Weiner, MR, Acharya, D, Rosso, IM,

& Silveri, MM. Differential influence of facial expression on inhibitory capacity in adolescents versus adults. Abstract presented at the McLean Hospital Research Day, January 13, 2011.

171. **Killgore, WD**, Britton, JC, Rosso, IM, Schwab, ZJ, Weiner, MR, & Rauch, SL. Similarities and differences in cortico-limbic responses to masked affect probes across anxiety disorders. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
172. Rosso, IM, **Killgore, WD**, Britton, JC, Weiner, MR, Schwab, ZJ, & Rauch, SL. Hyperarousal and reexperiencing symptoms of post-traumatic stress disorder are differentially associated with limbic-prefrontal brain responses to threatening stimuli. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
173. Schwab, ZJ, Weiner, MR, Rauch, SL, & **Killgore, WD**. Neural correlates of cognitive and emotional intelligence in adults. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
174. Schwab, ZJ, Weiner, MR, Rauch, SL, & **Killgore, WD**. Cognitive and emotional intelligences: Are they distinct or related constructs? Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
175. Schwab, ZJ, Weiner, MR, Rauch, SL, & **Killgore, WD**. Discrepancy scores between cognitive and emotional intelligence predict neural responses to affective stimuli. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
176. **Killgore, WD**, Schwab, ZJ, Weiner, MR, & Rauch, SL. Smart people go with their gut: Emotional intelligence correlates with non-conscious insular responses to facial trustworthiness. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
177. **Killgore, WD**, Weiner, MR, Schwab, ZJ, & Rauch, SL. Whom can you trust? Neural correlates of subliminal perception of facial trustworthiness. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
178. Weiner, MR, Schwab, ZJ, & Rauch, SL, **Killgore, WD**. Impulsiveness predicts responses of brain reward circuitry to high-calorie foods. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
179. Weiner, MR, Schwab, ZJ, & Rauch, SL, **Killgore, WD**. Conscientiousness predicts brain responses to images of high-calorie foods. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
180. Crowley, DJ, Covell, MJ, **Killgore, WD**, Schwab, ZJ, Weiner, MR, Acharya, D, Rosso, IM, & Silveri, MM. Differential influence of facial expression on inhibitory capacity in

adolescents versus adults. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.

181. Gruber, SA, Dahlgren, MK, **Killgore, WD**, Sagar, KA, & Racine, MT. Marijuana: Age of onset of use impacts executive function and brain activation. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
182. **Killgore, WD**, Conrad, TA, Grugle, NL, & Balkin, TJ. Baseline executive function abilities correlate with risky behavior following sleep deprivation. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
183. **Killgore, WD**, Grugle, NL, Killgore, DB, & Balkin, TJ. Resistance to sleep loss and decision making during sleep deprivation. Abstract presented at the 39th Annual Meeting of the International Neuropsychological Society, Boston, MA, February 2-5, 2011.
184. **Killgore, WD**, Rosso, IM, Britton, JC, Schwab, ZJ, Weiner, MR, & Rauch, SL. Cortico- limbic activation differentiates among anxiety disorders with and without a generalized threat response. Abstract presented at the 66th Annual Meeting of the Society for Biological Psychiatry, San Francisco, CA, May 12-14, 2011. **[*Blue Ribbon Finalist: Clinical/Translational]**
185. Schwab, ZJ, Weiner, MR, Rauch, SL, & **Killgore, WD**. Emotional and cognitive intelligence: Support for the neural efficiency hypothesis. Abstract presented at the 66th Annual Meeting of the Society for Biological Psychiatry, San Francisco, CA, May 12-14, 2011.
186. Weiner, MR, Schwab, ZJ, Rauch, SL, & **Killgore WD**. Personality factors predict brain responses to images of high-calorie foods. Abstract presented at the 66th Annual Meeting of the Society for Biological Psychiatry, San Francisco, CA, May 12-14, 2011.
187. **Killgore, WD**, Grugle, NL, & Balkin, TJ. Sleep deprivation impairs recognition of specific emotions. Abstract presented at the 25th Annual Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 11-15, 2011.
188. **Killgore, WD**, & Balkin, TJ. Does vulnerability to sleep deprivation influence the effectiveness of stimulants on psychomotor vigilance? Abstract presented at the 25th Annual Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 11-15, 2011.
189. Killgore, DB, **Killgore, WD**, Grugle, NJ, & Balkin, TJ. Sleep deprivation impairs recognition of specific emotions. Abstract presented at the 25th Annual Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 11-15, 2011.
190. Weiner, MR, Schwab, ZJ, & **Killgore, WD**. Daytime sleepiness is associated with altered brain activation during visual perception of high-calorie foods: An fMRI study. Abstract presented at the 25th Annual Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 11-15, 2011.

191. Schwab, ZJ, Weiner, MR, & **Killgore, WD**. Functional MRI correlates of morningness-eveningness during visual presentation of high calorie foods. Abstract presented at the 25th Annual Meeting of the Associated Professional Sleep Societies, Minneapolis, MN, June 11-15, 2011.
192. **Killgore, WD**, Weiner, MR, & Schwab, ZJ. Daytime sleepiness affects prefrontal regulation of food intake. Abstract presented at the McLean Hospital Research Day, January 11, 2012.
193. Kipman, M, Schwab ZJ, Weiner, MR, DelDonno, S, Rauch SL, & **Killgore WD**. The insightful yet bitter comedian: The role of emotional versus cognitive intelligence in humor appreciation. Abstract presented at the McLean Hospital Research Day, January 11, 2012.
194. Weber, M, & **Killgore, WD**. Gray matter correlates of emotional intelligence. Abstract presented at the McLean Hospital Research Day, January 11, 2012.
195. Schwab, ZJ, & **Killgore, WD**. Sex differences in functional brain responses to food. Abstract presented at the McLean Hospital Research Day, January 11, 2012.
196. DelDonno, S, Schwab, ZJ, Kipman M, Rauch, SL, & **Killgore, WD**. The influence of cognitive and emotional intelligence on performance on the Iowa Gambling Task. Abstract presented at the McLean Hospital Research Day, January 11, 2012.
197. Song, CH, Kizielewicz, J, Schwab, ZJ, Weiner, MR, Rauch, SL, & **Killgore, WD**. Time is of the essence: The Design Organization Test as a valid, reliable, and brief measure of visuospatial ability. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
198. Kipman, M, Schwab, ZJ, DelDonno, S, & **Killgore, WD**. Gender differences in the contribution of cognitive and emotional intelligence to the left visual field bias for facial perception. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
199. Kipman, M., Schwab, ZJ, Weiner, MR, DelDonno, S, Rauch, SL, & **Killgore, WD**. Contributions of emotional versus cognitive intelligence in humor appreciation. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
200. Schwab, ZJ, & **Killgore, WD**. Disentangling emotional and cognitive intelligence. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
201. Schwab, ZJ, & **Killgore, WD**. Sex differences in functional brain responses to food. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
202. DelDonno, S, Schwab, ZJ, Kipman, M, Rauch, SL, & **Killgore, WD**. The influence of cognitive and emotional intelligence on performance on the Iowa Gambling Task. Abstract

presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.

203. **Killgore, WD**, Britton, JC, Rosso, IM, Schwab, ZJ, Weiner, MR, & Rauch, SL. Shared and unique patterns of cortico-limbic activation across anxiety disorders. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
204. **Killgore, WD**, & Balkin, TJ. Sleep deprivation degrades recognition of specific emotions. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
205. **Killgore, WD**, & Schwab, ZJ. Emotional intelligence correlates with somatic marker circuitry responses to subliminal cues of facial trustworthiness. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
206. **Killgore, WD**, & Schwab, ZJ. Trust me! Neural correlates of the ability to identify facial trustworthiness. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
207. **Killgore, WD**, Schwab, ZJ, Weiner, MR, Kipman, M, DelDonno, S, & Rauch SL. Overeating is associated with altered cortico-limbic responses to images of high calorie foods. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
208. **Killgore, WD**, Weiner, MR, & Schwab, ZJ. Daytime sleepiness affects prefrontal regulation of food intake. Abstract presented at the 40th Annual Meeting of the International Neuropsychological Society, Montreal, CA, February 15-18, 2012.
209. Weber, M, DelDonno, S, Kipman M, Schwab, ZJ, & **Killgore WD**. Grey matter correlates of self-reported sleep duration. Abstract presented at the Harvard Medical School Research Day, Boston, MA, March 28, 2012.
210. **Killgore, WD**. Overlapping and distinct patterns of neurocircuitry across PTSD, Panic Disorder, and Simple Phobia. Abstract presented at the 32nd Annual Conference of the Anxiety Disorders Association of America, Arlington, VA, April 12-15, 2012.
211. **Killgore, WD**, Britton, JC, Rosso, IM, Schwab, ZJ, & Rauch, SL. Shared and unique patterns of cortico-limbic activation across anxiety disorders. Abstract presented at the 67th Annual Meeting of the Society of Biological Psychiatry, Philadelphia, PA, May 3-5, 2012.
212. **Killgore, WD**, Schwab, ZJ, & Rauch, SL. Daytime sleepiness affects prefrontal inhibition of food consumption. Abstract presented at the 67th Annual Meeting of the Society of Biological Psychiatry, Philadelphia, PA, May 3-5, 2012.
213. Rosso, IM, Britton, JC, Makris, N, **Killgore, WDS**, Rauch SL, & Stewart ES. Impact of major depression comorbidity on prefrontal and anterior cingulate volumes in pediatric OCD.

Abstract presented at the 67th Annual Meeting of the Society of Biological Psychiatry, Philadelphia, PA, May 3-5, 2012.

214. Kipman, M, Weber, M, DelDonno, S., Schwab, ZJ, & **Killgore, WD**. Morningness-Eveningness correlates with orbitofrontal gray matter volume. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
215. Kipman, M, Schwab, ZJ, Weber, M, DelDonno, S, & **Killgore, WD**. Yawning frequency is correlated with reduced medial thalamic volume. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
216. Weber, M, DelDonno, S, Kipman M, Schwab, ZJ, & **Killgore WD**. Grey matter correlates of daytime sleepiness. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
217. Weber, M, DelDonno, S, Kipman M, Schwab, ZJ, & **Killgore WD**. Grey matter correlates of self-reported sleep duration. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
218. DelDonno, S, Weber, M, Kipman M, Schwab, ZJ, & **Killgore, WD**. Resistance to insufficient sleep correlates with olfactory cortex gray matter. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
219. DelDonno, S, Schwab, ZJ, Kipman, M, Weber, M, & **Killgore, WD**. Weekend sleep is related to greater coping and resilience capacities. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
220. Schwab, ZJ, DelDonno, S, Weber, M, Kipman M, & **Killgore, WD**. Habitual caffeine consumption and cerebral gray matter volume. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
221. Schwab, ZJ, & **Killgore, WD**. Daytime sleepiness affects prefrontal regulation of food intake. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
222. **Killgore, WD**, Schwab, ZJ, DelDonno S, Kipman, M, Weber M, & Rauch, SL. Greater nocturnal sleep time is associated with increased default mode functional connectivity. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
223. **Killgore, WD**, Kamimori, GH, & Balkin, TJ. Caffeine improves efficiency of planning and sequencing abilities during sleep deprivation. Abstract presented at the 26th Annual Meeting of the Associated Professional Sleep Societies, Boston, MA, June 9-13, 2012.
224. Sneider, JT, **Killgore, WD**, Crowley, DJ, Cohen-Gilbert, JE, Schwab, ZJ, & Silveri, MM. Inhibitory capacity in emerging adult binge drinkers: Influence of Facial Cues. Abstract

presented at the 35th Annual Scientific Meeting of the Research Society on Alcoholism, San Francisco, CA, June 23-27, 2012.

- 225. **Killgore WD.** Multimodal neuroimaging to predict cognitive resilience against sleep loss. Abstract presented at the DARPA Young Faculty Award 2012 Meeting, Arlington, VA, July 30-31, 2012.
- 226. Cohen-Gilbert, JE, **Killgore WD**, Crowley, DJ, Covell, MJ, Schwab, ZJ, Weiner, MR, Acharya, D, Sneider, JT, & Silveri, MM. Differential influence of safe versus threatening facial expressions on inhibitory control across adolescence and adulthood. Abstract presented at the Society for Neuroscience 2012 Meeting, New Orleans, LA, October 13-17, 2012.
- 227. Weber, M, DelDonno, S, Kipman M, Schwab, ZJ, & **Killgore WD.** Grey matter correlates of self-reported sleep duration. Abstract presented at the Harvard Division of Sleep Medicine Annual Poster Session, Boston, MA, September 27, 2012.
- 228. Weber, M, DelDonno, SR, Kipman, M, Preer, LA, Schwab ZJ, Weiner, MR, & **Killgore, WD.** The effect of morning bright light therapy on sleep, cognition and emotion following mild traumatic brain injury. Abstract accepted for poster presentation at the 2012 Sleep Research Network Meeting, 22-23 October 2012, Bethesda, MD.
- 229. Sneider, JT, **Killgore, WD**, Crowley, DJ, Cohen-Gilbert, JE, Schwab, ZJ, & Silveri, MM. Inhibitory capacity in emerging adult binge drinkers: Influence of Facial Cues. Abstract presented at the Annual McLean Hospital Research Day, January 16, 2013.
- 230. Cohen-Gilbert, JE, **Killgore WD**, Crowley, DJ, Covell, MJ, Schwab, ZJ, Weiner, MR, Acharya, D, Sneider, JT, & Silveri, MM. Differential influence of safe versus threatening facial expressions on inhibitory control across adolescence and adulthood. Abstract presented at the Annual McLean Hospital Research Day, January 16, 2013.
- 231. Tkachenko, O, Schwab, ZJ, Kipman, M, DelDonno, S, Gogel, H., Preer, L, & **Killgore, WDS.** Smarter women need less sleep. Abstract presented at the Annual McLean Hospital Research Day, January 16, 2013.
- 232. DelDonno, S, Kipman, M, Schwab, ZJ, & **Killgore, WDS.** The contributions of emotional intelligence and facial perception to social intuition. Abstract presented at the Annual McLean Hospital Research Day, January 16, 2013.
- 233. Kipman, M, Schwab, ZJ, DelDonno, S, Weber, M, Rauch, SL, & **Killgore, WDS.** The neurocircuitry of impulsive behavior. Abstract presented at the Annual McLean Hospital Research Day, January 16, 2013.
- 234. Preer, LA, Tkachenko, O, Gogel, H, Schwab, ZJ, Kipman, M, DelDonno, SR, Weber, M, Webb, CA, & **Killgore, WDS.** Emotional intelligence as a mediator of the association between anxiety sensitivity and anxiety symptoms. Abstract presented at the Annual McLean Hospital Research Day, January 16, 2013.

235. Gogel, H, DelDonno, S, Kipman M, Preer, LA, Schwab, ZJ, Tkachenko, O, & **Killgore, WDS**. Validation of the Design Organization Test (DOT) in a healthy population. Abstract presented at the Annual McLean Hospital Research Day, January 16, 2013.
236. Brennan, BP, Schwab, ZS, Athey, AJ, Ryan, EM, Pope, HG, **Killgore, WDS**, Jenike, MA, & Rauch, SL. A functional magnetic resonance imaging study of rostral anterior cingulate cortex activation in obsessive-compulsive disorder using an emotional counting stroop paradigm. Abstract presented at the Annual McLean Hospital Research Day, January 16, 2013.
237. Cohen-Gilbert, JE, Schwab, ZJ, **Killgore, WDS**, Crowley, DJ, & Silveri MM. Influence of Binge Drinking on the Neural Correlates of Inhibitory Control during Emotional Distraction in Young Adults. Abstract presented at the 3rd International Conference on Applications of Neuroimaging to Alcoholism (ICANA-3), New Haven, CT, February 15-18, 2013.
238. Weber, M, & **Killgore, WDS**. The interrelationship between ‘sleep credit’, emotional intelligence and mental health – a voxel-based morphometric study. Abstract presented at Harvard Medical School Psychiatry Research Day, April 10, 2013.
239. Cohen-Gilbert, JE, Schwab, ZJ, **Killgore, WDS**, Crowley, DJ, & Silveri MM. Influence of Binge Drinking on the Neural Correlates of Inhibitory Control during Emotional Distraction in Young Adults. Abstract presented at Harvard Medical School Psychiatry Research Day, April 10, 2013.
240. Mundy, EA, Weber, M, Rauch, SL, **Killgore, WDS**, & Rosso, IM. The relationship between subjective stress levels in childhood and anxiety as well as perceived stress as an adult. Abstract presented at Harvard Medical School Psychiatry Research Day, April 10, 2013.
241. Webb, CA, **Killgore, WDS**, Britton, JC, Schwab, ZJ, Price, LM, Weiner, MR, Gold, AL, Rosso, IM, Simon, NM, Pollack, MH, & Rauch, SL. Comparing categorical versus dimensional predictors of functional response across three anxiety disorders. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.
242. Preer, LA, Tkachenko, O, Gogel, H, Schwab, ZJ, Kipman, M, DelDonno, SR, Weber, M, Webb, CA, Rauch, SL, & **Killgore, WDS**. Linking Sleep Trouble to Neuroticism, Emotional Control, and Impulsiveness. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.
243. Preer, LA, Tkachenko, O, Gogel, H, Schwab, ZJ, Kipman, M, DelDonno, SR, Weber, M, Webb, CA, Rauch, SL, & **Killgore, WDS**. Emotional Intelligence as a Mediator of the Association between Anxiety Sensitivity and Anxiety Symptoms. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.
244. Kipman, M, Schwab, ZJ, DelDonno, S, Weber, M, Rauch, SL, & **Killgore, WDS**. The neurocircuitry of impulsive behavior. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.

245. Weber, M, **Killgore, WDS**, Rosso, IM, Britton, JC, Simon, NM, Pollack, MH, & Rauch, SL. Gray matter correlates of posttraumatic stress disorder—A voxel based morphometry study. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.
246. Weber, M, Penetar, DM, Trksak, GH, DelDonno, SR, Kipman, M, Schwab, ZJ, & **Killgore, WDS**. Morning blue wavelength light therapy improves sleep, cognition, emotion and brain function following mild traumatic brain injury. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.
247. Tkachenko, O, Schwab, ZJ, Kipman, M, Preer, LA, Gogel, H, DelDonno, SR, Weber, M, Webb, CA, Rauch, SL, & **Killgore, WDS**. Difficulty in falling asleep and staying asleep linked to a sub-clinical increase in symptoms of psychopathology. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.
248. **Killgore, WDS**, Schwab, ZJ, Kipman, M, DelDonno, SR, Rauch, SL, & Weber, M. Problems with sleep initiation and sleep maintenance correlate with functional connectivity among primary sensory cortices. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.
249. **Killgore, WDS**, Schwab, ZJ, Kipman, M, DelDonno, SR, Rauch, SL, & Weber, M. A Couple of Hours Can Make a Difference: Self-Reported Sleep Correlates with Prefrontal-Amygdala Connectivity and Emotional Functioning. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.
250. Brennan, BP, Schwab, ZS, Athey, AJ, Ryan, EM, Pope, HG, **Killgore, WDS**, Jenike, MA, & Rauch, SL. A functional magnetic resonance imaging study of rostral anterior cingulate cortex activation in obsessive-compulsive disorder using an emotional counting stroop paradigm. Abstract presented at the 68th Annual Meeting of the Society of Biological Psychiatry, San Francisco, CA, May 16-18, 2013.
251. Weber, M, & **Killgore, WDS**. The interrelationship between ‘sleep credit’, emotional intelligence and mental health – a voxel-based morphometric study. Abstract presented at the SLEEP 2013 Annual Meeting, Baltimore, MD, June 1-5, 2013.
252. Weber, M, Penetar, DM, Trksak, GH, DelDonno, SR, Kipman, M, Schwab, ZJ, & **Killgore, WDS**. Morning blue wavelength light therapy improves sleep, cognition, emotion and brain function following mild traumatic brain injury. Abstract presented at the SLEEP 2013 Annual Meeting, Baltimore, MD, June 1-5, 2013.
253. **Killgore, WDS**, Schwab, ZJ, Kipman, M, DelDonno, SR, & Weber, M. Problems with Sleep Initiation and Sleep Maintenance Correlate with Functional Connectivity Among Primary Sensory Cortices. Abstract presented at the SLEEP 2013 Annual Meeting, Baltimore, MD, June 1-5, 2013.
254. **Killgore, WDS**, Schwab, ZJ, Kipman, M, DelDonno, SR, & Weber, M. A Couple of Hours

Can Make a Difference: Self-Reported Sleep Correlates with Prefrontal-Amygdala Connectivity and Emotional Functioning. Abstract presented at the SLEEP 2013 Annual Meeting, Baltimore, MD, June 1-5, 2013.

255. Tkachenko, O, Schwab, ZJ, Kipman, M, DelDonno, SR, Preer, LA, Gogel, H, Weber, M, Webb, CA, & **Killgore, WDS**. Difficulty in falling asleep and staying asleep linked to a sub-clinical increase in symptoms of psychopathology. Abstract presented at the SLEEP 2013 Annual Meeting, Baltimore, MD, June 1-5, 2013.
256. Preer, LA, Tkachenko, O, Gogel, H, Schwab, ZJ, Kipman, M, DelDonno, SR, Weber, M, Webb, CA, & **Killgore, WDS**. Linking Sleep Initiation Trouble to Neuroticism, Emotional Control, and Impulsiveness. Abstract presented at the SLEEP 2013 Annual Meeting, Baltimore, MD, June 1-5, 2013.
257. Preer, L, Tkachenko, O, Gogel, H, Bark, JS, Kipman, M, Olson, EA, & **Killgore, WDS**. The role of personality in sleep initiation problems. Abstract presented at the Annual McLean Hospital Research Day, January 22, 2014.
258. Demers, LA, Olson, EA, Weber, M, Divatia, S, Preer, L, & **Killgore, WDS**. Paranoid traits are related to deficits in complex social decision-making and reduced superior temporal sulcus volume. Abstract presented at the Annual McLean Hospital Research Day, January 22, 2014.
259. Tkachenko, O, Weber, M, Gogel, H, & **Killgore, WDS**. Predisposition towards unhealthy foods linked with increased gray matter in the cerebellum. Abstract presented at the Annual McLean Hospital Research Day, January 22, 2014.
260. Olson, EA, Weber, M, Tkachenko, O, & **Killgore, WDS**. Daytime sleepiness is associated with decreased integration of remote outcomes on the IGT. Abstract presented at the Annual McLean Hospital Research Day, January 22, 2014.
261. Cui, J, Tkachenko, O, & **Killgore, WDS**. Can the activation of anterior cingulate predict the emotional suppression? An fMRI study with masked faces. Abstract presented at the Annual McLean Hospital Research Day, January 22, 2014.
262. Gogel, H, & **Killgore WDS**. A psychometric validation of the Design Organization Test (DOT) in a healthy sample. Abstract accepted for presentation at the 42nd Annual Meeting of the International Neuropsychological Society, Seattle WA, February 12-15, 2014.
263. **Killgore, WDS**, Kipman, M, Tkachenko, O, Gogel, H., Preer, L, Demers, LA, Divatia, SC, Olson, EA, & Weber, M. Predicting resilience against sleep loss with multi-modal neuroimaging. Abstract accepted for presentation at the 42nd Annual Meeting of the International Neuropsychological Society, Seattle WA, February 12-15, 2014.
264. **Killgore, WDS**, Weber, M, Bark, JS, Kipman, M, Gogel, H, Preer, L, Tkachenko, O, Demers, LA, Divatia, SC, & Olson, EA. Physical exercise correlates with hippocampal volume in healthy adults. Abstract accepted for presentation at the 42nd Annual Meeting of the International Neuropsychological Society, Seattle WA, February 12-15, 2014.

265. **Killgore, WDS**, Tkachenko, O, Weber, M, Kipman, M, Preer, L, Gogel, H, & Olson, EA. The association between sleep, functional connectivity, and emotional functioning. Abstract accepted for presentation at the 42nd Annual Meeting of the International Neuropsychological Society, Seattle WA, February 12-15, 2014.
266. Preer, L, Tkachenko, O, Gogel, H, Bark, JS, Kipman, M, Olson, EA, & **Killgore, WDS**. The role of personality in sleep initiation problems. Abstract accepted for presentation at the 42nd Annual Meeting of the International Neuropsychological Society, Seattle WA, February 12-15, 2014.
267. Tkachenko, O, Weber, M, Olson, EA, Gogel, H, Preer, LA, Divatia, SC, Demers, LA, & **Killgore, WDS**. Gray matter volume within the medial prefrontal cortex correlates with behavioral risk taking. Abstract accepted for presentation at the 42nd Annual Meeting of the International Neuropsychological Society, Seattle WA, February 12-15, 2014.
268. Olson, EA, Weber, M, Bark JS, Demers L, Divatia, SC, Gogel, H, Kipman M, Preer, L, Tkachenko, O, & **Killgore, WDS**. Sex differences in threat evaluation of emotionally neutral faces. Abstract accepted for presentation at the 42nd Annual Meeting of the International Neuropsychological Society, Seattle WA, February 12-15, 2014.
269. Cui, J, Tkachenko, O, & **Killgore, WDS**. Can the activation of anterior cingulate predict the emotional suppression? An fMRI study with masked faces. Abstract accepted for presentation at the 36nd Annual Conference of the Anxiety Disorders Association of America, Chicago, IL, March 27-30, 2014.
270. Webb, CA, Weber, M, Mundy, EA, & **Killgore, WDS**. Reduced gray matter volume in the anterior cingulate, orbitofrontal cortex and thalamus as a function of depressive symptoms: A voxel-based morphometric analysis. Abstract accepted for presentation at the 36nd Annual Conference of the Anxiety Disorders Association of America, Chicago, IL, March 27-30, 2014.
271. Weber, M, Penetar, DM, Trksak, GH, Kipman, M, Tkachenko, O, Bark, JS, Jorgensen, AL, Rauch, SL, & **Killgore, WDS**. Light therapy may improve sleep and facilitate recovery from mild traumatic brain injury. Abstract accepted for presentation at the 10th World Congress on Brain Injury, San Francisco, CA, March 19-22, 2014.
272. Cui, J, Tkachenko, O, & **Killgore, WDS**. Can the activation of anterior cingulate predict the emotional suppression? An fMRI study with masked faces. Abstract accepted for presentation at the 21st Annual Meeting of the Cognitive Neuroscience Society, Boston, MA, April 5-8, 2014.
273. Divatia, S, Demers, LA, Preer, L, Olson, EA, Weber, M, & **Killgore, WDS**. Advantageous decision making linked with increased gray matter volume in the ventromedial prefrontal cortex. Abstract accepted for presentation at the 21st Annual Meeting of the Cognitive Neuroscience Society, Boston, MA, April 5-8, 2014.
274. Demers, LA, Olson, EA, Weber, M, Divatia, S, Preer, L, & **Killgore, WDS**. Paranoid traits

are related to deficits in complex social decision making and reduced superior temporal sulcus volume. Abstract accepted for presentation at the 21st Annual Meeting of the Cognitive Neuroscience Society, Boston, MA, April 5-8, 2014.

275. Preer, LA, Weber, M, Tkachenko, O, Divatia, S, Demers, LA, Olson, EA, & **Killgore, WDS**. Gray matter volume in the amygdala is associated with facial assessments of trustworthiness. Abstract accepted for presentation at the 21st Annual Meeting of the Cognitive Neuroscience Society, Boston, MA, April 5-8, 2014.
276. Tkachenko, O, Weber, M, Gogel, H, & **Killgore, WDS**. Predisposition towards unhealthy foods linked with increased gray matter volume in the cerebellum. Abstract accepted for presentation at the 21st Annual Meeting of the Cognitive Neuroscience Society, Boston, MA, April 5-8, 2014.
277. Olson, EA, Weber, M, Gogel, H, & **Killgore, WDS**. Daytime sleepiness is associated with decreased integration of remote outcomes on the IGT. Abstract accepted for presentation at the 21st Annual Meeting of the Cognitive Neuroscience Society, Boston, MA, April 5-8, 2014.
278. Demers, LA, Preer, LA, Gogel, H, Olson, EA, Weber, M, & **Killgore, WDS**. Left-hemifield bias on sad chimeric face task correlates with interpersonal emotional intelligence. Abstract accepted for presentation at the 69th Annual Meeting of the Society of Biological Psychiatry, New York, NY, May 8-10, 2014.
279. Weber, M, **Killgore, WDS**, Olson, EA, Rosso, IM, & Rauch, SL. Morphological brain network organization in relation to trauma and posttraumatic stress disorder. Abstract accepted for presentation at the 69th Annual Meeting of the Society of Biological Psychiatry, New York, NY, May 8-10, 2014.
280. Divatia, S, Demers, LA, Preer, L, Gogel, H, Kipman, M, & **Killgore, WDS**. Schizotypal and manic traits are associated with poorer perception of emotions in healthy individuals. Abstract accepted for presentation at the 69th Annual Meeting of the Society of Biological Psychiatry, New York, NY, May 8-10, 2014.
281. **Killgore, WDS**, Weber, M, Olson, EA, & Rauch, SL. Sleep reduction and functioning of the emotion regulation circuitry. Abstract accepted for presentation at the 69th Annual Meeting of the Society of Biological Psychiatry, New York, NY, May 8-10, 2014.
282. Webb, CA, Weber, M, Mundy, EA, & **Killgore, WDS**. Reduced gray matter volume in the anterior cingulate, orbitofrontal cortex and thalamus as a function of depressive symptoms: A voxel-based morphometric analysis.

Narrative Report (limit to 500 words)

My research has emphasized the study of higher order cognition and executive functions and how these cognitive abilities are influenced and guided by subtle affective processes. Over the past 12 years, my research has utilized functional and structural magnetic resonance imaging to study the interaction of

affective processes and cognition within limbic networks of the medial temporal lobes and prefrontal cortex. This line of research has led to the refinement of a developmental model of prefrontal cortical-limbic maturation that explains how these processes contribute to the way adolescents perceive emotionally and motivationally relevant stimuli such as affective faces and visual images of food. As a result of the Iraq War, I took an extended leave of absence to serve in the Active Duty Army as the Chief of the Neurocognitive Performance Branch at the Walter Reed Army Institute of Research from 2002-2007. During that time, I extended the scope of my affective processing research to also examine the effects of stressors such as prolonged sleep deprivation, chronic sleep restriction, nutritional deprivation, and the use of stimulant countermeasures on the cognitive-affective systems within the brain. This line of investigation suggests that sleep deprivation alters the metabolic activity within the medial prefrontal cortex, resulting in subtle but profound effects on specific aspects of cognition. These sleep-loss related prefrontal decrements impair the ability to use affective processes to guide judgment and decision-making, particularly in high-risk or morally relevant situations. My recent investigations also suggest that while commonly used stimulants such as caffeine, modafinil, and dextroamphetamine are highly effective at reversing sleep-loss induced deficits in alertness and vigilance, they have virtually no restorative effect on the cognitive-affective decision-making systems of the brain. Having left military service to return to McLean Hospital full time in the summer of 2007, I have since been extending my previous work to identify the extent to which these cognitive-affective decision-making systems and their neurobiological substrates are impaired or altered in patients suffering from anxiety disorders and post-traumatic stress. During the past five years I have also successfully secured multiple grants from the DoD and DARPA totaling more than \$7.8M, including a study of the neural basis of emotional intelligence, a study of a novel light treatment for improving sleep and cognitive functioning in mTBI, and a neuroimaging study of the effectiveness of an internet based cognitive-behavior therapy program, a neuroimaging study of axonal damage in mTBI, and a study of the neural basis of resilience against the adverse effects of sleep deprivation. In early 2011, I was named Co-Director of the Social, Cognitive, and Affective Neuroscience Lab at McLean Hospital.

My recent teaching activities have primarily involved daily supervision and training of student research assistants and postdoctoral fellows, as well as occasional seminar presentations. Over the past 6 years, I have closely and regularly mentored more than 25 students at the undergraduate, graduate, and post-doctoral level. This involvement has included one-on-one supervision and training in basic research methods, neuropsychological assessment, statistical analysis, and manuscript preparation. Nearly all of my advisees have served as co-authors on abstracts, posters, talks, and published manuscripts based on my research program.